## 2003 CONCORDE/INTERPID/300M (LH)









Jeep

CHRYSLER . PLYMOUTH . DODGE . JEEP

THE MOPAR DIFFERENCE

### VIN PLATE DECODING INFORMATION


1 2 3	4	5	6	7	8	9	10	11	12 thru 17
Country Make Vehicl Type	e Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.

The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = Built in US by DaimlerChrysler Corporation
2	Make	B = Dodge C = Chrysler
3	Vehicle type	3 = Passenger Car
4	Vehicle Safety	A = Restraint System Active Front & Side Air Bags (CGS) B = Restraint System Manual/Active Uni-belt (CGA) D = Restraint System w/o Air Bags (CGJ) H = Restraint System Active Driver & Passenger Air Bags (CGW)
5	Vehicle Line	E = Chrysler 300M C = Chrysler Concorde H = Chrysler Intrepid (Canada) D = Dodge Intrepid (US, Mexico, & BUX w/MUD)
6	Series	3 = Concorde LXi 4 = Concorde LX/Intrepid SE 5 = Intrepid ES/SXT; Concorde Limited 6 = 300M w/o ABB * = 300M w/ ABB 7 = 300M Special
7	Body Style	6 = 4 Door Sedan
8	Engine	G = 3.5L 6 cyl. 24 V (EGG) R = 2.7L 6 cyl. DOHC Flex (EER) M = 3.5L 6 cyl. 24 V (EGJ) K = 3.5L HO 6 cyl. 24 V MPI (EGK) V = 3.5L 6 cyl. 24V (SOHC) Magnum (EGC)
9	Check Digit	
10	Model Year	3 = 2003
11	Assembly Plant	H = Bramelea Assembly
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

## **Group – 001**

### **Component Parts for Mopar Accessories**



001–100	001-200	001–300	001–600
Audio & Electronics	Carriers & Cargo Hauling	Driving Convenience	Fog Lights & Electrical
		Sz.	
001-900 Security			

#### **GROUP 1 - Component Parts for Mopar Accessories**


Illustration Title	Group-Fig. No
Audio & Electronics	
Player Kit - CD Changer 6 Disc	Fig. 001-110
Navigation Kit	Fig. 001-140
Carriers & Cargo Hauling	
Bike Carrier - Hitch Mount	Fig. 001-210
Bike Carrier - Roof Fork Mount Style	Fig. 001-212
Bike Carrier - Roof Upright Mount Style	Fig. 001-214
Ski Carrier - Roof	Fig. 001-224
Rack Kit - Roof Removable	Fig. 001-230
Luggage Carrier	Fig. 001-235
Trailer Tow Harness	Fig. 001-290
Driving Convenience	
Mounting Kit - Cell Phone	Fig. 001-330
Fog Lights & Electrical	
Heater Kit - Engine and Battery	Fig. 001-610
Security	
Alarm - EVSII Security Plus	Fig. 001-914
Module Package - Keyless Entry	Fig. 001-920

1	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		der Item	#2 use a 2	Z prefix thre	ough [GPC	P] exchan	ge order e	ntry sec	ction #11 or comand line entry (CMP)
[SGAA]		4							DI AVED KIT OD Changer C Dies
1 2	8220 7875	1							PLAYER KIT, CD Changer - 6 Disc CHANGER, CD, (NOT SERVICED)
									(Not Serviced)
3	4671 841AA	1							WIRING, Compact Disc Changer
4	4595 829AA	1	D						ADAPTOR, CD changer
	INTREPID-300M								
SERIES P = Limited/E	LIN			BODY 41 = 4 Door	Sadan	ENGINE	= 2.7L V6 D		TRANSMISSION DGX = 4 Speed Automatic
S = 300M	Intro	epid		71 - 4 DOOI	Jeuaii	EGG = 3.5	IL HO V6 MF	PI 24V	DGA = 4 Speed Automatic  DG0 = All Automatic Transm
H = SE M = LXI	D =	Dodge Ir Concord	ntrepid			EGJ = 3.5I	L V6 SOHC : L HO V6 MF	24V	
X = 300M Sp		300M	C			EGC = ÎM/	AGNUMÖ 3.	5L V6	


1	
	(2)
4	3

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NUMBER	<u> </u>	LINE	SERIES	BODI	ENGINE	IKANS	I Kilvi	DESCRIPTION
Note: For	r warranty orde	er item #	#2 use a Z	prefix thrc	ough funtio	n 11			
For Geog	graphic Map Da	atbase it	item #4 cal	II Toll Free					
	ard is required f		transaction	n.					
	8220 6406	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
	56038 629AC								RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
	56038 630AA								ANTENNA, GPS
4	56038 642AA	A 1							DVD, Geographic Database
CONCORDE	-INTREPID-300M (	/I LI)							
SERIES	LINE	E		BODY		ENGINE			TRANSMISSION
P = Limited/E S = 300M	ES H = 0 Intre	Chrysler epid		41 = 4 Door	: Sedan		) = 2.7L V6 D 5L HO V6 MF		DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE	D = 1	Dodge In				EGJ = 3.5L	L V6 SOHC	24V	500 = ,
M = LXI X = 300M Sp		Concorde 300M	а			EGK = 3.59 EGC = ÎM	5L HO V6 MF IAGNUMÖ 3.9	ી 24v .5L V6	
	700.0.	000					10	<u></u>	




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	folds down for		o rear ded	ck, has anti	theft bolts				0.4.0.015.0.147.0.11
1	8220 4452	1							CARRIER KIT, Bike
2	4762 880	1							STRAP KIT, Velcro, Contains: 1-
•	E040 77E A A	4							Long and 1-Short Strap
3	5016 775AA	1							STRAP KIT, Bike Carrier Latch,
4	E016 774AA	4							Contains: 2-Rubber Straps
4	5016 774AA 5018 825AA	1							BOLT KIT, Security HARDWARE KIT, Bike Carrier,
5	5016 625AA	1							Contains: T-Handle, Top Clamp
									and Nylon Washer
									and Nylon Washer
									_
	E-INTREPID-300M								
RIES	LINE	Ē		BODY	Code	ENGINE			TRANSMISSION
RIES : Limited	/ES H =	E Chrysler		BODY 41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
RIES	LINE  /ES	E Chrysler	trepid		Sedan	EER, EE0 EGG = 3.5 EGJ = 3.5l	= 2.7L V6 D L HO V6 MP _ V6 SOHC 2 L HO V6 MP	1 24V 24V	

## Bike Carrier - Roof Fork Mount Style Figure 001-212




								l	
	PART		l						
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Hardware Kit		ained in Ca	arrier Kit.					
1	8230 0585								CARRIER KIT, Bike, Fork - Mount
2	5093 779A	A 1							HARDWARE KIT, Accessory,
									Contains: 2-T-Slot Anchors, 1-Rear
									T-Slot Bar, 4-Button Head Screws, 2-Lock Washers and 4-Dome
									Washers
3	5016 513A	A 1							STRAP, Cargo Tie Down, Consists
									of: 2- Straps
-4	5066 632A	A- 1							TOOL, Screw Driver
CONCORDI SERIES	E-INTREPID-300	OM (LH) —— INE		BODY		ENGINE			TRANSMISSION
P = Limited	/ES H	l = Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
S = 300M H = SE	lr D	ntrepid ) = Dodge Ir	ntrepid			EGG = 3.5 EGJ = 3.5	SL HO V6 MF L V6 SOHC	יי 24V 24V	DG0 = All Automatic Transm
M = LXI	C	C = Concord	е			EGK = 3.5	L HO V6 MF	PI 24V	
X = 300M S	pecial E	= 300M				EGC = IM/	agnumö 3.	5L V6	

## Bike Carrier - Roof Upright Mount Style Figure 001-214




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3471	1							CARRIER KIT, Bike, Upright - Mou
2	5093 779AA	. 1							HARDWARE KIT, Accessory,
									Contains: 2-T-Slot Anchors, 1-Rea
									T-Slot Bar, 4-Button Head Screws
									2-Lock Washers and 4-Dome
									Washers
3	5016 513AA	. 1							STRAP, Cargo Tie Down
4	5018 194AA	. 1							HARDWARE KIT, Bike Carrier, 1
									CARRIAGE BOLT, CARRIAGE
									BOLT BUSHING ~~ADJUSTMEN
									KNOB 2 ADJUSTMENT KNOB
									BUSHINGS ~~BIKE TUBE PAD,2
									BUTTON HEAD SCREW(M6X1.
									0X30MM)~~2 NYLON WASHERS
									AND SPRING
-5	5066 632AA	- 1							TOOL, Screw Driver
NCORDE	-INTREPID-300N	1 (LH) ——							
RIES	LIN	1E		BODY	Code	ENGINE	0.71.1/0.5	0110	TRANSMISSION
	E9 H =	= Chrysler		41 = 4  Door	Sedan	EER. EE0	= 2.7L V6 D	UHC	DGX = 4 Speed Automatic
Limited/ 300M									DG0 = All Automatic Transm
Limited/ 300M SE LXI	Inti D =	repid = Dodge In = Concorde	ntrepid			EGG = 3.5 EGJ = 3.5l	L HO V6 MF L V6 SOHC L HO V6 MF	PI 24V 24V	DG0 = All Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11.2	110	1 2		1 32				1	2200
1									CARRIER KIT, Ski
	8220 7312	1							3 Pair
	8220 7308	1							6 Pair
2	5086 158AA	1							HARDWARE KIT, Accessory,
									Contains: 4 - 25MM Screws, 4 - 20M Screws, 4 - 16MM Screws, 4
									Lock Washers, 4 - Flat Washers,
									- T Plates, 4 - Rubber Washers
-3	5066 632AA-	- 1							TOOL, Screw Driver
NCORD	E-INTREPID-300M	(LH) —							
RIES = Limited	LINE d/ES H =	E : Chrysler	<i>,</i>	BODY 41 = 4 Door	r Sedan	ENGINE EER, EE0	) = 2.7L V6 D	OOHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Intre	epid			000	EGG = 3.5	5L HO V6 MI	1PI 24V	DG0 = All Automatic Transm
= SE = LXI	C =	Dodge In Concorde	itrepid le			EGK = 3.5	SL V6 SOHC SL HO V6 MF	IPI 24V	
	Special E = :	: 300M	,			EGC – ÎM	IAGNUMÖ 3.	. 51 V6	

#### Rack Kit - Roof Removable Figure 001-230



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		HOMBER	_ ~		02.4120	1 2001		1		223000 11000
	1	8220 6610	1			41				RACK KIT, Multipurpose,
_										Multipurpose
	2	5072 276AA	1	Υ		41				END CAP, Roof Rack Side Rail, With set of keys
	-3	5066 632AA-	1	Υ		41				TOOL, Screw Driver
_										
_										
_										
_										
_										
_										
_										
_										
_										

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARRIER KIT, Luggage
	8220 7341 8220 7353	1			41 41				28'x90' 480L 31'x71' 430L
2	5086 160AA	1 1			41				STRAP, Cargo Tie Down
3	5086 159AA	1			41				HARDWARE KIT
,									

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Trailer Tow Harness** Figure 001-290



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									WIRING PACKAGE, Trailer Tow
_		8220 4638	1	D, Y		41				Trailer Tow 4 Way
		8220 4639	1	С		41				Trailer Tow 4 Way
	2	8220 2089	1							WIRING, Trailer Tow, Vehicle and
										trailer side 4 way flat repair kit
	3									MODULE, Lighting Control
		4672 295	1	D, Y		41				
			1	С		41				
	4									STRAP, Tie
		4641 780	1							
		6016 155	1	С		41				
	5	8220 4602	1	C, D, Y		41				BRACKET KIT, Trailer Tow, Consists
										of : L Bracket, 2 Screws, 2 Lock
										Nuts 4 way flat
	-6									WIRING KIT, Trailer Lights
		8220 6367	1	Υ		41				European 13 pin high spec
		8220 6368	1	Υ		41				European 7 pin high spec
		8220 6369	1	Υ		41				European 7 pin Low Spec

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Mounting Kit - Cell Phone Figure 001-330

	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
NOTE: H	lolds any wirele	ess han	dset. Instal	ls to instru	ment pane	I.					
1	8220 5270	1	C, D, Y		41				MOUNTING KIT, Cellular Phone		
2	5018 103AA	1	C, D, Y		41				HARDWARE KIT, Accessory		
3	5016 536AA	1	C, D, Y		41				CORD, Cellular Phone, 18 inch in		
									length, has 'Y' feed for another 12V		
									accessory.		



CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Heater Kit - Engine and Battery Figure 001-610

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3641	1	C, D, Y		41				HEATER KIT, Engine and Battery
2	4609 098AB	1							HEATER, Battery
3	4609 325AB	1							HEATER, Engine Block
4	4609 121AD	1							CORD, Engine Block Heater



CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special

S H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
ecial E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Alarm - EVSII Security Plus Figure 001-914




11-914									
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				02					<b>DEC</b>
1	8220 4268	1			41				MODULE, Security Alarm
2	8220 3198	1			41				SIREN, Alarm
-3	4886 259AA-	- 1			41				INDICATOR, Valet Status
4	5011 619AA	1			41				MODULE, Security Alarm
5	4886 260AB	1			41				SENSOR, Shock, With Terminals
-6	8220 3768	1	C, D, Y		41				WIRING KIT, Alarm Security Plus, Required for Installation
NUCORDE	E-INTREPID-300M	л <b>ш</b> \							
ERIES = Limited/I = 300M = SE = LXI = 300M SI	/ES	E Chrysler	ntrepid	BODY 41 = 4 Door	r Sedan	EGG = 3.5 EGJ = 3.5l EGK = 3.5	= 2.7L V6 D SL HO V6 MF L V6 SOHC SL HO V6 MF AGNUMÖ 3.	PI 24V 24V PI 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm


## Module Package - Keyless Entry Figure 001-920



UU	11-920									
		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	1	8220 7513	1							MODULE PACKAGE, Keyless Entry
	2	56045 755A								RECEIVER, Keyless Entry
	3	4602 260AA								TRANSMITTER, Keyless Entry
	-4	8350 4802	2							BATTERY, Transmitter
-										
_										
_										
_										
_										
_										
_										
_										
C	ONCORDE: ERIES	INTREPID-300N- LIN	1 (LH) —— VE		BODY		ENGINE			TRANSMISSION
Ρ	= Limited/I	ES H =	= Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D	OHC	DGX = 4 Speed Automatic
S H	= 300M = SE	Inti D :	repid = Dodge In	ntrepid			EGG = 3.5 EGJ = 3.5	L HO V6 MF L V6 SOHC	א24V וי 24V	DG0 = All Automatic Transm
M	l = LXI	C =	<ul><li>Concorde</li></ul>	9			EGK = 3.5	L HO V6 MF	PI 24V	
Х	= 300M Sp	pecial E =	= 300M				EGC = IM/	AGNUMÖ 3.	5L V6	

# Group – 002 Front Suspension & Drive





#### **GROUP 2 - Front Suspension & Drive**

Illustration Title	Group-Fig. No.
Front Suspension	
Suspension, Front	Fig. 002-110
Front Axle Drive Shafts	
Shaft, Front Drive	Fig. 002-210

ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

**ENGINE** 


TRANS

TRIM


DESCRIPTION

NOTE Sites codes:   IRISH, ANTI-LOOK A-MIEEL DISC, PER			
BRISH-ARTH LOCK 4-WHELL DISC, PER   BRISH-ARTH-LOCK 4-WHELL DISC, PER   BRISH-BRISH ARTH-LOCK 4-WHELL DISC, PER   BRIS		NOTE:Sales codes:	
BRISANTI-LOCK 4-WIFEL DISC, DEF, RE			
BRIST-ANTLICK AWHEN EISK C, FER			
SEAR-SUSTINSTON - NORMALE UTY   SIDESUSTINSTON - NORMALE UTY   SIDESUSTINSTON - NORMALE UTY   SIDESUSTINSTON - TOURING   SIDESUS IN TOURING - TOURING   SIDESUS IN TOURING - TOU			
SIDBI-BUSINENSION - TOURING   SIDDI-SUSPENSION - TOURING   SIDDI-SUSPENSION - TOURING   SIDDI-SUSPENSION - PERFORMANCE   TOURING   SIDDI-SUSPENSION - PERFORMANCE   TOURING   SIDDI-SUSPENSION - SPORTER	$\widehat{\mathfrak{A}3}$		
SDCJ-SUSPENSION - TORTHNO			
SSON_SUBSPENSION - 4-794FL INDEP TOURING   SINCE_SUBSPENSION   5-794FL INDEP TOURING   5-794			
SIDDE_SUSPENSION - A-Well, NDEP TOURING	7 \\\(\sigma\) \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	• •	
Table   Tabl			
Table   Tabl	(28) (10)		
### ATRO 013AF   SDAMPER. Strut   ### O13AF   SDAM SPCI, Left   ### 013AF   SDAM SPCI, Left   ### 15DD, CRD, CRD, Left   ### 15DD, CRD, CRD, CRD, CRD, CRD, CRD, CRD, C			
4/782 0124F   SDA   SDC , Left   SDA   SDC , Left   SDA   SDC , Right   SDB, Right		[ZAO TITIOUGH ZIXI ]=Opting Group Types Found of Individual Vehicle Gales Listing.	DAMBER Strut
### 1	(29)	4792 013AF 1	
4782 778AA 1 4782 778AA 1 4782 778AA 1 4782 178A 1 4782 178A 1 4782 178A 1 4782 778AA 1 58AA 1 5AAA 1 5AAA 1 5AAA 1 5AAA 1 5A			
### 1   SDB, Left   SDB, Left   SDD, Left			
1	(4)		
4782 110AF 1   SDDI, Right   SBDI, Right   S			
33  4895 183AF 1   SDEL Left   Right   SDEL Left   Right   SDEL Right			
### 4885 560AA 1   SDE, Right   ### 4895 182AF 1   SDG, Right   ### 4895 182AF 1   SDG, Right   ### 150LATOR, Front Suspension   ###			
#895 193AF 1   SDG  Left   SDG  Left   SDG  Left   SDG  Right   Right			
4895 182AF   1	(31)		
2 4782 228AA 1			
Spring, Lower   Spring, Front Coil   Spr. XND, ZAD   Spr. XN			
3 4782 084AB 1  4782 085AB 1  4782 085AB 1  5DC, ZND, ZAD JSDD, ZBD, ZPD JSDD, ZPD, ZBE JSDB, ZRE, ZCE JSDD, ZPE, ZBE JSDB, ZRE, ZCE JSDB, ZRE, ZEE ZEE JSDB, ZRE, ZEE ZEE ZEE ZEE ZEE ZEE ZEE ZEE ZEE Z		2 4702 220AA 1	
19		2	
## A782 085AB 1   FINAL PRINCE   FIN			
16		4702 004AD	
A782 775AA 1   SDG, ZRE, ZGE   SDB, ZTK, ZEK   SDB, ZTM, ZEK   SDB, ZDJ, ZSJ   SPACER, Shock Absorber Bushing		4702 00F AD 4	
4782 775AA 1		4702 003AD	
10   10   10   10   10   10   10   10		<i>1</i> 782 775ΛΛ 1	
4 4782 771AA 4 Y  SPACER, Shock Absorber Bushing 5 4782 335AA 1  SHIELD, Suspension ISOLATOR, Front Suspension Spring, Upper SEAT AND BEARING, Suspension Strut BUMPER, Jounce [SDC] 4782 112 1 [SDD] [SDB] [SDB]  SERIES LINE P = Limited/ES H = Chrysler P = Limited/ES H = Chrysler H = SE D = Dodge Intrepid EGS = 3.5L NO V6 MPI 24V EGS = 3.5L N			
SHIELD, Suspension   SOLATOR, Front Suspension   Solator, Front Suspension   Solator, Front Suspension   Spring, Upper			
6 4782 233AA 1 ISOLATOR, Front Suspension Spring, Upper SEAT AND BEARING, Suspension Spring, Upper SEAT AND BEARING, Suspension Strut  8 BUMPER, Jounce [SDC] 4782 112 1 [SDD] [SDG] [SDB]  8 BUMPER, Jounce [SDC] 4782 112 1 [SDD] [SDG] [SDB]  8 BODY 4895 562AA 1 [SDE]  CONCORDE-INTREPID-300M (LH) SERIES LINE P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EEG = 2.7L V6 DOHC EER, EEG = 3.5L HO V6 MPI 24V EGJ = 3.5L W6 SOHC 24V EGJ =			
Tansmission   Spring   Upper   SEAT AND BEARING, Suspension   Strut   Strut   Sumper   SEAT AND BEARING, Suspension   Strut   Sumper   SEAT AND BEARING, Suspension   Strut   Sumper   Seat   Sumper   Seat   Sumper   Seat   Sumper   Seat	$(36) \qquad (36) \qquad $		-
Table   Tabl		0 4702 200AA 1	•
8 4782 017 1 4782 112 1  CONCORDE-INTREPID-300M (LH) SERIES P = Limited/ES P = Limited/ES H = Chrysler Intrepid H = SE D = Dodge Intrepid EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L W6 SOHC 24V EGG = 3.5L HO V6 MPI 24V EGG = 3.5L W6 SOHC 2		7 4782 016 1	
8  4782 017 1  4782 112 1  (SDC)  [SDC]  [SDD] [SDB]  [SDE]   CONCORDE-INTREPID-300M (LH)  SERIES LINE P = Limited/ES H = Chrysler All = 4 Door Sedan Intrepid H = SE D = Dodge Intrepid H = SE D = Dodge Intrepid M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde		7 4702 010	
4782 017 1 [SDC] 4782 112 1 [SDD] [SDB] [SDB]  4895 562AA 1 [SDE]  CONCORDE-INTREPID-300M (LH)  SER IES LINE P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V H = SE D = Dodge Intrepid EGJ = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V M = LXI C = Concorde EGG = 3.5L HO V6 MPI 24V		8	
4782 112 1 [SDD] [SDB] [SDB]  4895 562AA 1 [SDD] [SDB] [SDB]  [SDD] [SDB] [SDB] [SDB]  [SDD] [SDB] [SDB] [SDB]  [SDD] [SDB] [SDB] [SDB] [SDB]  [SDD] [SDB] [SDB			
41) 38 39 23 25 22 24   CONCORDE-INTREPID-300M (LH)  SERIES LINE BODY Sedan INtrepid H = Chrysler 41 = 4 Door Sedan H = Chrysler 41 = 4 Door Sedan H = Chrysler 41 = 4 Door Sedan H = Chrysler BODY EGG = 3.5L V6 DOHC EGG = 3.5L V6 SOHC 24V EGG = 3.5L HO V6 MPI 24V EGG = 3.	(21)		
CONCORDE-INTREPID-300M (LH)  SERIES LINE SERIES LINE P = Limited/ES H = Chrysler H = SE D = Dodge Intrepid H = SE M = D = Dodge Intrepid M = LXI C = Concorde  ENGINE ER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V DGO = All Automatic Transm EGK = 3.5L HO V6 MPI 24V EGK = 3.5L HO V6 MPI 24V EGK = 3.5L HO V6 MPI 24V			
CONCORDE-INTREPID-300M (LH)           SERIES         LINE         BODY         ENGINE         TRANSMISSION           SERIES         LINE         41 = 4 Door Sedan         EER, EE0 = 2.7L V6 DOHC         DGX = 4 Speed Automatic           P = Limited/ES         H = Chrysler         EGG = 3.5L HO V6 MPI 24V         DG0 = All Automatic Transm           S = 300M         H = SE         D = Dodge Intrepid         EGJ = 3.5L V6 SOHC 24V           M = LXI         C = Concorde         EGK = 3.5L HO V6 MPI 24V	/	1000 302AA 1	[ODL]
CONCORDE-INTREPID-300M (LH)           SERIES         LINE         BODY         ENGINE         TRANSMISSION           SERIES         LINE         41 = 4 Door Sedan         EER, EE0 = 2.7L V6 DOHC         DGX = 4 Speed Automatic           P = Limited/ES         H = Chrysler         EGG = 3.5L HO V6 MPI 24V         DG0 = All Automatic Transm           S = 300M         H = SE         D = Dodge Intrepid         EGJ = 3.5L V6 SOHC 24V           M = LXI         C = Concorde         EGK = 3.5L HO V6 MPI 24V	(41) $(38)$ $(39)$ $(23)$ $(25)$ $(22)$ $(24)$		
SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V			
P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V		CONCORDE-INTREPID-300M (LH)	TRANSMISSION
S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V		P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC	DGX = 4 Speed Automatic
M = LXI $C = Concorde$ $EGK = 3.5L HO V6 MPI 24V$		S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V	
$X = 300M$ Special $E = 300M$ EGC = $\hat{I}MAGNUMÖ$ 3.5L V6		M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V	
		X = 300M Special E = 300M EGC = ÎMAGNUMÖ 3.5L V6	

#### **Suspension, Front Figure 002-110**



## Suspension, Front Figure 002-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 859AA	2							[SDE] [SDB], Sway Bar To Frame
31									BAR, Front Sway
	4782 858AA	1							[SDE]
	4782 282AA	1							[SDG]
	4782 303AA	1							[SDC] [SDD]
32	4772 487	2							CLAMP, Stabilizer Bar
33	6502 717	3							SCREW AND WASHER, Hex Head,
									M10x1.5x50
34									KNUCKLE, Front
	4879 412AA	1							[BR4, SDE] [BR6], Right
	4879 413AA	1							[BR4, SDE] [BR6], Left
	4782 124AC	1							[BR4, SDC, SDD, SDG] [BR3]
									[BR5] [BRW], Right
	4782 125AC	1							[BR4, SDC, SDD, SDG] [BR3]
									[BR5] [BRW], Left
-35									BRACKET
	5016 901AA-	AR							Knucle to Strut mounting, Left
	5016 902AA-	AR							Knucle to Strut mounting, Right
36	4782 224AB	1							SHIELD, Brake
-37	6504 693	2							SCREW, Tapping, Heat Shield
									Attaching
38	4616 380	2							BUSHING, Lower Control Arm, Fron
39	4616 383	2							BUSHING, Lower Control Arm, Rea
40	6506 677AA	2							WASHER, Flat
41	6504 707	4							NUT, M16x2.00
-42	6505 688AA-	1							NUT, Hex Flange Lock, M14x2, Stru
									Damper
-43									SHIELD, Sway Bar Link
	4695 656	1							Right
	4695 657	1							Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde


E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

PART





	Sales Code:						
_	2.7L V6 DOHC 2						
_	3.5L HIGH OUT						
-	.5L V6 SOHC 2						
	3.5L HIGH OUT	PUT V	6 24V MPI				
1							SHAFT, Front Drive
	4882 518	1	C, D				Right
		1	Υ				Chrysler 300M, Right
	5074 002AA	1	Y				Chrysler 300M Special, Right
2							SHAFT, Front Drive
	4882 517	1	C, D				Left
		1	Υ				Chrysler 300M, Left
	5074 003AA	1	Υ				Chrysler 300M Special, Left
3							BOOT KIT, Half Shaft, Inner
	4728 261	1	C, D				
		1	Υ				Chrysler 300M
	5073 989AA	1	Υ				Chrysler 300M Special
4							BOOT KIT, Half Shaft, Outer
	4863 722	1	C, D				
		1	Υ				Chrysler 300M
	5080 006AA	1	Υ				Chrysler 300M Special
-5	6502 541	2					NUT, Hex Flange Lock, M27x2
							Driveshaft Retaining
-6							O RING, CV Joint
	6502 363	2			EER	DGX	
		2			EGC,	DGX	
					EGG,		
					EGJ,		
					EGK		
-7							CIRCLIP, Half Shaft
	4593 012	2			EER	DGX	
		2			EGC,	DGX	
					EGG,		
					EGJ,		
					EGK		

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – 004 Parking Brake




Illustration Title Group-Fig. No. **Parking Brake Lever and Cables** Lever Assembly And Cables Parking Brake ..... Fig. 004-110






#### **Lever Assembly And Cables Parking Brake Figure 004-110**



## Group – 005 Service Brakes




005–100 Front Brakes	005–200 Rear Brakes	005–300 Power Brake Booster	005–400 Brake Master Cylinder
005–500 Brake Lines and Hoses	005–600 Brake Pedals		
000			


#### **GROUP 5 - Service Brakes**

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes, Front	Fig. 005-110
Rear Brakes	
Brakes, Rear Disc	Fig. 005-210
Power Brake Booster	
Booster, Power Brake	Fig. 005-310
Brake Master Cylinder	
Hydraulic Control Unit Anti-lock Brakes	Fig. 005-410
Master Cylinder, Brake	Fig. 005-420
Brake Lines and Hoses	
Front Brake Lines and Hoses	Fig. 005-510
Rear Brake Lines and Hoses	Fig. 005-520
Brake Pedals	
Pedal, Brake	Fig. 005-610

#### **Brakes, Front** Figure 005-110




#### **Brakes, Front** Figure 005-110




#### **Brakes, Rear Disc Figure 005-210**

PART



#### **Brakes, Rear Disc** Figure 005-210



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
21									ROTOR, Brake		
	4779 018	2							With Steel Wheels		
	4779 111AC	2							Without Steel Wheels		
22	6101 666	8							SCREW AND WASHER, Hex Head		
									M12x1.75, Adaptor To Knuckle		
23									SHIELD, Brake		
	4728 110	1							Right		
	4728 111	1							Left		
24	4723 981	1							SCREW, Rear Brake Dust Shield to		
									Adapter		
25	4238 733	1							PIN, Brake Shoe Hold Down		
26	4238 721	1							PLUG, Brake Adjusting Hole		
27	6504 891AA	10							STUD, Hub		
28									ADAPTER, Disc Brake		
	4797 310	1							Right		
	4797 311	1							Left		
29	5015 001AA	1							ADJUSTER PACKAGE, Consists of		
									Screw and Nut		
30	4509 503	1							SCREW, Parking Brake		
31	4383 539	1							NUT, Parking Brake Adjusting		
32	4509 504	1							SOCKET, Brake Adjusting Screw		
33	5073 647AA	1							SHOE AND LINING, parking Brake		
34	4383 541	1							SPRING, Park Brake Shoe Return,		
									Yellow in Color, Lower		
35									SENSOR, Anti-Lock Brakes		
	4779 152AA	1							Right		
	4779 153AB	1							Left		
36									CLIP, Service in Sensor Assy, (NOT		
									SERVICED) (Not Serviced)		
37									GROMMET, Service in Sensor Assy		
									(NOT SERVICED) (Not Serviced)		
-38	6101 978	2						SCREW AND WASHER, Hex Head			
									M8-1.25x40		

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### **Booster, Power Brake** Figure 005-310

PART

4 5	© ————————————————————————————————————	7
3		

Note: Sa	ale Codes					
EEO]=2	.7L V6 GAS					
EGO]=3	3.8L 6CY					
1						BOOSTER, Power Brake
	4779 072AE	1				
	4779 380AA	1				4-Wheel Disc
-2	6100 050	4				NUT AND WASHER, Hex, M8x1.25
						Brake Booster Mounting
3						HOSE, Brake Booster Vacuum
	4779 832AE	1				[EEO]
	4779 833AD	1				[EGO]
4	4723 391	1				VALVE, Brake Booster Check
5	4883 813AA	1				GROMMET, Brake Booster Check
						Valve
6						ROD, Brake Booster, Serviced in
						Booster, (NOT SERVICED) (Not
						Serviced)
7	3699 447	1				GASKET, Booster To Dash
-8	6502 524	2				NUT, Hex Lock, M8x1.25


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Hydraulic Control Unit Anti-lock Brakes Figure 005-410



1 1	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS		
1								TRIM	DESCRIPTION
									HYDRAULIC CONTROL UNIT, An
									Lock Brake System
5	5080 683AA	1							Without Traction Control
5	5080 684AA	1							With Traction Control
-2 6	5504 802AA-	4							SCREW, 6 Lobed, Hydraulic to
									Control Module
3									MODULE, Anti-Lock Brake System
5	5093 806AA	1							With Traction Control
5	5093 809AA	1							Without Traction Control
4 6	5504 766	1							SCREW AND WASHER, Hex Head
5 4	1897 785AA	1							BRACKET, Brake Control Unit
6 4	1882 651	1							BOLT, Hydraulic Control Unit,
									Hydraulic to Bracket


CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Master Cylinder, Brake Figure 005-420





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Co	des:								
BR3]= A	NTI-LOCK 4-W	/HEEL	DISC						
_	NTI-LOCK 4-WI								
-	NTI-LOCK 4-W								
	NTI-LOCK 4-WI		DISC, HD						
	-WHEEL DISC								
1	:								MASTER CYLINDER, Brake
	4779 168AB	1							[BRW]
	4779 530	1							[BR3] [ BR4] [BR5]
0	4779 292AA	1							[BR6]
2	4509 683	1							CAP, Master Cylinder Reservoir
3	5086 001AA	1							RESERVOIR, Brake Master Cylinder
4	4723 389	2							GROMMET, Master Cylinder Reservoir
5	4723 394	2							PIN, Master Cylinder Reservoir
6	4797 655	1							SWITCH, Brake Fluid Level
U	4131 000	'							SWITCH, DIAKE FINIC LEVEL

X = 300M Special

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Front Brake Lines and Hoses** Figure 005-510

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

**ENGINE** 



[BRW]=	4-WHEEL DISC		
		/ITH ABS BRAKES	
1	4779 120AA	1	HOSE, Brake, Right
2	4779 121AA	1	HOSE, Brake, Left
3	6035 098	2	BOLT, Hex Head, .437-20x.937,
			Brake Hose To Caliper
4	6035 727	4	WASHER
5	4779 748	1	TUBE, Brake, with Clips, Right From
6	4779 749	1	TUBE, Brake, with Clips, Left Front
7			TUBE BUNDLE, Brake Lines
	4779 065AB	1	Master Cylinder to Valves, With
			Clips, [BTB]
	4779 256AB	1	Master Cylinder to Valves, With
			Clips, [BRW]
8			HYDRAULIC CONTROL UNIT, Ant
			Lock Brake System
	5080 683AA	1	Without Traction Control
	5080 684AA	1	With Traction Control
9	4779 160AB	1	JUNCTION BLOCK, Brake Tube,
			Without ABS
10	6504 766	1	SCREW AND WASHER, Hex Head
			Junction Block/ICU Attach
11			SENSOR, Anti-Lock Brakes
	4779 152AA	1	Right
	4779 153AB	1	Left
12	6102 152AA	2	SCREW, Tapping Hex Flange Hea
			M6.3x1.81x20.00, Sensor Attach
13	6504 055	2	SCREW, Hex Head, M6x1x16,

TRIM

DESCRIPTION

TRANS

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Rear Brake Lines and Hoses** Figure 005-520



	PART										
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION		
1	5083 038AA	1							TUBE, Brake, Rt Rear		
2	5083 039AA	1						TUBE, Brake, Lt Rear			
3	4779 220AA	1							HOSE, Brake, Right		
4	4779 221AA	1							HOSE, Brake, Left		
5	6035 727	4							WASHER		
6	6035 098	2							BOLT, Hex Head, .437-20x.937		
7	4616 057	1							CLIP, Brake Tube		
8	4582 923	1 CLIP, Brake Tube					CLIP, Brake Tube				
9	5010 229AA	1							CLIP, Fuel Line		
10	5010 230AA	1							CLIP, Fuel Line		
11	5012 488AA	1			CLIP, Fuel Line		CLIP, Fuel Line				
12	5010 231AB	1							CLIP, Fuel Line		
13	5011 478AB	1							CLIP, Fuel Line		
14	5011 723AA	1							CLIP, Brake Tube		
15	4582 074	1							CLIP, Fuel Bundle		
-16									SENSOR, Anti-Lock Brakes		
	4779 154AA-	1							Right		
	4779 155AA-	1							Left		
-17	6101 978	2							SCREW AND WASHER, Hex Head,		
									M8-1.25x40, Sensor Mounting		
18	4779 160AB	1							JUNCTION BLOCK, Brake Tube		
19	6504 766	1							SCREW AND WASHER, Hex Head,		
									Junction Block Mounting		

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART												
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION				
	ales Codes:												
[BR6]=Al	NTI-LOCK 4-W	HEEL D	DISC, HEA	VY DUTY									
1									BRACKET, Brake Pedal				
	4779 302AA	1							[BR6]				
	4779 161AA	1							004050 0 1 0 110 14				
2	4294 633	1							SPACER, Brake Pedal Bracket				
3 4	2467 770	2 4							BUSHING, Pedal Shaft NUT AND WASHER, Hex, M8x1.25,				
4	6100 050	4							Brake Pedal Bracket To Dash				
5	4294 036AB	1							CLIP, Master Cylinder Push Rod				
6	4671 336	1							SWITCH, Stop Lamp, With Speed				
									Control				
7									PEDAL, Brake				
	4779 304AA	1							[BR6]				
	4779 171AA	1							011457 5 4 5 4 5 4 6 4				
8									SHAFT, Brake Pedal Pivot, Service				
									in Item 1, (NOT SERVICED) (Not Serviced)				
9	4779 027	1							PAD, Pedal				
9	4119 021	'							i AD, i edai				

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – 007 Cooling



007–100 Radiator and Related Parts	007–200 Water Pump and Related Parts	007–300 Tank, Coolant Engine	007–400 Pulleys and Related Parts				
007-500 Drive Belts	007–600 Lines, Transmission Oil Cooler						

### **GROUP 7 - Cooling**

illustration little	Group-Fig. N
Radiator and Related Parts Radiator and Related Parts Police Package - Engine Cooler Lines	Fig. 007-110 Fig. 007-120
Water Pump and Related Parts  Water Pump and Related Parts	Fig. 007-210
Tank, Coolant Engine Coolant Recovery System Heater Plumbing	Fig. 007-310
Pulleys and Related Parts         Drive Pulleys 2.7L Engine	Fig. 007-415
Drive Belts Drive Belts	Fig. 007-510
Lines, Transmission Oil Cooler Oil Cooler, Transmission	Fig. 007-610

#### **Radiator and Related Parts** Figure 007-110

ITEM

PART

NUMBER

QTY LINE SERIES BODY ENGINE TRANS TRIM

	ITEM	NUMBE	R QT	Y LINE	SERIES	BODY	ENGINE	TRANS TRIM	DESCRIPTION
	NOTE:Sal	ales Codes	3:						
				AUTOMATI	C 4-SPEED				
				VALVE MPI					
	= =								
(23) $(17)$				SOHC 24\					
(23) $(17)$				T V6 24V M	IPI				
	[EGJ] = 3								
(16)				V6 24V MI	기				
	[NMC] = H	HEAVY D	UTY						
	1								RADIATOR, Engine Cooling
$\begin{array}{c c} & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ & &$		4758 288	BAB 1						[NMB,NMD]
		5010 359	9AB 1						[NMC,NMS]
	-2								SHIELD, Radiator
		4805 204	1AB- 1	D					Yellow, Right
		4805 205	5AB- 1	D					Yellow, Left
		4805 212		D					White, Right
		4805 213		D					White, Left
24)		4805 244		С					Blue, Right
		4805 245							Blue, Left
		4805 246		×					Green, Right
		4805 247		· · · · · · · · · · · · · · · · · · ·					Green, Left
13		4806 028		,					
				D					Red, Right
		4806 029	9AA- 1	D					Red, Left
	-3	4=== 000							SHROUD, Fan
		4758 294							[NMB]
		5066 160	)AA- 1						[NMC,NMS,NMD]
	-4								FAN, Cooling
		4758 293							[NMB]
		5066 161	IAA- 2						[NMC,NMS,NMD]
	-5								MOTOR, Radiator Fan
(15) (19)		5072 180	)AA- 1						[NMB], Right
		5072 181	IAA- 1						[NMB], Left
		5066 162	2AA- 1						[NMS,NMC,NMD], Right
(21)		5066 163	3AA- 1						[NMS,NMC,NMD], Left
	-6	4734 648	3 2						NUT, Hex-Flanged, M5X0.8-6H
(25) (30)	-7	5066 164	1AA- 1						HARNESS, Radiator Fan with
									Relays, [NMC,NMS]
$\sim$	-8								LABEL, A/C Spec, Belt Rtg. & Fan
(26) (32) (29)									Caution
		4596 510	)AB- 1						
		4596 517							Arabic
		4596 519							French, Canadian
		5011 583							CLIP, Radiator Fan Shroud
	-9	3011 303	)AA- 2						CLIF, Natiator Fair Silloud
(33)									
34)	CONCORDE-	-INTREPID-3	300M (LH) -						
	SERIES		LINE	.1	BODY		ENGINE	0.71.1/0.50110	TRANSMISSION
	P = Limited/E S = 300M	ES	H = Chrys Intrepid	sier	41 = 4 Door Se	eaan	EGG = 3.51	= 2.7L V6 DOHC L HO V6 MPI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE		D = Dodg	e Intrepid			EGJ = 3.5L	. V6 SOHC 24V	
	M = LXI X = 300M Sp	necial	C = Conc E = 300M				EGK = 3.5L	L HO V6 MPI 24V LGNUMÖ 3.5L V6	
	∧ = 300IVI Sp	pecial	= 300IVI				LGC = IMA	GINUIVIU 3.3L VO	

DESCRIPTION

#### **Radiator and Related Parts** Figure 007-110

ITEM

PART

NUMBER

QTY

LINE

SERIES


BODY

**ENGINE** 


**TRANS** 

TRIM


**DESCRIPTION** 



#### **Radiator and Related Parts** Figure 007-110



## Police Package - Engine Cooler Lines Figure 007-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 779AC	1				EG0			LINE, Oil Cooler Supply
2	4698 773AC	1				EG0			LINE, Oil Cooler Return
3	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
4	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
5	4592 093AB	1				RETAINER, Oil Cooler Line			
6	4698 780AD	1				EER			LINE, Oil Cooler Supply
7	4698 776AF	1				EER			LINE, Oil Cooler Return
8	4698 777	1				EER			BRACKET, Oil Cooler Tube
9	4596 357AA	1				EER			PIN, Push
10	6502 425	3				EE0			SCREW AND WASHER, Hex Head,
									M8x1.25x95

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### **Water Pump and Related Parts** Figure 007-210

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	ales Codes:								
[EER] = 2	2.7L V6 DOHC	24 VAI	LVE MPI						
[EGC] =	MAGNUM' 3.5	L V6 S	OHC 24V						
[EGG] =	3.5L HIGH OU	TPUT \	/6 24V MP	1					
[EGJ] = 3	3.5L V6 SOHC	24 VAL	_VE						
[EGK] =3	.5L HIGH OUT	TPUT V	6 24V MPI						
1									PUMP, Water
	4663 732	1				EER			
	4792 195	1				EG0			
2									GASKET, Water Pump
	4659 430AB	1				EG0			
	4663 731AB	1				EER			
3	6102 012	6				EER			BOLT
4	6101 682	5				EG0			BOLT AND CONED WASHER, Hex
									Head, M6x1.0x20



 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Coolant Recovery System Heater Plumbing** Figure 007-310

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:	041/41	\						
	2.7L V6 DOHC								
	2.7L V6 24V W/								
	'MAGNUM' 3.5I			.1					
	3.5L HIGH OUT			1					
-	3.2L V6 SOHC		LVE MPI						DOTTI F. Dragonica d Octob
1	4758 269AB	1							BOTTLE, Pressurized Coolant
2	4596 444AA	1							CAP, Pressurized Coolant, Export
3	4596 198	1							CAP, Radiator
4	6034 716	2							SCREW AND WASHER, Hex Flange
_									Head, .25-14x.875, Bottle Mounting
5	6502 018	1				EG0			CLAMP, Hose, M28.9 x 1.60
6	4592 126	1				EE0			CLAMP, Hose
7	6100 574	1				EE0			BOLT AND CONED WASHER, Hex
									Head, M8x20x17
8									TUBE, Heater Return, w/Hose
	4767 150AC	1				EG0			
	4767 152AC	1				EE0			
-9	4792 308	1				EER			CLIP, Heater Hose
10	HHR00 034AA	\ 1							HOSE 1FT, Heater, 3/4", Return
									(Roll Stock)
-11	6505 692AA-	1				EG0			O RING
12	4596 266AC	1				EE0			BRACKET, Heater Tube To Block
13									HOSE, Heater Supply
	4767 170AB	1				EG0			
	4767 172AG	1				EE0			
14									HOSE, Bottle Supply, Serviced with
									TUBE ASSY- POSTIVE
									CRANKCASE VENTILATION
									HEATED - 4792645AB, (NOT
									SERVICED) (Not Serviced)
15	6101 467	1				EER			NUT, Hex Flange, M8x1.25

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Drive Pulleys 2.7L Engine Figure 007-415



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
[EER] =	2.7L V6 DOHC	24 VAI	LVE MPI						
1	4792 312AB	1				EE0			SPRING, Tension
2	6101 436	1				EE0			SCREW, Hex Head, M8x1.25x25
3	4792 259AD	1				EE0			PULLEY, A/C Belt Idler
4	4792 578AA	1				EE0			BRACKET, Tensioner Pulley
5	4792 594AA	1				EE0			BUSHING
6	6503 847	2				EE0			SCREW AND WASHER, Hex Head,
									M8x1.25x30
7	6505 840AA	1				EER			BOLT
8	4792 430AA	1				EER			DAMPER, Crankshaft
9	6101 448	1				EER			NUT AND WASHER, Hex Nut-Coned
									Washer, M10 x 1.5
10	4792 112AE	1				EER			PULLEY, Idler
-11	6034 408	1				EER			SPACER, Idler Pulley, w/Washer
12	4792 594AA	1				EE0			BUSHING
13	6101 462	5				EER			SCREW AND WASHER, Hex Head,
									M8x1.25x30
14	6503 256	1				EER			BOLT, Hex Flange Head, M6x1.0x40
15	6503 209	1				EER			BOLT, Hex Flange Head, M10x1.
									50x55
16	4792 309	1				EER			BRACKET, Power Steering Pump
-17	4792 118	1							PULLEY, Power Steering Pump

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Drive Pulleys 3.5L Engine** Figure 007-430

PART

		6 8
		3
14	10 (13)	5 2 1
15	2	

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes:								
EGG] =	3.5L HIGH OU	TPUT \	/6 24V MF	1					
[EGW] =	3.2L V6 SOHC	24 VA	LVE MPI						
1	6101 513	2				EG0			SCREW AND WASHER, Hex Head, M8x1.25x40
2	6101 448	2							NUT AND WASHER, Hex Nut-Coned
2	0101 440	2							Washer, M10 x 1.5
3	6034 408	1				EG0			SPACER, Idler Pulley
3 4	4792 112AE	-				EG0			PULLEY, Idler
		1							
5	3300 2201	1				EG0			BUSHING, Idler Pulley
6	4573 516	1				EG0			BRACKET, Idler
7	6502 592	1				EG0			SCREW, M8x1.25 Tapped Head, M10x1.5x50
8	6502 929	1				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x110
9	6502 894	1				EGC,	DGX		BOLT
						EGG,			
						EGJ,			
						EGK			
10	4663 176	1				EG0			DAMPER, Crankshaft
11	4792 287	1				EG0			SPACER, Idler Pulley
12	4663 534	1				EG0			PULLEY, Idler
13	4483 016	1				EG0			DEFLECTOR, Idler Roller Bearing
14	4663 571	1				EG0			BRACKET, Idler Pulley
15	6502 592	1				EG0			SCREW, M8x1.25 Tapped Head,
									M10x1.5x50
-16	4792 118	1							PULLEY, Power Steering Pump
-17	4792 573AA-	1				EG0			BRACKET, A/C Belt Guide and
									Engine Lift

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Drive Belts** Figure 007-510

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:Sa	les Codes:								
	[EER] = 2	2.7L V6 DOHC	24 VAI	LVE MPI						
	[EGC] = '	MAGNUM' 3.5								
	[EGG] = 3	3.5L HIGH OU								
	[EGJ] = 3	.5L V6 SOHC								
	[EGK] =3.	.5L HIGH OUT	PUT V	6 24V MPI						
	1	4792 071	1				EER			BELT, A/C
A // A// >\\	2	4663 950	1				EG0			BELT, A/C Compressor
/ < (( ))	3	4892 173AA	1				EER			BELT, Alt. and Power Steering
	4					<u></u>				BELT, Accessory Drive
		4892 479AB	1				EGG,			With Engine Block Heater
							EGJ,			
							EGK			
		4892 150AA	1				EGG,			
							EGJ,			
							EGK			
		4892 060AA	1				EGG			EXPORT
			1				EGC			



X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Oil Cooler, Transmission Figure 007-610

	-
3 8 7	_
5	_
	_
4	_
	_
2	_

	ales Codes: 2.7L V6 DOHC	24 VAI	VF MPI				
_	2.7L V6 24V W						
_	MAGNUM' 3.5						
-	3.5L HIGH OU			1			
	3.2L V6 SOHC						
1							COOLER KIT, Auxiliary Trans Oil
	5010 360AC	1					[NMB]
	5014 113AA	1					[NMS,NMC,NMD]
2	5010 373AA	1					BRACKET, Oil Cooler Tube
3	4596 424AA	2					CLAMP, Hose
4							LINE, Oil Cooler Pressure
	4698 965AB	1			EER		
	4767 055AB	1			EGC,		
					EGG,		
					EGJ,		
					EGK		
5							LINE, Oil Cooler Return
	4698 960AB	1			EER		
	4767 050AB	1			EGC,		
					EGG,		
					EGJ,		
					EGK		
6	6101 451	2					SCREW AND WASHER, Hex Head,
							M6x1x25
7	4758 267AD	1					BRACKET, Oil Cooler Tube, Line to
							Oil Pan
	4592 093AB	1					RETAINER, Oil Cooler Line

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## **Group – 008**

### **Electrical**





## **Group – 008**

## **Electrical**

008–1000 Battery Tray and Cables	008–1100 Lamps – Front, Rear and Courtesy	008–1200 Wiring–Engine & Related Parts	008–1300 Wiring–Headlamp to Dash
		Paiols	
008–1400 Wiring–Instrument Panel	008–1500 Wiring–Body & Accessories	008–1600 Wiring Repair	008–1900 Spark Plugs–Cables–Coils
	- Control of the cont	WIRING REPAIR PKG.	

GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.
Starters	F: 000 405
Starter	Fig. 008-105
Alternators Alternator - 2.7 Engine	Fig. 008-205 Fig. 008-210
Modules	
Modules	Fig. 008-405
Relays	
Power Distribution Center - Relays and Fuses	Fig. 008-505 Fig. 008-510
·	1 ig. 000 010
Sensors Sensors, Engine (2.7-EER)	Fig. 008-605
Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC]	Fig. 008-610
Sensors, Transmission	Fig. 008-615
Sensors - Body	Fig. 008-620
Single Board Engine Controllers  Powertrain Control Module	Fig. 008-705
Switches	
Switches - Instrument Panel	Fig. 008-805
Swithes - Engine	Fig. 008-810
Switch - Body	Fig. 008-815
Horns	
Horns	Fig. 008-905
Battery Tray and Cables	
Battery Tray	Fig. 008-1005
Lamps - Front, Rear and Courtesy	9
Lamps-Front	Fig. 008-1105
Lamps-Rear	Fig. 008-1110
Lamps Police Package	Fig. 008-1115
Lamps-Cargo, Dome and Courtesy	Fig. 008-1120
Bulbs	Fig. 008-1125
Wiring-Engine & Related Parts	
Wiring-Engine and Related Parts	Fig. 008-1205
Wiring-Headlamp to Dash	
Wiring-Headlamp to Dash	Fig. 008-1305

# Wiring-Instrument Panel Wiring-Instrument Panel Wiring-Body & Accessories Wiring Body and Accessories Wiring Repair Wiring Repair Packages Group-Fig. No. Fig. 008-1405 Fig. 008-1505

Spark Plugs-Cables-Coil ...... Fig. 008-1905

**Spark Plugs-Cables-Coils** 

**GROUP 8 - Electrical** 

## Starter Figure 008-105

PART

	EGG= 3	3.5L HIGH OUTP	UT V6 24V MPI		
		4609 345AE	1	EER	
		4609 346AD	1	EGC,	
		4009 340AD	'	EGG,	
(5)				EGJ,	
				EGK	
	2	4064 604	4	EGN	DCV
		4861 621AA	1		DGX
	3	4593 525	1		
	4	4750 00740		500	
		4759 367AC	1	EG0	
	_	4759 893AB	1	EE0	
(4)	5	6101 809	1		
	6	6502 717	3		
$\begin{array}{c c} & & & & & & & & & & & & & & & & & & &$					
(1)					
	'				
6					
(2)	<u> </u>				

CONCORDE-INTREPID-300M (LH)

SERIES
P = Limited/ES
S = 300M
H = SE

X = 300M Special

M = LXI

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

	13)
	(15)
(a) (b) (7)	19
9	
	10 12

	PART	1 '	1		1		1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER= 2.	.7L V6 DOHC 24	4 VAL\	√E MPI						
ES=2.7	7L V6 DOHC 24	١V			,		,		
∃GW= 3	3.2L V6 SOHC 2	24 VALʻ	VE MPI						
EGG= 3.	.5L HIGH OUTF	PUT V6	24V MPI ز						
EGC <u>= 3</u> .	.5 V6 SOHC								
1	4792 312AB	1				EE0			SPRING, Tension
2	6101 436	1				EE0			SCREW, Hex Head, M8x1.25x25
3									BUSHING, (NOT REQUIRED)
4	4792 259AC	1				EE0			PULLEY, A/C Belt Idler
5	4792 578AA	1				EE0			BRACKET, Tensioner Pulley
6	4792 594AA	1				EE0			BUSHING
7	6503 847	2				EE0			SCREW AND WASHER, Hex Head
									M8x1.25x30
8	4792 071	1				EER			BELT, A/C
9	4892 173AA	1				EER			BELT, Alt. and Power Steering
10									ALTERNATOR
	4608 718AA	1				EER			
	4896 123AB	1				EER			Export
11									BOLT AND WASHER, Hex Head,
									M10x1.5x40, (NOT SERVICED)
									(Not Serviced)
12	6101 639	1				EER			SCREW AND WASHER, Hex Head
									M10x1.5x100
13	4663 778	1				EE0			BRACKET, Power Steering Pump
-14	6101 462	5				EER			SCREW AND WASHER, Hex Head
							-		M8x1.25x30
15	4792 309	1				EER			BRACKET, Power Steering Pump,
									Idler Pulley Mounting
16	6101 462	5				EER			SCREW AND WASHER, Hex Head
									M8x1.25x30
17	6034 408	1				EER			SPACER, Idler Pulley
18	4792 112AD	1				EER			PULLEY, Idler
19	3300 2201	1				EER			BUSHING, Idler Pulley
-20	4602 081AB-	1				EER			COVER, Alternator Bracket
-21	6505 264AA-	2				EER			BOLT, Hex Flange Head, M8x45,
									Alternator Strut to Block
-22	4792 399AA-	1				EER			STRUT, Alternator Bracket

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Alternator - 3.2, 3.5 Engines Figure 008-210


		PART	O.T.V		055150	2027	THOME	TD 4 NO		DESCRIPTION
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
l : i		'L V6 DOHC 2		VE MPI						
		L V6 DOHC 24								
		2L V6 SOHC 2								
		5L HIGH OUT	PUT V6	6 24V MPI						
		5 V6 SOHC								
		4573 516	1				EG0			BRACKET, Idler
$(12) \qquad (13) \qquad (14) \qquad (10)$		4663 534	1				EG0			PULLEY, Idler
		4792 287	1				EG0			SPACER, Idler Pulley
		4483 016	1				EG0			DEFLECTOR, Idler Roller Bearing
	-5	6502 592	2				EG0			SCREW, M8x1.25 Tapped Head,
$\begin{array}{c} (16) \\ \end{array}$	0	2522 222	0				<b>500</b>			M10x1.5x50
	-6	6502 929	2				EG0			SCREW AND WASHER, Hex Head,
	7	1000 050					<b>-</b>			M8x1.25x110
(1) $(18)$	<i>(</i>	4663 950	1				EG0			BELT, A/C Compressor
(17)	ŏ	4000 470AP	4				F00		Ь	BELT, Accessory Drive
The state of the s		4892 479AB	1				EGG,			
							EGJ, EGK			
		4892 060AA	1				EGK			Police Package
		4573 516	2				EGC EG0			BRACKET, Idler
		6502 592	2				EG0			SCREW, M8x1.25 Tapped Head,
		0002 002					LGU			M10x1.5x50
	11	6502 929	2				EG0			SCREW AND WASHER, Hex Head,
$(\circ) \qquad \qquad (\circ)$	1.1	0002 929	_				LGU			M8x1.25x110
3 (4) (5) (6) (6) (7) (7) (20)	12									NUT AND WASHER, Hex Nut-Coned
										Washer, M10 x 1.5
		6101 448	2				EG0			Washin, Wild X 1.0
		0.0.	2				EE0			
	13	4792 287	1				EG0		S	SPACER, Idler Pulley
	14									PULLEY, Idler
		4792 112AD	1				EER			·
			2				EG0			
22	15								В	BUSHING, Idler Pulley
		3300 2201	2				EG0			
			1				EER			
	16	6101 513	2				EG0		S	SCREW AND WASHER, Hex Head,
			<u> </u>							M8x1.25x40
	17								A	ALTERNATOR
		4606 622AA	1				EG0			[BAF]
(7) $(8)$		4608 826AA	1				EG0			[BAB]
	18	4792 261	1				EG0		S	STRUT, Support to Cylinder Head
	CONCORDE	-INTREPID-300M	/I U\							
	SERIES	LINE	•		BODY		ENGINE			TRANSMISSION
	P = Limited/E S = 300M	ES H = Intre	Chrysler		41 = 4 Door	Sedan	EER, EE0 :	= 2.7L V6 DO L HO V6 MPI	HC	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE	D =	Dodge Ir	ntrepid			EGJ = 3.5L	V6 SOHC 24	1V	DOU = All Automatic Hansiff
	M = LXI X = 300M Sp	C =	Concord 300M	le			EGK = 3.5l	L HO V6 MPI : AGNUMÖ 3.5L	24V	
		as required -=				h.t		JC.C DIVIDIVIDA	- VU	September 19, 2005
	AR - HSA 2	ae reallired	- Non illi	uictrated nar	r # – Now f	nie modal v	ıρar			Sontombor 10, 2005

#### Alternator - 3.2, 3.5 Engines Figure 008-210




#### **Modules** Figure 008-405

PART



#### **Modules** Figure 008-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56042 754AF	1	Υ						
	56042 749AH	1	С	Р					
	56042 756AI	1	Υ						With Garage Door Opener
17									MODULE, Overhead Console
	4760 145BF	1	D						,
		1	Υ						
		1	С	Н					
		1	С	M					
		1	С	Р					
18	5011 591AA	1							CONTROL UNIT, Sunroof
19	4760 303AD	1							ANTENNA
20									MODULE, Body Controller
	4602 308AN	1							With Speed Sensitive Steering
	4602 410AN	1							
21	4602 273AC	1							MODULE, Immobilizer
22	4602 415AC	1							RECEIVER, Keyless Entry, Export
23									TRANSMITTER, Keyless Entry
	4602 260AA	2							
	4602 261AB	2							Export
-24									MODULE, HID Bulb Powerpack
	4805 914AA-	1							Right
	4805 915AA-	1							Left
-25	5059 112AB-	1							MODULE, Radio Control, Satellite
									Radio

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### **Power Distribution Center - Relays and Fuses** Figure 008-505




## Junction Block - Relays and Fuses Figure 008-510



#### Sensors, Engine (2.7-EER) Figure 008-605

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-							
NOTE;									
[EES= 2.	7L 24 Valve wi	th Activ	e Intake]						
[EER= 2.	7l 24 Valve]								
1	4606 555AC	2							SENSOR, Oxygen
2	4897 247AA	1				EER			SENSOR KIT, Throttle Position
3	4606 487AB	1				EER			SENSOR, Charge Air Temp
4	5269 870AB	1				EER			SENSOR, Coolant Temperature
5	4896 002AC	1				EER			SENSOR, Map
6	4606 555AC	2							SENSOR, Oxygen
7	4609 089AF	1				EER			SENSOR, Camshaft
8	4606 133AD	2							SENSOR, Oxygen
9	4606 133AD	2							SENSOR, Oxygen
10	4609 153AE	1							SENSOR, Crankshaft Position
11	4608 303AB	1				EER			SWITCH, Oil Pressure
12	4606 093AC	1				EER			SENSOR, Detonation
-13	6507 355AA-	1				EER			STUD, Double Ended, Detenatio
									Sensor mounting

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Sensors, Engine [3.2 - EGW 3.5 - EGG, EGC] Figure 008-610

2 3 8 8 11	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE;									
[EGC = 3	3.5L V6 SOHC]								
[EGG = 3	3.5L V6 MPI 24	1 Valve]							
[EGW =	3.2L V6 MPI 24	4 Valve]							
1	4606 133AD	2							SENSOR, Oxygen
2	4606 555AC	2							SENSOR, Oxygen
3	5269 870AB	1				EG0			SENSOR, Coolant Temperature
4	4896 002AC	1				EG0			SENSOR, Map
5	4606 487AB	1				EGC,			SENSOR, Charge Air Temp
						EGG,			
						EGJ,			
						EGK			
6									THROTTLE BODY, See Group 14,
									(NOT SERVICED) (Not Serviced)
7									SENSOR, Throttle Position
	4606 083	1				EGJ			
		1				EGC,			
						EGG,			
						EGK			
8	4606 093	1				EG0			SENSOR, Detonation
9	4609 086	1				EG0			SENSOR, Camshaft
-10	6501 957	1				EG0			SCREW, Cam Sensor mounting
11	4608 303	1				EG0			SWITCH, Oil Pressure
12	4609 153AE	1							SENSOR, Crankshaft Position

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Sensors, Transmission** Figure 008-615

	5
--	---

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SENSOR, Transmission Input Speed
	4800 878	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ, EGK			
2						EGN			O RING, Trans Speed Sensor
2	6501 657AB	1				EER	DGX		O Kilvo, Trans Speed Sensor
	0001 001718	1				EGC,	DGX		
		•				EGG,			
						EGJ,			
						EGK			
3									SENSOR, Manual Valve Lever
	4659 677AC	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ,			
4						EGK			CEAL Manual Valva Desition Conser
4	4659 678	1				EER	DGX		SEAL, Manual Valve Position Sensor
	4039 070	1				EGC,	DGX		
		<u> </u>				EGG,			
						EGJ,			
						EGK			
5									SENSOR, Transmission Output
									Speed
	4800 879	1				EER	DGX		
		1				EGC,	DGX		
						EGG,			
						EGJ,			
6						EGK			O RING, Trans Speed Sensor
υ	6501 658AB	1				EER	DGX		O KING, Hans Speed Sensor
	5501 550AB	1				EGC,	DGX		
		•				EGG,			
						EGJ,			
						EGK			

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5604 2395	1							SENSOR, Ambient Temperature
2	4779 152AB	1							SENSOR, Anti-Lock Brakes, Right
									Front
3	4779 153AB	1							SENSOR, Anti-Lock Brakes, Left
									Front
4	4779 154AA	1							SENSOR, Anti-Lock Brakes, Right
									Rear
5	4779 155AA	1							SENSOR, Anti-Lock Brakes, Left
									Rear
6	4698 662	1							SENSOR, A.T.C. Sun, Contains Auto
									Headlamp Sensor
7	4882 797	1							SENSOR, Washer Fluid Level
8	52088 990AC	5							SENSOR, Tire Pressure, valve stem
9	52088 961AA	5							NUT
-10	52109 664AA	- 1							MAGNET

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Powertrain Control Module** Figure 008-705



		PART								
IT	EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									MODULE, Powertrain Control
		4606 907AC	1				EGJ			[NAS]
		4896 555AC	1				EGK			[NAS]
		4896 556AA	1				EGK			[NAS, TRG]
		4896 725AD	1				EGC			[NAS, NAM]
		4896 727AF	1				EER			[NAS]
		4896 720AB	1				EGG			[NAM]
		4896 724AD	1				EER			[NA1, NB2]
		4896 729AD	1				EER			[NA1, NB3]
		4896 736AB	1				EGG			[NA1, NB2]
		4896 737AB	1				EGG			[NA1, NBJ]
		4896 723AD	1				EGG			Up to 11/18/02 [NA1, NB3]
		4896 723AE	1				EGG			After 11/18/02 [NA1, NB3]
		4896 729AG	1				EER			[NA1,NB3]
		4896 730AG	1				EER			[NA1,NB2,NZ5]
		4896 736AE	1				EGG			[NA1,NB2]
		4896 737AE	1				EGG			[NA1,NBJ]
		4606 906AB	1				EGJ			[NAM]
		4896 730AD	1				EER			[NA1, NB3, NZ5]
		4896 722AE	1				EGG			[NAS]
		4896 721AE	1				EGG			[NAS,NZ5]
	2	4606 638AA	1							BRACKET, Engine Control Module
	3	6502 691	4							NUT, Hex Flange Lock, M6x1
	4									SCREW, Hex Flange Head, M4.8x1.
										59x45, (NOT SERVICED) (Not
										Serviced)

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Switches - Instrument Panel** Figure 008-805



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
ER = 2	.7L V6 DOHC 2	24 VAL	VE MPI						
ES= 2.	7L V6 DOHC 24	4 VALV	/E						
EGW = 3	3.2L V6 SOHC	24 VAL	VE MPI						
EGC= 3.	5L SOHC								
EGG = 3	3.5L HIGH OUT	PUT V	6 24V MPI						
1	4602 462AA	1							SWITCH, Headlamp
2									SWITCH, Headlamp and Fog Lamp
	4602 459AA	1							With Auto Headlamps
	4602 461AA	1							Without Auto Headlamps
3	4602 460AA	1							SWITCH, Headlamp and Fog Lamp
									With Front and rear Fog Lamps,
									Export
-4									SCREW, Tapping
	6504 912AA-	3	D						
		3	С	H					
		3	С	M					
		3	C Y	P S					
		3							
_	4700 50440	3	Υ	Х					CVA/ITCLL NAVIEW or ations
5	4760 594AC	1							SWITCH, Multifunction
-7	5014 176AA 5014 187AA-	1 1							SWITCH, Ignition TRIM RING, Ignition Key Cylinder
	5014 167AA-	I							CONTROL, A/C And Heater
8	4698 198AB	1	D	Р					without ATC
	4090 190AD	1	C, Y	'					without ATC
9		- '	<u> </u>						SWITCH, Deck Lid Release
3	4760 847AC	1	С	М					OWITOII, Deck Lid Release
	4700 04770	1	D	IVI					
		1	C	Н					
10	4671 336	1							SWITCH, Stop Lamp, Stop Lamp &
									Speed Control
11	5026 006AA	1							SWITCH, Speed Control, Resume/
• •	0020 000/ 11 (	•							Cancel
12	5026 007AA	1							SWITCH, Speed Control, On-Off/Se
13									SWITCH, Remote Radio
	56045 563AA	1							Left
	56045 564AA								Right
14									SWITCH, Traction Control
	56049 395AA	1	D						•
		1	C, Y						
15	4565 022	1	,						SWITCH AND LAMP, Glove Box,
									with Lamp

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### **Switches - Instrument Panel** Figure 008-805


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-16									CLOCKSPRING
		4649 400AB 4698 304AD								[RDZ]
5										
6										
$12\overline{3}$										
9										
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$										
(13)										
	CONCORDE- SERIES	-INTREPID-300M LIN	1 (LH) IE		BODY		ENGINE			TRANSMISSION
	P = Limited/I S = 300M H = SE M = LXI X = 300M Sp	EC U_	= Chrysler repid = Dodge In = Concorde = 300M	trepid	BODY 41 = 4 Door	Sedan	ENGINE EER, EE0 : EGG = 3.5I EGJ = 3.5I EGC = ÎMA	= 2.7L V6 D0 L HO V6 MP L V6 SOHC 2 L HO V6 MP AGNUMÖ 3.5	OHC PI 24V 24V PI 24V 5L V6	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_	•								OMITOU O' D
1	4608 303	1				EG0			SWITCH, Oil Pressure
		1				EER			
ONCORDE- ERIES = Limited/l	-INTREPID-300M LINE	( <b>LH)</b> ——— E Chrysler		BODY 41 = 4 Door	Sodan	ENGINE	= 2.7L V6 D		TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE	Intre	epid Dodge Int	repid	41 = 4 0001	Seuan	EGG = 3.5	= 2.72 V6 D L HO V6 MF _ V6 SOHC	PI 24V	DG0 = All Automatic Transm
= UXI   = 300M Sp	C =	Concorde 300M	. 5014			EGK = 3.5	L HO V6 MF AGNUMÖ 3.	7 PI 24V	



PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY E	ENGINE TRANS	TRIM	DESCRIPTION
		.7L V6 DOHC							
		3.2L V6 SOHC 3.5L HIGH OU							
	EGG = 3	S.SL HIGH OU	IPUI VO	) 24V IVIPI					SWITCH, Power Window
	'	56007 695A0	. 2						Single Gang, Rear Door
$\bigcirc$			1						Right,Front Door
(6)	2								BEZEL, Power Window Switch
		PQ42 WL5Al	В 1						[L5], Right Rear
		PQ42 WL8AI	B 1						[L2], Right Rear
		PQ42 XDVA							[DV], Right Rear
		PQ42 XT5AE							[T5], Right Rear
$\widehat{}$		PQ42 XTMA							[T5] [RCE], Right Rear
		PQ43 WL5AI							[L5], Left Rear [L2], Left Rear
		PQ43 WL6AI							[DV], Left Rear
		PQ43 XT5AE							[T5], Left Rear
		PQ43 XTMA							[T5] [RCE], Left Rear
	3								SWITCH, Sunroof
		SX16 1L2AA	. 1	D					Up to 01/31/03
			1	Υ					Up to 01/31/03
			1	С	<u>H</u>				Up to 01/31/03
			1	С	М				Up to 01/31/03
		5JL92 1L2AA	1	C D	Р				Up to 01/31/03 After 01/31/03
		SSL92 ILZAF	1	С	Н				After 01/31/03
			1		•••				After 01/31/03
			1	С	М				After 01/31/03
			1	С	Р				After 01/31/03
	4								SWITCH, Memory Selector
		5083 978AA	1						
(15)	_	RF29 DX9AE	3 1						Black
	5								SWITCH, Courtesy Lamp, Serviced in lamp assembly, (NOT
									SERVICED) (Not Serviced)
	6								SWITCH, Deck Lid Alarm
	_	4608 287AB	1	D					
			1	С					
			1	Υ					
	7	4797 655	1						SWITCH, Brake Fluid Level
(8)	8	5026 004AA	1						SWITCH, Power Window, Five gang
	9	DT00 \A/I 5 A							BEZEL, Power Window Switch
		PT68 WL5AE	3 1						[L5], Right
(10)									
	CONCORDE SERIES	-INTREPID-300M LIN	(LH) —— E		BODY	F	ENGINE		TRANSMISSION
	P = Limited/	/ES H =	Chrysler		41 = 4 Door \$	Sedan E	EER, EE0 = 2.7L V6 D	OHC	DGX = 4 Speed Automatic
	S = 300M H = SE	D =	epid Dodge In	trepid		E	EGG = 3.5L HO V6 MF EGJ = 3.5L V6 SOHC	24V	DG0 = All Automatic Transm
	M = LXI X = 300M S	C =	Concorde 300M	Э		E	EGK = 3.5L HO V6 MF EGC = ÎMAGNUMÖ 3.	PI 24V 51 V6	
	7 - 200INI 3	,poolal L =	JUUIVI			L	INIAGINONO 3.	JL VU	



	PART								
ГЕМ	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PT68 XDVAB	1							[DV], Right
	PT68 XT5AB	1							[T5] Sandstone, Right
	PT68 XTMAB	1							[T5] Dark Sandstone
10									SWITCH, Mirror
	4760 174AG	1							
	TA55 DX9AA	1							[DV, D2]
	TA55 WL8AA	1							[L2]
	TA55 XTMAA	1							[T5]
11	4760 857AB	1							SWITCH, Door Lock
12									SWITCH, Seat
	4601 757AB	1							Left
	4602 456AA	1							4 Way, Right
	4601 756AB	1							6 Way, Right
13									KNOB, Power Seat Switch
	4607 042AB	1							Right
	4607 043AB	1							Left
	4607 044AB	1							Recliner, Right
	4607 045AB	1							Recliner, Left
14	4760 162AB	2							SWITCH, Central Locking
15	QP36 DX9AD	2							SWITCH, Heated Seat

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### Horns Figure (

rns 008-90(	5								
ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4760 943AD	1							HORN AND BRACKET, Low Note
2	4760 944AD	1							HORN AND BRACKET, High Note






CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Battery Tray Figure 008-1005



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
[EER] =	2.7L V6 DOHC	24 VAI	LVE MPI						
[EES]= 2	2.7L V6 DOHC 2	24 VAL	VE						
[EGW] =	3.2L V6 SOHC	24 VA	LVE MPI						
[EGC]= 3	3.5L SOHC								
[EGG] =	3.5L HIGH OU	TPUT \	/6 24V MP	PI					
NOTE: F	Positive battery v	wiring s	erviced in	engine har	ness only.				
1									BATTERY
	4364 944	1							600 CCA
	4364 945	1							500 CCA
2	4580 743AB	1							BRACKET, Battery Hold Down
3	6101 718	4							SCREW AND WASHER, Oval Head
									M6x1x25, Battery Hold Down
4	4609 098AB	1							HEATER, Battery
5	4609 121AD	1							CORD, Engine Block Heater, Batter
									Blanket Heater
6	4580 197AF	1							TRAY, Battery
-7	6101 712	3							NUT, U, M6x1, Battery Tray & Hold
									Down Attaching
8	4760 739AB	1							BRACKET, Battery Wiring, Remote
									Battery Post Positive
9	4759 333AB	1							BRACKET, Battery Wiring, Air
									Cleaner Attaching
-10	4760 819AB-	AR							COVER, Battery, Remote Positive
									Post
-11									LABEL, Battery
	4793 062	1							European
	4557 480	1							Arabic
	4780 518AC-	1							Negative Jumper
-12	4760 567AC-	1							WIRING, Battery Negative
-13	4580 816AA-	1							PAD, Anti-Skid, Sits under battery
-14	6503 062	1							NUT, M10x1.50, Battery Negative to
									Right Strut Tower Ground
4.5	6502 720	1				EG0			NUT, Hex Flange Lock, M8x1.25,
-15									

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Lamps-Front** Figure 008-1105

ITEM

**PART** 

NUMBER

QTY

LINE

SERIES


BODY

**ENGINE** 


**TRANS** 

TRIM

**DESCRIPTION** 



## Lamps-Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
I I E IVI	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIM	DESCRIPTION
			_						
	4780 004AG	1	D						Right
	4780 005AG	1	D						Left
13	5014 909AA	1							WELT, Headlamp, Right or Left
14									BULB, Headlamp
	L0900 5XSLL	1							High beam
	L000 9006	1	D						Low Beam
15	L0009 006XS	1							BULB, Headlamp, 9006XS, Low
									beam
-16	4805 573AA-	1							SOCKET, Lamp, Turn signal
-17	4399 900	1							SOCKET, Park, Turn, and Side
									Lamp, Side marker
-18	4805 147	1							VENT, Headlamp
-19	5003 596AA-	1							RETAINER, Headlamp Bulb
-20									COVER, Headlamp
	QN78 AP4	1	Υ	S					[P4], Right,Export
	QN78 AXR	1	Υ	S					[XR], Right,Export
	QN78 SW1	1	Υ	S					[W1], Right,Export
	QN78 WEL	1	Υ	S					[EL], Right,Export
	<b>QN78 WS2</b>	1	Υ	S					[S2], Right,Export
	QN78 XBQ	1	Υ	S					[BQ], Right,Export
	QN78 YBW	1	Υ	S					[BW], Right,Export
	QN78 YJR	1	Υ	S					[JR], Right,Export
	QN78 ZDR	1	Υ	S					[DR], Right,Export
	QN78 ZKJ	1	Υ	S					[KJ], Right,Export
	QN78 ZMQ	1	Υ	S					[MQ], Right,Export
	QN79 AP4	1	Υ	S					[P4], Left,Export
	QN79 AXR	1	Υ	S					[XR], Left,Export
	QN79 SW1	1	Υ	S					[W1], Left,Export
	QN79 WEL	1	Υ	S					[EL], Left,Export
	QN79 WS2	1	Υ	S					[S2], Left,Export
	QN79 XBQ	1	Υ	S					[BQ], Left,Export
	QN79 YBW	1	Y	S					[BW], Left,Export
	QN79 YJR	1	Y	S					[JR], Left,Export
	QN79 ZDR	<u>·</u> 1	Y	S					[DR], Left,Export
	QN79 ZKJ	1	Ϋ́	S					[KJ], Left,Export
	QN79 ZMQ	1	Y	S					[MQ], Left,Export
-21	5003 753AA-	2	•	J					U-CLIP, Headlamp
-22	6506 566AA-	4							SCREW, Hex Flange Head, M6 x
~~	0000 000AA-	7							1.00 x 175.00, headlamp attachin
-23	4805 465AA-	AR							SHIM

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year



## Lamps-Front Figure 008-1105

PART



	FAN								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24									WIRING, Front End Lighting,
									Serviced in Headlamp to Dash
									Harness, (NOT SERVICED) (Not
									Serviced)
25	4759 379AA	1							WIRING, Headlamp, Export
26									LAMP, Side Marker
	4805 038AB	1	С						Right
	4805 039AB	1	С						Left
-27	4399 599	1							SEAL
-28	4676 801	2	Υ	S					GASKET, Side Marker Lamp
-29	5087 154AA-	1	С	Н					WIRING, Side Marker Jumper,
									Without Fog Lamps
30									LAMP, Front Combination
	4805 138AB	1	Υ	S					Right
	4805 140AB	1	Υ	S					With Headlamp washers, Right
	4805 139AB	1	Υ	S					Left
	4805 141AB	1	Υ	S					With Headlamp washers, Left
-31									VENT
	5003 368AA-	1	Υ	S					
		1	Υ	Χ					
-32	L0003 157AK-	- 1							BULB, 3157 NAK
-33									U-NUT
	4805 473AA-	2	Υ	S					Front Combination Lamp to Fascia
	6036 293AA-	2	С	M, P					Front Combination Lamp to Fascia
		2	С	Н					Front Combination Lamp to Fascia
34									NOZZLE, Washer, Headlamp
	4805 072AD	1							without Fog Lamps, Export,Right
	4805 073AD	1							without Fog Lamps, Export,Left
-35	6505 570AA-	4							SCREW, Pan Head, M4 x 0.70 x 10.
									00, nozzle mounting
36	4805 071AC	1	Υ	S, X					HOSE, Washer, Headlamp
37	5288 895AC	2	Υ	S					LAMP, Side Repeater
-38	5288 931AA-	2	Υ	S					SOCKET, Side Repeater Lamp
-39	L002 825W5V	V 1	Υ						BULB, W10/5
-40	4676 801	2	Υ	S					GASKET, Side Marker Lamp
41	5014 121AA	1							MOTOR, Headlamp Leveling
42	0153 625	2	Υ						BULB, W10/5

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

## Lamps-Rear Figure 008-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u>.                                    </u>	
1									LAMP, Tail Stop Turn
'	4780 058AG	1	С						Right
	4780 050AG	1	C						Left
	4805 592AD	1	Y	S					Right
	4805 593AD	1	Y	S					Left
	4574 960AL	<u>.</u> 1							Right
	4574 961AL	1	D						Left
	4805 594AD	1	Y	S					Right,Export
	4805 595AD	1	Ϋ́	S					Left,Export
2	1000 0000	· ·	<u> </u>						WIRING, Taillamp
	4760 072AE	1	D						Right & Left
	4759 940AB	1	Y	S					Right & Left
	4760 075AD	1	C	•					Right & Left
	4759 942AC	1	Y	S					With rear Fog Lamps, Right & Left,
									Export
3	L003 157K	1	D						BULB, 3157K, Right & Left
4	L000 0912	2	D						BULB, 912
5	L000 0168	1	Υ						BULB, 168
-6	6507 357AA-	6							NUT, Wing, M6x1
7									LAMP, BackUp
	4574 900	1	С						Right
	4574 901	1	С						Left
-8									BULB, 168
	L000 0168	1	С						
		1	Υ						
		1	D						
9									LAMP, High Mounted Stop
	4780 179AD	1	С						
	4805 121AD	1	Y	S, X					
-10	1004 107			<b>0</b>					WIRING, High Mounted Stop Lamp
	4604 407	1	Y	S, X					
4.4	4759 748AA-	1	С						COOKET High Manustral Otes Lange
-11	5303 251	1	С						SOCKET, High Mounted Stop Lamp
-12	L000 921E	1	Υ	S, X					BULB, 921
-13	6102 132AA-	1	V	c v					SCREW, Hex Head, M6x1x20
-14 15	6101 712 4574 615	2	Y	S, X					NUT, U, M6x1 LAMP, Deck Lid, Applique & CHMSL
15	4574 615	2	D D						BULB, 912, Deck Lid Lamp, CHMSL
-16 -17	L000 0912 6502 589	4	D						NUT, Wing, M6, Deck Lid, Applique
-17 18	0002 009	4	D						LAMP, License Plate
10	4574 904	1	Y						LAIVIIT, LICENSE FIALE
	4074 904	1	ſ						

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

**>>** 

## Lamps-Rear Figure 008-1110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	D						
		1	С						
	4805 702AA	1							[LMR]
-19									BULB, 168
	L000 0168	1	С						
		1	Υ						
		1	D						
20									WIRING, License Lamp
	4759 727AA	1	Υ						Export
-	4759 731AA	1	Υ						
		1	D						
	4759 729AA	1	С						
-21									SCREW, Pan Head Tapping, .19-
									16x.625
	6035 556	2	D						License Lamp attaching
		2	С						License Lamp attaching
		2	Υ						License Lamp attaching
-22	4760 148	1							LAMP, Trunk, Lens only
-23	L000 0906	1							BULB, 906
24									WIRING, Deck Lid
	4760 131AG	1	D						CHMSL Lamp. without Security
	4760 662AG	1	D		_		_		CHMSL Lamp. with Security
	4760 678AE	1	С						CHMSL Lamp. without Security
	4760 679AE	1	С						CHMSL Lamp. with Security
	4759 450AF	1	Υ						CHMSL Lamp. without Security
	4759 451AF	1	Y						CHMSL Lamp. with Security

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Lamps Police Package Figure 008-1115

5	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPOTLAMP, A-Pillar Mounted
	4806 026AA	1							Black,Right
	4806 027AA	1							Black,Left
	5056 180AA	1							Chromed,Right
	5056 181AA	1							Chromed,Left
-2	L0H3 100W	1							BULB, Fog Lamp, H-3 100 WATT,
									Spot Lamp Bulb
-3	5114 002AA-	1							LENS, Spotlamp
-4	5114 003AA-	1							HANDLE, spotlamp
5									LAMP, Fog
	4574 836	1	D						Right
	4574 837	1	D						Left
-6	L00H 335W	1	D						BULB, Fog Lamp, H-3 35 Watt
-7	4857 156AA-	1	D						VENT, Headlamp, Fog lamp, Right or
									Left
-8	5602 1441	1							LAMP, Underhood


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Lamps-Cargo, Dome and Courtesy Figure 008-1120



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•		•								
	1									HANDLE, with Courtesy Lamp
-	•	QB26 TL2AF	1	Υ						Right
		Q	1	C	Н					Right
		QB27 TL2AF	1	Y						Left
		<b>—</b> —————	1	C	Н					Left
-		QB26 TL2AG	1	D						Right
		QB27 TL2AG	1	D						Left
	2									LENS, w/Grab Handle
		4728 529	1	Υ						
-			1	С	Н					
			1	С	М					
			1	С	Р					
_	-3									BULB, 192
_		L000 0192	1	Υ						
			1	С	Н					
	4									LAMP, Reading
_		PB83 TL2AB	1	D						
			1	С	Н					
		TK50 1L2AA	1	D						With Sunroof
			1	С	Н					With Sunroof
_	-5									LENS, Reading Lamp, Serviced in
										lamp assy. only, (NOT SERVICED)
										(Not Serviced)
	-6	4607 064	1	С	Н					SWITCH, Courtesy Lamp
_	-7	L000 0192	2	D						BULB, 192
	-8	4700 044		_						WIRING, Overhead Console
		4760 644	1	D						
			1	Y						
-			1	C C	H M					
			1	C	IVI P					
	0	4760 148	1	C	Г					LAMP, Trunk, Lens only
	9 10	L000 0906	1							BULB, 906, Trunk Lamp
-	11	L000 0900	'							WIRING, Reference, (NOT
										SERVICED) (Not Serviced)
	12	6016 270AB	1							CLIP, Wiring
	-13	4565 022	1							SWITCH AND LAMP, Glove Box
-	-14	L000 0194	<del>'</del>							BULB, 194, Glove Box Lamp
	-15	5602 1441	1							LAMP, Underhood
	-16	4897 446AA-	1							LENS, Lamp Module, Under hood
	-		•							lamp
-	17									REFLECTOR, Door Trim Panel
										,

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

## Lamps-Cargo, Dome and Courtesy Figure 008-1120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4760 356	1							Right
	4760 357	1							Left
18									LAMP, Door
	4760 186AB	1							Right
-19	4760 187AB L002 1202	1							Left BULB, 212-2
-13	L002 1202	'							DOLD, 212-2

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Bulbs** Figure 008-1125

TEM			T I		l	1		1			
1   1,0900 SKSL   1   BULB, Headlamp, Figh beam		ITEM	PART	OTV	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Public   P			NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIW	DESCRIPTION
Public   P		4	1,0000 EVELL	4							BIII B. Hoadlamp Lligh haam
Bear											
3			20000 000/0-	1							
1		-3	4865 941AA-	1	Υ	Х					
-5 L00H 335W 1 D BULB, Fog Lamp, H-3 35 WatT T X X BULB, Fog Lamp, H-3 35 WatT T X X BULB AND SOCKET, Heater and ACC Control Without ATC Without ATC Without ATC BULB, 3157 NAK B											
Total		-5	L00H 335W	1	D						BULB, Fog Lamp, H-3 35 Watt
1		-6									BULB, Fog Lamp, H-3 55 WATT
Solid Bis   Soli			L00H 355W								
### Solid also a series of the process of the proce				1	Y	X					DUI D AND COCKET III
S013 815AA 3		7									
3 C, Y   Without ATC	(7)		5013 815ΔΔ	3	D	нх					
### ### ### ### ### ### ### ### ### ##	T		5015 015AA			11, 7					
1-9		-8	4897 949AA-		<u> </u>						
-11 L002 828W5W 2 Y BULB, W10/5, License Lamp -12 L000 0198 1 Y BULB, 188, Side Marker -13 L000 0996 1 BULB, 996, Trunk Lamp BULB, 192  -14 L000 0192 2 D		-9		1							
-12 L000 0168 1 Y BULB, 188, Side Marker -13 L000 0906 1 BULB, 906, Trunk Lamp BULB, 192  -14 BULB, 192  -15 L000 0192 2 D  -15 L000 0194 1 -16 L002 825W5W 2 Y BULB, 194, Glove Box -16 L002 825W5W 2 Y BULB, 914, Glove Box -17 L000 921E 1 Y S, X BULB, 921 -18 L003 157K 1 D -19 L00P C194 1 C P -19 L00P C194 1 C P -19 L00P C194 1 C P -10 L00P C194 1 C BULB, 3157K, Park Lamp -19 L00P C194 1 C P -10 L00P C194 1 C BULB, 3157K, Park Lamp -19 L00P C194 1 C P -10 L00P C194 1 C BULB, 3157K, Park Lamp -19 L00P C194 1	1	-10									
-13 L000 0906 1 -14 L000 0192 2 D											
1					Y						
L000 0192   Z			L000 0906	1							-
1		-14	1,000,0102	2	D						BULB, 192
1			L000 0192								
1				1		Н					
-15 L000 0194 1 -16 L002 825W5W 2 Y BULB, 194, Glove Box BULB, 194, Glov				1							
-16 L002 825W5W 2 Y				1	С	<u>P</u>					
-17				-							
-18											BULB, W10/5, Side Repeater Lamp
-19						S, X					
L00P C194 1 C P 1 D 1 D 1 Y S 1 C H, M 2 Y X  -20  L000 0074 1 C P 1 D 1 Y S 1 C H, M 2 H, M 2 H, M 3 H, M 4 H = SE D = Dodge Intrepid H = SE M = SE D = Dodge Intrepid M = LXI C = Concorde  H			L003 15/K	1	ט						<del>-</del>
1		-13	L00P C194	1	С	Р					L WII , Daid Alla Gocket
1			_00. 0104	1		•					
1				1		S					
-20				1	С						
L000 0074				2	Υ	X					
1		-20			_	_					BULB, 74
1			L000 0074			Р					
1				1		9					
-21 L000 9005 1  CONCORDE-INTREPID-300M (LH)  SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V				1 1							
-22  CONCORDE-INTREPID-300M (LH)  SERIES LINE BODY ENGINE TRANSMISSION  P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic  S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V  H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V  M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V		-21	L000 9005	1	J	1 1, IVI					BULB. Headlamp
CONCORDE-INTREPID-300M (LH)  SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V				-							·
SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V											
SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V											
SERIES LINE BODY ENGINE TRANSMISSION P = Limited/ES H = Chrysler 41 = 4 Door Sedan EER, EE0 = 2.7L V6 DOHC DGX = 4 Speed Automatic S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V		CONCORDE	-INTREPID-300M (I	LH) ——							
S = 300M       Intrepid       EGG = 3.5L HO V6 MPI 24V       DG0 = All Automatic Transm         H = SE       D = Dodge Intrepid       EGJ = 3.5L V6 SOHC 24V         M = LXI       C = Concorde       EGK = 3.5L HO V6 MPI 24V		SERIES	LINE				Sedan		= 271 \/6 \( \)	OHC	
M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V		S = 300M	Intrep	oid		-1 - <del>-</del> - D001	Jouan	EGG = 3.5	L HO V6 MI	PI 24V	
X = 300M Special E = 300M EGC = ÎMAGNUMÖ 3.5L V6		M = LXI	C = 0					EGK = 3.5	L HO V6 MF	PI 24V	
		X = 300M S						EGC = ÎMA	AGNUMÖ 3.	.5L V6	

#### **Bulbs** Figure 008-1125

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		L000 PC74	1	D						
			1	С	Р					
			1	Y	S					
			1	С	H, M					
			2	Y	Х					DUID Ford over 11.0 SE WATT
	-23	1 00H 255W	4	V	C					BULB, Fog Lamp, H-3 55 WATT
		L00H 355W	1	Y	S					
	-24	L000 3893	1 2	Y Y	X S					BULB, T8/4
	<u>24</u> -25	L000 3893 L000 03157A		r	<u> </u>					BULB, 3157A
	-25 -26	L000 05157A	1							BULB, 561, Under hood lamp
	-26 -27	L000 050 I	1							BULB, Headlamp
	-21	L000 9005	1							High Beam
		L000 9005	<u>'</u> 1							Low Beam
	-28	2000 0000	'							BULB AND SOCKET, Heater and
	23									A/C Control
1		5011 273AA-	4	D						
)			4	C	Р					
			4	Y	S					
	-29									LAMP, Message Center
		4437 661	4	С	Р					-
			4	Υ						

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Concord

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Wiring-Engine and Related Parts Figure 008-1205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2	.7L V6 DOH	IC 24 V	ALVE MPI-						
EES= 2.	7L V6 DOH	C 24V							
EGW= 3	3.2L V6 SOH	IC 24 VA	LVE MPI						
EGC= 3.	.5L V6 SOH	С							
EGG=3.	5L HIGH OL	JTPUT V	6 24V MPI						
DGX=TF	RANSMISSIC	ON - 4-S	PEED AUT	OMATIC					
1									WIRING, Engine
	4725 660 <i>A</i>					EGJ			
	4759 959 <i>A</i>					EE0			
	4759 963 <i>A</i>	\E 1				EGC,			
						EGG,			
	4770 4404					EGK			W/D/10 14 1 0
2	4759 419 <i>A</i>	AB 1				EE0			WIRING, Knock Sensor Jumper
3									WIRING, H/Lamp To Dash (SEE
									ILLUS. 1305), (NOT SERVICED) (Not Serviced)
4	4760 567 <i>A</i>	AC 1							WIRING, Battery Negative, w/Nuits
	4700 3077	1							and Bolts
5									SWITCH, Oil Pressure
Ü	4608 303	1				EG0			ommon, on mossare
	.000 000	1				EER			
6									STRAP, Ground
	4581 286 <i>A</i>	AC 1	С	Н		EE0			,
		1	D	Н		EE0			
		1	D			EGJ			
		1	С	H, M		EGJ			
		1	С	Р		EGG			
		1	Υ	S		EER,			
						EGG			
-7									WIRING, Starter
	4759 367 <i>A</i>					EG0			
_	4759 893 <i>A</i>	\B- 1				EE0			
-8	4750 0054								WIRING, Transmission
	4759 995 <i>A</i>					EER	DGX		
		1				EGC, EGG,	DGX		
						EGG, EGJ,			
						EGS, EGK			
		1				EER,	DGX		
		•				EGK	20/		
-9	4609 121 <i>A</i>	AD- 1							CORD, Engine Block Heater
-10	4609 325 <i>A</i>								HEATER, Engine Block
-		•							, <b>3</b> <del></del> -
ONCORDI	E-INTREPID-30	OM (I H) —							
ERIES	L	INE		BODY		ENGINE			TRANSMISSION
P = Limited S = 300M		H = Chrysl ntrepid	er	41 = 4 Door	Sedan		= 2.7L V6 D0 5L HO V6 MP		DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE	[	D = Dodge				EGJ = 3.5	L V6 SOHC 2	24V	200 - All Automatic Hansin
M = LXI X = 300M S		C = Conco E = 300M	orde			EGK = 3.5	IL HO V6 MP AGNUMÖ 3.5	I 24V	
= 300101 5	opecial t	_ = 300171					AGINUIVIU 3.5	טר אנ	

## Wiring-Engine and Related Parts Figure 008-1205



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-11									CAPACITOR, Ignition
	4609 133AA-	2				EER			
		1				EG0			
-12	4759 877AA-	1				EE0			BRACKET, Wiring
-13	4759 877AA-	1				EE0			BRACKET, Wiring
-14	6101 443	2				EE0			NUT AND WASHER, Hex, M5x.80
-15									SCREW, Tapping, M8x20
	6102 153AA-	2				EE0			Engine Wiring Bracket attaching
		2				EG0			Engine Wiring Bracket attaching

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Wiring-Headlamp to Dash Figure 008-1305

ITEM

PART

NUMBER


QTY

LINE

SERIES

BODY

**ENGINE** 



1				WIRING, Headlamp to Dash
5081 000AB	1	D		Without ABS
5081 001AB	1	D		With ABS 4 Wheel Disc Brake
5081 002AB	1	D		With ABS 4 Wheel Disc Brake, Fo
				Lamps
5081 003AB	1	С	H, M	Without ABS
5081 004AB	1	Υ		with 4 Wheel Disc Brake
5081 005AB	1	С	H, M	With ABS
5081 006AB	1	С	Р	With ABS, Speed Sensitive
				Steering
5081 007AB	1	Υ		With Headlamp Washers, Export
5081 008AB	1	D		Without ABS, Fog Lamps
5081 010AB	1	D		With ABS, Underhood Lamp
2				WIRING, Front End Lighting,
				Serviced in Headlamp to Dash
				Harness, (NOT REQUIRED)
-3 5066 164AA-	1			HARNESS, Radiator Fan with Relays

TRIM

TRANS

DESCRIPTION

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M X = 300M Special

H = Chrysler

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

## Wiring-Instrument Panel Figure 008-1405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE;									
[RAS = A]	AM/FM Cassette	e]							
1									WIRING, Instrument Panel
	4759 953AD	1	Υ						
	5081 013AA	1	C, D						With Police Package
	4608 999AB	1	Υ						With Satellite Radio
	4759 948AF	1	C, D						With Traction Control
	4759 950AF	1	C, D						With Auto Temp
	4759 953AE	1	C, D						With Auto Temp, Analog Clock
									after 05/13/02
		1	Υ						With Auto Temp, Analog Clock
									after 05/13/02
	4759 954AE	1	Υ						Europe
	5087 051AB	1	C, D						With Police Package Canada
	5087 096AA	1	C, D						Base
	5087 097AA	1	C, D						With Key Less Entry
	4759 953AD	1	C, D						With Auto Temp, Analog Clock (
									to 05/13/02
		1	Υ						With Auto Temp, Analog Clock
									to 05/13/02


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		•			•				•	
	1									WIRING, Body Left
_		4759 681AK	1	D						Without ABS
		4759 682AK	1	D						With ABS
		4759 683AM	1	D						Without ABS, with 120 Watt
										Amplifier
		4759 684AM	1	D						With ABS, with 120 Watt Amplifier
		4759 686AL	1	С	H, M					With 4 Speaker System [up to 11/
										19/02]
		4759 687AM	1	С	H, M					With 4 Speaker System, ABS [up
										to 11/19/02
		4759 688AN	1	С	H, M					With 6 Speaker System [up to 11/
										19/02]
		4759 689AN	1	С	H, M					With ABS, 6 Speaker System [up
										to 11/19/02]
		4759 690AM	1	С	Р					With 240 Watt Amp [up to 11/19/02
		4759 691AM	1	С	Р					With 360 Watt Amp [up to 11/19/
_										02]
		4759 693AL	1	Υ						With 240 Watt Amp [up to 11/19/03
		4759 695AK	1	Υ						With 360 Watt Amp [up to11/19/02]
		4759 798AI	1	Υ						Export [up to 11/19/02]
_		4759 799AI	1	Y						Export with Memory [up to 11/19/
										02]
		4759 899AK	1	D						With Power Seats, without ABS
		5087 000AB	1	Y						With 360 Watt Amplifier, Satellite
_										Radio up to 12/02/02
		4759 686AN	1	С	H, M					With 4 Speaker System [after 11/
		4750 00740	4	0	11.54					19/02]
		4759 687AO	1	С	H, M					With 4 Speaker System, ABS [after 11/19/02
_		4759 688AP	1	С	Н, М					With 6 Speaker System [after 11/
		4739 000AI	•	O	11, 101					19/02]
		4759 689AP	1	С	H, M					With ABS, 6 Speaker System [after
		4700 000711	•	O	11, 101					11/19/02]
_		4759 690AO	1	С	P					With 240 Watt Amp [after 11/19/02
		4759 691AO	1	C	М, Р					With 360 Watt Amp [after 11/19/02]
		4759 693AN	1	Y	, -					With 240 Watt Amp [after 11/19/03
		4759 695AM	1	Y						With 360 Watt Amp [after 11/19/02]
_		4759 798AK	1	Υ						Export [after 11/19/02]
		4759 799AK	1	Υ						Export with Memory [after 11/19/
										02]
		5087 160AB	1	Υ						With 360 Watt Amplifier, Satellite
										Radio after 12/02/02

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2	5081 015AE	1	D						WIRING, Body
3									WIRING, License Lamp
	4759 727AA	1	Υ						-,
	4759 731AA	1	D						
4									WIRING, Power Seat
	4759 809AA	1							with Memory
	4760 449AC	1							Left
	4760 450AD	1							Up to 09/03/02, Right
	5087 155AA	1							After 09/03/02, Right
-5									WIRING, Heated Seat
	4760 768AD-	1							Up to 12/09/02, Right
	4760 769AD-	1							Left
	5087 156AA-	1							After 12/09/02, Right
6									WIRING, Headliner
	4759 894AF	1	D						Base with Sunroof
		1	С	Н					Base with Sunroof
	4759 897AF	1	D						With Trip Computor. garage door
									opener, sunroof
		1	Υ						With Trip Computor. garage door
									opener, sunroof
		1	С	Н					With Trip Computor. garage door
									opener, sunroof
	4760 106AH	1	D						Base without Sunroof
		1	С	Н					Base without Sunroof
	4760 108AH	1	D						With Trip Computor. garage door
									opener, without sunroof
		1	Υ						With Trip Computor. garage door
									opener, without sunroof
		1	С	H					With Trip Computor. garage door
_									opener, without sunroof
-7	<b>5000 1001 1</b>		_						WIRING, Electric Back Light Feed
	5086 492AA-	1	D						
	4759 138AB-	1	Y						
0		1	С						WIDING High Managed Otan Langua
-8	4604 407	4	V	c v					WIRING, High Mounted Stop Lamp
	4759 748AA-	1	Y C	S, X					
-9	4759 746AA-	1							WIRING, Electric Backlight Ground
-9	5086 493AA-	1	D						WINING, Electric Backlight Ground
	4759 137AB-	1	Υ						
	-109 131AD-	1	C						
10		ı							WIRING, Overhead Console
10									WITCHING, OVERHEAU CONSOLE

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		•								
		4760 644	1	D						
_		1700 011	<u>.</u> 1	<u>Y</u>						
			1	C	Н					
			1	C	M					
			1	Ċ	P					
_	11									WIRING, Front Door
		4759 627AE	1							With Infinity
		4759 631AE	1							With Security [up to 11/19/02
		4759 633AF	1							With Memory [up to 11/19/02
		4759 723AE	1							With 4 Speaker System
		4759 937AF	1							Middle East
		5081 019AB	1							With Central Locking
		4759 631AF	1							With Security [after 11/19/02
		4759 633AG	1							With Memory [after 11/19/02]
	12									WIRING, Front Door
		4759 626AD	1							With Infinity
		4759 722AD	1							With 4 Speaker System
_		4759 730AD	1							With Security
		4759 732AE	1							With Memory [up to 11/19/02
		4759 936AF	1							Middle East
		4759 732AF	1							With Memory [after 11/19/02
_	13									WIRING, Rear Door
		4759 641AC	2							
		4759 643AD	2							Infinity
	-14	4759 671AA-	1							CLIP, Wiring, Body
_	15									WIRING, Deck Lid
		4759 450AF	1	Υ						without Security Alarm
		4759 451AF	1	Υ						with Security Alarm
		4760 131AH	1	D						without Security Alarm
_		4760 662AH	1	D						with Security Alarm
		4760 678AF	1	С						without Security Alarm
		4760 679AF	1	C						with Security Alarm
	-16	6505 297AA-	1							NUT, Hex Flange, M5-1.6, Deck Lid
_			•							Wiring Attaching
	17									WIRING, Taillamp
	• •	4759 940AB	1	Υ	S					TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
		4759 942AC	1	Ϋ́	S					Export
_	18		•	•						WIRING, Headlamp To Dash,(See
	.5									Illus. 1305), (NOT SERVICED) (Not
										Serviced)
	19									WIRING, Engine, (See Illus. 1205),
_										(NOT SERVICED) (Not Serviced)
										( (

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20									WIRING, Transmission, (See Illus.
									1205), (NOT SERVICED) (Not
									Serviced)
21									WIRING, Power Distribution Center
									(See Illus. 1305), (NOT
									SERVICED) (Not Serviced)
22									WIRING, Junction Block & Fuses,
									(See Illus. 1405), (NOT
									SERVICED) (Not Serviced)
23									WIRING, Instrument Panel, (See
									Illus. 1405), (NOT SERVICED) (N
									Serviced)
24									WIRING, Battery, (See Illus. 1205)
									(NOT SERVICED) (Not Serviced)
-25	4759 379AA-	1							WIRING, Headlamp
-26									WIRING, A/C and HEATER
	4760 757	1							
	4760 451	1							With ATC
-27	4609 121AD-	1							CORD, Engine Block Heater
-28	4609 122AB-	1							CLIP, Engine Heater Cord, Block
									Heater Cord Support
-29	4609 325AB-	1							HEATER, Engine Block
-30									WIRING, Fog Lamp
	4760 632	1	С						
	4760 721	1	Υ	S					
-31									WIRING, Fuel Tank Jumper
	4759 769AD-	1							Export
	4759 947AB-	1							US 50 States
-32	4760 731AG-	1							WIRING, Sunroof
-33									GROMMET, Door Wiring, (NOT
									SERVICED) (Not Serviced)
-34	4760 691	1							BRACKET, Power Distribution Cen
-35									WIRING, Power Feed
	4759 875AB-	1	С	P					
		1	Y	S					
	5081 017AA-	1	D	_					
-36	4759 945AC-	1							WIRING, Side Air Bag Overlay
-37	5081 018AA-	1							BRACKET, Power Outlet
-38	5073 039AA-	2							STRAP, Tie, Auxilary Power Harne
-39	4759 876BA-	1							WIRING, Radio Adapter, Steering
	00 0. 02.	•							Wheel Audio Control
-40	4759 801AC-	2							HARNESS, Jumper, Side Air Bags

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-41	4608 998AA-	. 2							HARNESS, Jumper, Driver Side Air
										Bag
$ \begin{array}{c} 13\\ \end{array} $										
(18) (10) (6) (15)										
20 4										
24 3										
(11)										
	CONCORDE-I	INTREPID-300M	(LH) ———				ENG.::=			TD ANOLYGOUGH
	SERIES P = Limited/E S = 300M H = SE	LINI ES H = Intre	Chrysler		BODY 41 = 4 Door	Sedan	FGG = 3.5	= 2.7L V6 D0 L HO V6 MP	PI 24\/	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	M = SE M = LXI X = 300M Sp	C = pecial E =	epid Dodge Intra Concorde 300M	epiu			EGJ = 3.5L EGK = 3.5I EGC = ÎMA	L HO V6 MP AGNUMÖ 3.5	'I 24V 5L V6	

# Wiring Repair Packages Figure 008-1605


									[:
	ITEM	PART	ОТУ	,   ,,,,,	. CEDIEO	BODY	ENGINE	TRANG	TRIM DESCRIPTION
	ITEM	NUMBER	QTY	/ LINE	SERIES	BODY	ENGINE	TRANS	TRIM DESCRIPTION
	1								WIRING PACKAGE, Underhood
									Connector Repair, For Electrical
									Connector Repair Information visit the World Wide Web at http://dto.
									vftis.com/mopar/disclaimer.asp
		5013 930AD	)- 1						vitis.com/mopar/disolalmer.asp
		5083 235AA							Update kit
	-2	6016 236	1						CLIP, Block Heater Cord, Sun Roof
									Wiring
	-3	4759 469AA	1						CLIP, Stud
	-4								CLIP, Wiring
		4604 459	1				EER	DGX	Transmission Wiring
			1				EGC,	DGX	Transmission Wiring
							EGG, EGJ,		
							EGJ, EGK		
		4759 437AA	- 1				LOIK		HVAC Wiring
		4759 595AA		D					Body Wiring
	-5	4759 453AB							CLIP, Wiring, Headlamp to Dash
For Floatrical Compostor Donair Information visit									Wiring Bumper Beam
For Electrical Connector Repair Information visit	-6	4760 305	1						CLIP, Wiring, Oxygen Sensor Down
the World Wide Web at									Stream
the World Wide Web at	-7	4000 770 4 4							COVER, Insulator, Wiring Protection
		4608 779AA	1						Next Generation Module Insulator, Left
		4608 776AB	- 1						Next Generation Module Insulator
		56045 607A					EG0		Alternator 'B+'
http://dto.vftis.com/mopar/disclaimer.asp	-8	4759 777AB							COVER, Wiring Protector, Next
									Generation Module right angle
	-9	4759 943AA	1						PLUG, Wiring, Next Generation
									Module Cavity Plug
	-10	5601 8581	1						STRAP, Tie, Transmission Harness
	-11	5019 912AA							TOOL, Crimping
	-12 -13	5014 757AD	)- 1						MANUAL, Connector Repair WIRING KIT, Electric Repair
	-13	5073 029AA	- 1						Splice kit with crimping tool
		5080 522AA							Splice kit
	-14	6101 802	AR	₹					NUT, Engine Ground Stud
	-15								STRAP, Ground
		4581 286AC	- 1	С	Н		EE0		Exhaust
			1	D	Н		EE0		Exhaust
	CONCORD	E-INTREPID-300M	1 (LH) —						
	SERIES P = Limited S = 300M H = SE M = LXI	LIN I/ES H = Intr D = C =	NE = Chrysl repid = Dodge = Conco	e Intrepid orde	BODY 41 = 4 Do	or Sedan	EGG = 3.5 EGJ = 3.5 EGK = 3.5	= 2.7L V6 D0 5L HO V6 MP 6L V6 SOHC 2 5L HO V6 MPI	I 24V DG0 = All Automatic Transm 4V 24V
	X = 300M S	Special E =	= 300M				EGC = ÎM	AGNUMÖ 3.5	L V6

**>>** 

# Wiring Repair Packages Figure 008-1605

				1				ı		
		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4760 831AC-	- 1				EG0			Engine Ground, Left
		4760 832AE-	· 1				EER			Engine Ground, Right
		4760 833AC-					EER			Engine Ground, Left
		4581 286AC-	- 1	Υ	S		EER,			Exhaust
							EGG			
	-16	6502 832	1				EG0			SCREW, Hex Flange Head, Ground
										Strap attaching at Head
	-17	6102 085AA-	· 1				EER			SCREW AND WASHER, Hex Head
										M8x1.25x20, Ground Strap
	40	1200 2050	0							Mounting to Head
	-18 -19	J369 3058 5083 221AA-	2							STRAP, Retaining, Wiring retaining WIRING KIT, 22 Way, Female, Rad
	-19	5063 ZZTAA-	٠ ١							
	-20									Repair INSULATOR, FEMALE
		4759 556AG-	- AR							PCM [A]
		4759 550AG-								PCM [A]
		4759 558AG-								PCM [C]
		4759 559AG-								PCM [D]
	-21									WIRING KIT, 2 Way, Female
		5102 409AA-	. 1							Headlamp Low Beam
For Electrical Connector Repair Information visit		5102 410AA-								Headlamp High Beam
the World Wide Web at										
http://dto.vftis.com/mopar/disclaimer.asp										
	_									
		-INTREPID-300M			DOD);		ENG.::			TRANSMISSION
	SERIES P = Limited/ S = 300M	LINI ES H = Intre	Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0 EGG = 3.5	= 2.7L V6 [ 5L HO V6 M	OHC PI 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

## Spark Plugs-Cables-Coil Figure 008-1905



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
EER = 2.	7L V6 DOHC	24 VAL	VE MPI						
EES= 2.7	'L V6 DOHC 2	4 VALV	/E						
EGW = 3	.2L V6 SOHC	24 VAL	VE MPI						
EGC= 3.5									
EGG = 3	.5L HIGH OUT	PUT V	6 24V MPI						
1									WIRING, Engine, See Engine Wiring
									(NOT SERVICED) (Not Serviced)
2									SPARK PLUG
	SPRE1 0PMC					EER			
	SZFR 5LP130					EG0			Distingues Tie
0	4606 591AB	6				EG0			Platinum Tip
3	4609 088AF	6				EG0			COIL, Ignition
	4609 095AI	6				EER			
4	4009 095Ai	O				LLIX			SCREW, Pan Head, (NOT
•									SERVICED) (Not Serviced)
5									BOLT
	6505 121AA	12				EG0			Coil mounting
	6506 638AA	12				EER			Coil mounting
-6	4759 237AB-	1				EE0			BRACKET, Engine Wiring
-7									CAPACITOR, Ignition
	4609 133AA-	2				EER			
		1				EG0			
-8	4648 604	6				EG0			TUBE, Spark Plug
-9	4609 116AC-	12				EG0			SPACER

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Group – 08A

### **Instrument Panel and Radios and Consoles**







#### **GROUP 8A - Instrument Panel and Radios and Consoles**

illustration little	Group-Fig. No
Instrument Panel	
Instrument Panel - Intrepid	Fig. 08A-105
Instrument Panel Concorde (CH-CM)	Fig. 08A-110
Instrument Panel Concorde Limited [CP], [300M]	Fig. 08A-115
Instrument Panel Cluster	
Cluster Instrument Panel	Fig. 08A-205
Radio, Antenna, and Speakers	
Radios	Fig. 08A-305
Speakers-Amplifiers	Fig. 08A-310
Antenna	Fig. 08A-315
Consoles	
Console-Floor - Intrepid/Concorde Limited [C-P], [300M]	Fig. 08A-405
Console-Floor - Concorde	Fig. 08A-410
Console-Overhead	Fia. 08A-415


#### **Instrument Panel - Intrepid Figure 08A-105**




#### **Instrument Panel - Intrepid Figure 08A-105**




#### **Instrument Panel - Intrepid Figure 08A-105**




#### **Instrument Panel Concorde (CH-CM) Figure 08A-110**



#### **Instrument Panel Concorde (CH-CM) Figure 08A-110**



### Instrument Panel Concorde (CH-CM) Figure 08A-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QN25 WL5AB	1	С	Н					[L5]
	QN25 XDVAB	1	С	Н					[DV]
	QN25 XT5AB	1	С	Н					[T5]
32									DOOR, Glove Box
	PP25 1DV	1	С	Н					[DV]
	PP25 1L5	1	С	Н					[L5]
	PP25 1T5	1	С	Н					[T5]
-33									BUMPER, Glove Box Door, (NOT
									SERVICED) (Not Serviced)
-34	4580 818AE-	1							STORAGE KIT, Multipurpose
35									BEZEL, Instrument Panel, Center
	MN84 AAAAD	1	С	Н					With Traction Control
	PV74 AAAAD	1	С	Н					
36									BIN, Instrument Panel
	RT23 WL8AC	1	С	Н					[L5]
	RT23 XDVAC	1	С	Н					[DV]
	RT23 XTMAC	1	С	Н					[T5]
-37	4685 536	1	С	Н					KNOB AND ELEMENT, Cigar
									Lighter, (CH-CM)
-38									ASH RECEIVER, Smokers Package
	QR25 WL5AA	- 1	С	Н					[L5]
	QR25 XDVAA	- 1	С	Н					[DV]
	QR25 XT5AA-	1	С	Н					[T5]
-39	4685 590	1	С	H, M					BASE, Cigar Lighter
-40	4760 856AB-	1	С	H, M					CAP, Cigar Lighter
-41	5269 360	1	С	Н					HOOD, Ash Receiver Lamp

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm
















#### **Cluster Instrument Panel Figure 08A-205**


**PART** 



#### **Cluster Instrument Panel Figure 08A-205**



#### **Radios Figure 08A-305**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RAS=RAI	DIO - AM/FM (	CASSE <sup>-</sup>	TTE						
RBY=RAI	DIO - AM/FM (	CASSE	TTE, CD						
RAZ= RA	DIO AM/FM C	ASSET	TE						
RBP= RA	DIO AM/FM C	ASSET	TE						
RBK= RA	DIO AM/FM C	D							
RBT= RA	DIO AM/FM C	ASSET	TE						
RBB= RA	DIO AM/FM C	ASSET	TE W/CD	CONTROL	=				
RAD= RA	DIO AM/FM C	CASSET	TE W/CD						
RBZ= RA	DIO AM/FM								
CD Chan	gers must be o	ordered	on functio	n 11					
1	5064 383AB	1							RADIO, AM/FM/Cassette With CD,
									[RBY]
2	5064 335AC	1							RADIO, AM/FM/Cassette With CD
									Control, [RBB]
3	56038 555AK	. 1							RADIO, AM/FM with CD and
									Cassette, [RAZ]
4	5064 354AC	1							RADIO, AM/FM with CD and
_	5004.00445								Equalizer, [RBK]
5	5064 384AB	1							RADIO, AM/FM/Cassette With CD,
0	E004 20EAD	4							[RBT]
6	5064 385AB	1							RADIO, AM/FM/Cassette With CD,
7	56038 659AE	1							[RAD] CHANGER, CD 6 Disc, SEE NOTE
,	30030 039AL	. 1							[RDN]
8									ADAPTOR, CD changer
	4595 829AA	1	D						715711 TOTY, OB changer
	4595 831AA	1	C	Н					
9	4671 841AA	1		• •					WIRING, Compact Disc Changer
-									g

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE

X = 300M Special

M = LXI

LINE H = Chrysler Intrepid
D = Dodge Intrepid C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm


5	
9 9 9 9	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Con	corde								
CP=LHS									
	the 4 Disc cha	anger R	eplacemen	t order on	function 11	(Z485852	2AG)		
	4 Speaker					(= :====			
_	9 Speaker Infir	nitv							
	6 Speaker Infi								
-	11 Speaker Inf	•							
_	240 Watt Amp	-							
_	120 Watt Amp								
1 1	6102 152AA	2							SCREW, Tapping Hex Flange Hea
'	0102 132AA	2							M6.3x1.81x20.00
2	6100 048	1							NUT, Hex, M6x1.00
	0100 048	'							
3	4700 00040		Y						AMPLIFIER, Radio
	4760 902AC	1	Y						[RDS]
	4760 293AF	1							[RDH]
	4760 296AD	1							[RDM]
	4760 688AD	1	C, D						[RDS]
4	6101 331	3							BOLT, M6x1.00x20
5	4760 696AB	1							BRACKET, Amplifier
6	4609 133AA	2				EER			CAPACITOR, Ignition
-7	6101 442	3							U-NUT, M6 x 1.00, M6x1.00,
									Amplfier Bracket Attaching
8									SPEAKER, Instrument Panel
	4760 371	1							2 1/2' Infinity [RCE,RCP]
		1							2 1/2' Infinity [RCQ,RCZ]
9									SPEAKER, Front Door
	4760 650AC	1							2 1/2' Flag speaker [RCJ]
	5026 465AA	1							2 1/2' Flag Speaker [RCE, RCP]
	5081 031AA	1							2 1/2' Flag Speaker [RCQ,RCZ]
10	5059 122AA	1							SPEAKER, Front Door, 6 1/2' [RC.
11									SPEAKER, Sub Woofer
	56038 657AA	١ 1							[RCE,RCP], Front Door
		1							[RCQ], Front Door
		1							[RCQ,RCZ], Front Door
12		·							SPEAKER, 6.5"
	56038 408AC	1							Up to 11/28/02[RCD], Front Door
	5081 033AA	1							After 11/28/02[RCD], Front Door
13	4760 685AB	1							SPEAKER, Rear Door, [RCP]
14	4700 000AB	'							SPEAKER, Rear, 6x9
17	5059 119AB	2							Rear Shelf [RCD]
		2							Rear Shelf [RCJ]
	5059 120AB	2							
	5059 121AB	2							Rear Shelf [RCE, RCP]]
ONCOBDI	E-INTREPID-300M	(I H)							
ERIES	LINI	È		BODY		ENGINE			TRANSMISSION
= Limited		Chrysler		41 = 4 Door	Sedan		= 2.7L V6 D		DGX = 4 Speed Automatic
= 300M = SE	Intre D =	epid Dodge Ir	ntrepid				SL HO V6 MF L V6 SOHC :		DG0 = All Automatic Transm
= LXI	C =	Concord	е			EGK = 3.5	L HO V6 MF	1 24V	
= 300M S		300M					AGNUMÖ 3.		

# Speakers-Amplifiers Figure 08A-310

	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-15	6035 934AA-	. 3							SCREW, Tapping, Speaker attaching
5 Emmand										
3										-
4										
2										
(8)										
										_
	CONCORDE- SERIES P = Limited/B	-INTREPID-300M LIN = S	(LH) —— E		BODY 41 = 4 Door	Sadan	ENGINE EER, EE0 EGG = 3.5	- 27LV6D		TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	S = 300M H = SE M = LXI X = 300M Sp	Intro   Intro   D =   C =   Decial	Chrysler epid Dodge Int Concorde	trepid	71 <b>- 4</b> DOOI	Codail	EGG = 3.5 EGJ = 3.5 EGK = 3.5 EGC = ÎMA	L HO V6 MF L V6 SOHC L HO V6 MF AGNUMÖ 3	PI 24V 24V PI 24V 5I V6	DG0 = All Automatic Transm

#### **Antenna Figure 08A-315**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1102			0220					
CH=Cor									
CP=LHS		_				. /7.405056			
	the 4 Disc cha	anger R	eplacemer	nt order on	function 1	1 (2485852	22AG)		
	4 Speaker								
	9 Speaker Infir								
	6 Speaker Infin	•							
	11 Speaker Inf	•							
	240 Watt Amp								
[RDM] =	120 Watt Amp	lifier							
1	4760 867AB	1							GROMMET, Antenna Mounting,
									Antenna Mounting
2	4760 858AE	1							BODY AND CABLE, Antenna, Re
									Mount
3	4760 907AB	1							MAST, Antenna, Black
-4	6502 604	1							NUT, U Multi Thread, M6 x 1.00,
									Mast Antenna Mounting
-5	6102 132AA-	1							SCREW, Hex Head, M6x1x20
6	4760 303AD	1							ANTENNA, Antenna/EBL Module
7	4760 868AD	1							CABLE, Antenna, Body
8	5059 084AA	1							CABLE, Backlite Antenna
9	5026 014AA	1							CABLE, Antenna, Instrument Pan
10	5066 205AB	1							ANTENNA, Satellite
11	5064 020AC	1							RECEIVER, Satellite
12	5066 207AA	1							CABLE, Antenna, Satellite Radio
13	5059 181AA	1							BRACKET, Satellite Receiver

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

## Console-Floor - Intrepid/Concorde Limited [C-P], [300M] Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
Y=300M									
CP=LHS									
D=Intrepi	d								
1	G								BEZEL, Console Shifter
•	SG28 1DVAF	1	С	Р					[DV]
	SG28 1L2AF	<u>·</u> 1	C	 P					[L2]
	SG30 1DVAH	1	Y	s S					[DV]
	SG30 1L2AH	1	Ϋ́	S					[L2]
	SG30 1T5AH	1	Ϋ́	S					[T5]
	SG32 1DVAF	<u>'</u> 1							[DV] Without Autostick
	SG32 1L5AF	1	D						[L5] Without Autostick
	SG32 1T5AF	1	D						[T5] Without Autostick
	SG28 1T5AG	1	С	Р					[T5] Williout Autostick
	TM33 AAAAA		C	<u>г</u> Р					Woodgrain
2	TIVISS AAAAA	'	C	Р					ARMREST, Console
2	RD56 1DVAC	4	Б						
	RD56 1DVAC	1	D						[DV]
		<u>1</u> 1	D C	P					[L5]
	SV11 1DVAA								[DV]
	0)/44 41 0	1	Y	S					[DV]
	SV11 1L2AA	1	С	P					[L2]
	0)/44 4T5 A A	1	Y	S P					[L2]
	SV11 1T5AA	1	C						[T5]
	DDEC 4TEAC	1	Y	S					[T5]
0	RD56 1T5AC	1	D						[T5]
3	DD50 4D1/4D								CAP, Floor Console End
	RD53 1DVAB	1	С	Р					[DV]
		1	Y	S					[DV]
		1	D	_					[DV]
	RD53 1L2AB	1	C	P					[L2]
		1	Y	S					[L2]
	RD53 1L5AB	1	D						[L2]
	RD53 1T5AB	1	С	Р					[T5]
		1	Y	S					[T5]
		1	D						[T5]
4									CONSOLE, Rear
	YC52 1DVAA	1	D						[DV] Up to 09/25/02
	YC52 1L5AA	1	D						[L5] Up to 09/25/02
	YC52 1T5AA	1	D						[T5] Up to 09/25/02
	YC55 1DVAA	1	С	Р					[DV] Up to 09/25/02
		1	Υ	S					[DV] Up to 09/25/02
		1	Υ	Χ					[DV] Up to 09/25/02

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Console-Floor - Intrepid/Concorde Limited [C-P], [300M] Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								•	
	YC55 1L2AA	1	С	Р					[L2] Up to 09/25/02
		1	Y	S					[L2] Up to 09/25/02
		1	Υ	X					[D2] Up to 09/25/02
	YC55 1T5AA	1	С	Р					[T5] Up to 09/25/02
		1	Υ	S					[T5] Up to 09/25/02
	YC52 1DVAB	1	D						[DV] After 09/25/02
	YC52 1L5AB	1	D						[L5 ] After 09/25/02
	YC52 1T5AB	1	D						[T5] After 09/25/02
	YC55 1DVAB	1	С	Р					[DV] After 09/25/02
		1	Υ	S					[DV] After 09/25/02
		1	Υ	Χ					[DV] After 09/25/02
	YC55 1L2AB	1	С	Р					[L2] After 09/25/02
		1	Υ	S					[L2] After 09/25/02
		1	Υ	Χ					[D2] After 09/25/02
	YC55 1T5AB	1	С	Р					[T5] After 09/25/02
		1	Υ	S					[T5] After 09/25/02
5									BRACKET, Console
	4698 786AC	1	D						Rear Mount
		1	С	Р					Rear Mount
		1	Υ	S					Rear Mount
		1	Y	X					Rear Mount
6	6501 483	4							NUT, Hex Flange, M8x1.25
7			_						BRACKET, Console
	4698 766	1	D	_					Adapter Bracket
	4698 769	1	Y	S					Adapter Bracket
		1	Y	X					Adapter Bracket
	2224 742	1	С	Р					Adapter Bracket
8	6034 743	5	С	Р					SCREW, Hex Flange Head Tapping,
									.164-15x.75, Console attaching
9	DOEO TI SAD	4	0	В					PANEL, Console
	PC50 TL2AD PC50 XDVAD	1	C	Р					[L2], Right
	PC50 XDVAD		C C	P P					[DV], Right
	PC50 XT5AD PC51 TL2AD	<u>1</u> 1	C	<u>г</u> Р					[T5], Right [L2], Left
	PC51 TL2AD		C	P					[DV], Left
	PC51 XT5AD	1	C	P					[DV], Left [T5], Left
	PC52 WL5AB		D	1					[L5], Right
	PC52 XDVAB		D						[DV], Right
	PC52 XT5AB	1	D						[T5], Right
	PC53 WL5AB		D						[L5], Left
	PC53 XDVAB		D						[DV], Left
		-							K 27 - 27 - 2

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



### Console-Floor - Intrepid/Concorde Limited [C-P], [300M] Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	PC53 XT5AB	1	D						[T5], Left
	PC50 TL2AD	1	Υ	S					[L2], Right
		1	Υ	Χ					[D2], Right
	PC50 XDVAD	1	Υ	S					[DV], Right
		1	Υ	Χ					[DV], Right
	PC50 XT5AD	1	Υ	S					[T5], Right
	PC51 LAZAD	1	Υ	Χ					[AX], Left
	PC51 MF1AD	1	Υ	Χ					[FK], Left
	PC51 RK5AD	1	Υ	Χ					[K9], Left
	PC51 TL2AD	1	Υ	S					[L2], Left
		1	Υ	Χ					[D2], Left
	PC51 XDVAD	1	Υ	S					[DV], Left
		1	Υ	X					[DV], Left
	PC51 XT5AD	1	Υ	S					[T5], Left
-10									SCREW, Tapping
	6101 946	4	D						Side Panel attaching
		6	Y						Side Panel attaching
		6	С	Р					Side Panel attaching
-11									LATCH, Armrest Lid
	PR29 DX9AB-		С	Р					
		1	Y	S					
		1	D						
-12			_	_					LINER, Floor Console
	4595 839AA-	1	С	P					
		1	Y	S					
4.0		1	D						
-13	DD 40 TI 04 O		•	_					CUPHOLDER, Console
	RD49 TL2AC-		С	Р					[L2]
	DD40 VDV40	1	Y	<u>S</u>					[L2]
	RD49 XDVAC		С	P					[DV]
	DD40 VTC4C	1	Y	Х					[DV]
	RD49 XT5AC-		C	Р					[T5]
	VO25 \\\/\ 0 ^ ^	1	Y D	S					[T5]
	XQ35 WL8AA XQ35 XDVAA								[L5]
	RD49 TL2AC-		D Y	X					[DV]
	XQ35 XTMAA		r D	^					[L2] [T5]
14	AQUU ATIVIAA	- 1	<u> </u>						RECEPTACLE, Ash Receiver
1-7	4698 793	1	С	Р					NEOLI IAOLE, ASII NEOEIVEI
	1000 700	1	Y	S					
	4698 794	1	D	5					
	1000 704	- 1							

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



### Console-Floor - Intrepid/Concorde Limited [C-P], [300M] Figure 08A-405



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•		•			•
15	5269 360	1	D						HOOD, Ash Receiver Lamp
16	0200 000								BASE, Cigar Lighter
	4685 590	1	С	Р					
		1	Y	Χ					
		1	D						
17									CAP, Cigar Lighter
	4760 856AB	1	D						
	4760 969AA	1	С	Р					
		1	Υ	S					
-18									POWER OUTLET
	4793 554AB-	1	Υ	S					
		1	С	Р					
		1	Υ	Х					
-19									RING, Cigar Lighter Mounting
	4793 555	1	С	Р					
		1	Υ	S					
-20									WIRING, Power Feed
	4759 875AB-	1	С	Р					
		1	Υ	S					
	5081 017AA-	1	D						
-21	T100 D\(0.4.D								BIN, Floor Console
	TJ33 DX9AB-	1	С	P					Front with power outlet
	T 10.4 TI 0.4 A	1	Y	X					Front with power outlet
	TJ34 TL2AA-	1	С	P					[L2]
	T 10.4 \\\\\ 5 \D	1	Y D	S					[L2]
	TJ34 WL5AB- TJ34 XDVAA-		С	Р					[L5]
	1J34 ADVAA-	1 1	Y	X					[DV]
	TJ34 XDVAB-		T D	^					[DV] [DV]
	TJ34 XT5AA-	1	C	P					[T5]
	100 <del>4</del> X10AA-	1	Y	S					[T5]
	TJ34 XT5AB-	•	D	J					[T5]
-22	10017(10/12	•							ASH RECEIVER, Smokers Package
	QR25 WL5AA	1	D						[L5]
	QR25 WL8AA		С	Р					[L2]
	QR25 XDVAA		D						[DV]
		1	С	Р					[DV]
	QR25 XT5AA-	- 1	D						[T5]
	QR25 XTMAA		С	Р					[T5]
	QR25 WL8AA	- 1	Υ	S					[L2]
	QR25 XDVAA		Υ	Χ					[DV]

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year



### Console-Floor - Intrepid/Concorde Limited [C-P], [300M] Figure 08A-405



### **Console-Floor - Concorde** Figure 08A-410



	PART	,				1 '	1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Con									
	ncorde LXI								
1									CONSOLE, Rear
	YC53 1DVAA	1	С	М					[DV]
		1	С	Н					[DV]
	YC53 1L5AA	1	С	М					[L5]
		1	С	Н					[L5]
	YC53 1T5AA	1	С	М					[T5]
		1	С	Н					[T5]
2	6034 743	5							SCREW, Hex Flange Head Tapping
									.164-15x.75
3									PANEL, Console
	PC54 WL5	1	С	H, M					[L5], Right
	PC54 XDV	1	C	H, M					[DV], Right
	PC54 XT5	1	C	H, M					[T5], Right
	PC55 WL5	1	C	H, M					[L5], Left
	PC55 XDV	1	C	H, M					[DV], Left
	PC55 XDV	<u>'</u> 1	C	H, M					[T5], Left
4	FUJU ATU	1	J	l 1, 1V1					BEZEL, Console Shifter
4	SG29 1DVAD	4	_	LJ NA					
		1	С	H, M					[DV]
	SG29 1L5AD	1	C C	H, M					[L5]
-	SG29 1T5AD	1	C	H, M					[T5]
5	5550 450/40	4	^						ARMREST, Console
	RD56 1DVAC	1	С	H					[DV]
	RD56 1L5AC	1	<u>C</u>	M					[L5]
2	RD56 1T5AC	1	С	M					[T5]
-6 	PR29 DX9AB-	1	С	M					LATCH, Armrest Lid
7			_						CAP, Floor Console End
	RD53 1DVAB	1	С	M					[DV]
	RD53 1L5AB	1	С	M					[L5]
	RD53 1T5AB	1	С	M					[T5]
-8	4595 839AA-	1	С	M					LINER, Floor Console
-9									CUPHOLDER, Console
	RD49 WL5AC-		С	Н					[L5]
	RD49 XDVAC-		С	M					[DV]
	RD49 XT5AC-	1	С	Н					[T5]
10	4698 768	1	С	М					BRACKET, Console, Adapter Brac
11	4698 786AC	1	D						BRACKET, Console, Rear Mount
12	6501 483	4							NUT, Hex Flange, M8x1.25, Consc
									Mounting
-13	5269 360	1	С	Н					HOOD, Ash Receiver Lamp
14									ASH RECEIVER

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

### **Console-Floor - Concorde Figure 08A-410**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	JU27 WL5	2	С	Н					[L5]
	JU27 XDV	2	С	Н		[DV]			[DV]
	JU27 XT5	2	С	Н		[T5]			[T5]
-15						ASH RECEIVER, Smokers Pack		ASH RECEIVER, Smokers Package	
	QR25 WL5AA	- 1	С	Н					[L5]
	QR25 XDVAA	- 1	С	Н			[DV]		[DV]
	QR25 XT5AA-	· 1	С	Н		[T5]			[T5]

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Console-Overhead Figure 08A-415**





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CP=LHS									
CH=Conc	orde								
CM=Cond									
1									CONSOLE, Overhead Mini, Less
									Electronics
	5014 271AA	1	D						
		1	Υ						
		1	С	Н					
-2									RETAINER, Overhead Console
	4698 973AA-	1	D						
		1	Υ						
		1	С	Н					
3									MODULE, Overhead Console
	4760 145BF	1	D						
		1	Υ						
		1	С	Н					
-4									LENS, Message Center
	5012 882AA-	1	D						
		1	Υ						
		1	С	Н					
		1	С	M					
		1	С	Р					
5									MODULE, Compass Temperature
	56042 754AF	1	Y						
	56042 756AF	1	Y						With Garage door opener
	56042 749AG	1	С	Р					LAMP. Dending
6	DD00 TL04D	4	5						LAMP, Reading
	PB83 TL2AB	1	D						
	TK50 1L2AA	<u>1</u> 1	C D	Н					With Sunroof
	TK50 TL2AA		_	ш					With Sunroof
7		1	С	Н					WIRING, Overhead Console
	4760 644	1	D						WIKING, Overhead Console
	4700 044	1	Y						
		1	C	Н					
8		'	O						BULB, 192
	L000 0192	2	D						5525, 152
		1	Y						
		1	Ċ	Н					
-9		•	_						SWITCH, Sunroof
	SX16 1L2AA-	1	D						Up to 12/09/02
		•	<u> </u>						

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Console-Overhead Figure 08A-415**







CONCORDE-INTREPID-300M (LH) LINE

SERIES P = Limited/ES S = 300M H = SE


X = 300M Special


M = LXI

H = Chrysler Intrepid
D = Dodge Intrepid C = Concorde E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – 009 Engine Mounting






### **GROUP 9 - Engine Mounting**

Illustration Title	Group-Fig. No
Engine Mounting	
Engine Mounts 2.7L Engine	Fig. 009-110
Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ]	Fig. 009-120
Cradle To Body Mounting	Fig. 009-130

### **Engine Mounts 2.7L Engine** Figure 009-110



NOTE: Sales Code [DGX] = 4 Speed A [EER] = 2.7L V6 D 1 4593 184 4593 288 4593 288 3 6101 763 4 4593 244 5 4725 363 6 6101 448 7 4663 970 8 4663 952	es Automa OOHC 2 4 5 6AB 8AB	des d Automatic Tr DOHC 24V M 84 1 285 1	SERIES	BODY	EE0 EE0	TRANS	TRIM	CUSHION, Engine Support Right
[DGX] = 4 Speed A [EER] = 2.7L V6 D 1 4593 184 4593 285 2 4593 285 4593 285 3 6101 765 4 4593 245 4593 245 4593 245 4593 246 5 4725 365 6 6101 446 7 4663 976	Automa OOHC 2  4  5  6AB 8AB	A Automatic Tr DOHC 24V M 84 1 285 1 286AB 1 288AB 1	1					
[DGX] = 4 Speed A [EER] = 2.7L V6 D 1 4593 184 4593 285 2 4593 285 4593 285 3 6101 765 4 4593 245 4593 245 4593 245 4593 246 5 4725 365 6 6101 446 7 4663 976	Automa OOHC 2  4  5  6AB 8AB	A Automatic Tr DOHC 24V M 84 1 285 1 286AB 1 288AB 1	1					
[DGX] = 4 Speed A [EER] = 2.7L V6 D 1 4593 184 4593 285 2 4593 285 4593 285 3 6101 765 4 4593 245 4593 245 4593 245 4593 246 5 4725 365 6 6101 446 7 4663 976	Automa OOHC 2  4  5  6AB 8AB	A Automatic Tr DOHC 24V M 84 1 285 1 286AB 1 288AB 1						
[EER] = 2.7L V6 D 1 4593 184 4593 288 2 4593 288 4593 288 3 6101 763 4 4593 244 4593 244 5 4725 363 6 6101 448 7 4663 970	OHC 2-4 5 6AB 8AB	DOHC 24V M 84 1 285 1 286AB 1 288AB 1						
1 4593 184 4593 285 2 4593 286 4593 286 4593 287 3 6101 763 4 4593 243 4593 244 5 4725 363 6 6101 448 7 4663 970	4 5 6AB 8AB	84 1 285 1 286AB 1 288AB 1						
4593 286 4593 286 4593 286 3 6101 763 4 4593 244 4593 244 5 4725 363 6 6101 446 7 4663 970	5 6AB 8AB	285 1 286AB 1 288AB 1						
2 4593 286 4593 286 3 6101 763 4 4593 244 4593 244 5 4725 363 6 6101 446 7 4663 970	6AB 8AB	286AB 1 288AB 1			EE0			
4593 286 4593 288 3 6101 763 4 4593 243 4593 244 5 4725 363 6 6101 448 7 4663 970	8AB	288AB 1						Left
4593 288 3 6101 763 4 4593 243 4593 244 5 4725 363 6 6101 448 7 4663 970	8AB	288AB 1						SHIELD, Engine Mount
3 6101 763 4 4593 244 4593 244 5 4725 363 6 6101 444 7 4663 970					EE0			Left
4 4593 244 4593 244 5 4725 363 6 6101 448 7 4663 970	3	763 6			EE0			Right
4593 243 4593 244 5 4725 363 6 6101 448 7 4663 970					EE0			BOLT AND WASHER, Hex Head,
4593 243 4593 244 5 4725 363 6 6101 448 7 4663 970								M10x1.5
4593 244 5 4725 363 6 6101 448 7 4663 970								BRACKET, Engine Mount
5 4725 363 6 6101 448 7 4663 970	3	243 1			EE0			Left
6 6101 448 7 4663 970	4	244 1			EE0			Right
7 4663 970	3AB	863AB 1			EER	DGX		BRACKET, Transmission Case
7 4663 970								Mounting
	8	148 2						NUT AND WASHER, Hex Nut-Coned
								Washer, M10 x 1.5
8 4663 952	0AB	70AB 1						SUPPORT, Transmission
	2	952 1						COLLAR, Structural, Oil Pan To
								Transmission
9 6506 019	$\alpha \wedge \alpha$	)19AA 9						BOLT AND WASHER, Hex Head,
	JAA							M10x1.5x30
10 6505 559		559AA 4						SCREW AND WASHER, Hex Head
11 4663 970	9AA	70AB 1						SUPPORT, Transmission

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Engine Mounts 3.5L Engine [EGC],[EGG],[EGJ]** Figure 009-120



E = 300M

X = 300M Special

### **Cradle To Body Mounting** Figure 009-130

|--|

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 730AA	2							SCREW, Hex Head
2									ISOLATOR, Cradle
	4782 240AA	2							With [SGD] Sales Code
	4782 242AA	2							With One Of These Sales Codes
									[SDA, SDC,SDD,SDE,SDB]
3									ISOLATOR, Cradle
	4782 131AB	2							With [SDG] Sales Code, Jounce
									Plate Enginer, Front
	4782 133	2							With One Of These Sales Codes
									[SDA, SDC, SDD], Jounce Plate
									Engine, Front
		2							With [SDE] & With One Of These
									Sales Codes [TRD , TR4],
									Jounce Plate Engine, Front
	4782 143	2							Jounce Plate Engine, Rear
	4782 240AA	2							Rebound Plate Engine, Front
	4782 242AA	2							Rebound Plate Engine, Rear
4									CRADLE, front suspension, See
									Group 13 For Part Number, (NOT
									SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# **Group – 2.7L**

### **Engine 2.7L Six Cylinder**



2.7L-100 Engine Identification	2.7L-200 Cylinder Head	2.7L-300 Cylinder Block	2.7L-400 Crankshaft, Piston and Drive Plate
X Montrocturing Component Montrol (Note Repair Code Code Code Code Code Code Code Code			
2.7L-500 Camshafts & Valves	2.7L-600 Timing Belt and Cover	2.7L-700 Engine Oiling	2.7L-800 Manifolds

# **Group – 2.7L**

### **Engine 2.7L Six Cylinder**


2.7L-900 Crankcase Ventilation		
San		

### **GROUP 2.7L - Engine 2.7L Six Cylinder**

Illustration Title	Group-Fig. No.
Engine Identification  I.D. Location 2.7L Engine	Fig. 2.7L-110
Cylinder Head Cylinder Head 2.7L Engine	Fig. 2.7L-210
Cylinder Block         Cylinder Block 2.7L Engine	Fig. 2.7L-310
Crankshaft, Piston and Drive Plate Crankshaft, Piston, and Torque Converter 2.7L Engine	Fig. 2.7L-410
Camshafts & Valves Camshaft and Valves 2.7L Engine	Fig. 2.7L-510
Timing Belt and Cover Timing Chain and Cover 2.7L Engine	Fig. 2.7L-610
Engine Oiling 2.7L Engine	Fig. 2.7L-710
Manifolds Manifold, Intake and Exhaust 2.7L Engine	Fig. 2.7L-810
Crankcase Ventilation Crankcase Ventilation 2.7L Engine	Fig. 2.7L-910

## I.D. Location 2.7L Engine Figure 2.7L-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NOMBER	QII	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
Famina I D	المعلمما	حا حطه مد	ft bank at		: امماما مط	-   -	لمحمدا مما		
	is located Engine w/M		it bank at	the rear or	the block j	ust below t	ne nead.		
1	Liigiiio wiivi								LABEL, Engine Identification, (NOT
									SERVICED) (Not Serviced)
ONCORDE-I	NTREPID-300M	I (LH) ——		PODY.					TDANICALICCION
ERIES = Limited/E		- Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D	ОНС	TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE	Inti	repid = Dodge Ir				EGG = 3.5	IL HO V6 MF L V6 SOHC	PI 24V	DG0 = All Automatic Transm
l = LXI	C =	<ul><li>Concorde</li></ul>	9			EGK = 3.5	L HO V6 MF	PI 24V	
= 300M Spe	ecial E =	= 300M				EGC = IM	AGNUMÖ 3.	5L V6	




AR = Use as required -= Non illustrated part # = New this model year

#### Cylinder Head 2.7L Engine **Figure 2.7L-210**

**PART** 



### Cylinder Head 2.7L Engine Figure 2.7L-210



### Cylinder Block 2.7L Engine Figure 2.7L-310

2		3
		3
	AM Door	
		<b>Ø</b> 5
		<b>7</b> 2
	12	L To
		13)

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: 5	Sales Code								
	2.7L V6 DOHC	24 Val	ve MPI En	gine					
-1	5066 698AA-			J		EER			GASKET PACKAGE, Engine Lower
2	5018 727AA	1				EER			BLOCK, Short
3	4448 856	4				EER			DOWEL, Block To Cylinder Head
-4	6034 331	1				EER			PLUG, Hex Socket, 3/8-18NPTx.475
5	4663 942	4				EER			PLUG, Core, 1.50 Diameter
-6	6036 189AA-	AR				EER			PLUG, Core
-7	4663 941	2				EER			PLUG, Core, 1.00 Diameter
-8	6036 191AA-	AR				EER			PLUG, Core
-9	4792 132	2				EER			PLUG, Cylinder Block Oil Hole
-10	6036 190AA-	AR				EER			PLUG, Core
-11	4792 132	2				EER			PLUG, Cylinder Block Oil Hole
12	4609 325AB	1							HEATER, Engine Block
13									BOLT, Hex Head, M6x1.00x20.00,
									(NOT SERVICED) (Not Serviced)
-14	6100 902	2				EER			DOWEL, M6x14
-15	6504 631	8				EER			BOLT
-16	6503 948	AR				EER			BOLT, Hex Flange Head
-17									STRAP, Ground
	4760 832AE-	1				EER			Right
	4760 833AC-	1				EER			Left
-18	5240 849	2				EER			DOWEL, Block To Clutch Housing
-19	6035 743	2				EER			PLUG, Timing Probe Hole
-20	6101 670	1				EER			SCREW AND WASHER, Hex Head,
									M10x1.50x35, Timing Belt Cover
-21	6100 986	2				EER			BOLT, Hex Flange Head, M10-1.
									5x90, Timing Belt Cover
-22	6507 424AA-	4							STUD, Double Ended, Block to trans

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Crankshaft, Piston, and Torque Converter 2.7L Engine Figure 2.7L-410



	PART	'						'	
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	Sales Code								
	2.7L V6 DOHC		ve MPI En	ngine					
1	5018 627AB	6				EER			PISTON PIN AND ROD
2	4897 027AA	1				EER			PISTON RING SET, COMPLETE
									ENGINE, STD.
3	4796 546AC	AR				EER			BEARING PACKAGE, Connecting
	= := 10								Rod, Standard
-4	4796 547AC-	AR				EER			BEARING PACKAGE, Connecting
									Rod, .025mm Undersize
-5	4796 548AC-	AR				EER			BEARING PACKAGE, Connecting
2	:==== = 40 A D	• 5							Rod, .25mm Undersize
6	4796 543AB	AR				EER			BEARING KIT, Crankshaft, Standa
-7	5010 154AB-					EER			BEARING KIT, Crankshaft, +.006M
-8	5010 155AB-					EER			BEARING KIT, Crankshaft, +.003N
-9	5010 156AB-					EER			BEARING KIT, Crankshaft,003M
-10	5010 157AB-					EER			BEARING KIT, Crankshaft,006M
-11	4796 544AB-	AR				EER			BEARING KIT, Crankshaft, .025mn
10	:==== = 4EAD	• 5							Undersize
-12	4796 545AB-	AR				EER			BEARING KIT, Crankshaft, .25 mm
40	:700 000AD	^ D							Undersize
13	4792 020AB	AR				EE0,			BEARING, Crankshaft Thrust
4.4	1222 020	4				EG0			OR ANYOUAET
14 15	4663 638	1				EER			CRANKSHAFT
15 16	6505 840AA	1				EER			BOLT  DAMBER Cronkshoft
16	4792 430AA	1				EER			DAMPER, Crankshaft
17 10	6504 720	12				EER			BOLT, Connecting Rod
18	2524.000	0				D			BOLT, Bearing Cap
	6504 629	8				EER			Outer
	6504 630	8				EER			Inner CONVENTED DACKAGE Torque
19 20	5093 944AA	1							CONVERTER PACKAGE, Torque
-20	5222 629	1				D			SEAL, Torque Converter Hub
21	4471 933 6503 465	1				EER			PLATE, Drive Plate Backing
22	6503 465	8				EER			BOLT, Drive Plate and Flywheel
23	4736 832AA	1				EER			PLATE, Torque Converter Drive
24	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.2
25	1000 664	40							Drive Plate To Torque Converter
25	4663 664	12 1				EER			RING, Piston Pin
-26 27	4448 557	I				EER			DOWEL, Crankshaft Sprocket CAP, Serviced in Block, (NOT
21									SERVICED) (Not Serviced)

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Camshaft and Valves 2.7L Engine Figure 2.7L-510

**PART** 



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
EER] = 2	2.7L V6 DOHC	24 Val	ve MPI En	gine					
1	4792 295AB	24				EER			ROCKER ARM, Inlet and Exhaust
									Valve
2	4663 985	24				EER			ADJUSTER, Valve Lash
3									CAMSHAFT, Exhaust
	4792 058	1				EER			Right
	4792 059	1				EER			Left
4									CAMSHAFT, Intake
	4792 062	1				EER			Right
	4792 063	1				EER			Left
5	6504 177	20				EER			BOLT, Bearing Cap
6									CAP, CAP, Cam Bearing SERVICED
									IN HEAD, (NOT SERVICED) (Not
									Serviced)
7	4663 722	24				EER			LOCK, Valve Spring Retainer
8	4663 721	12				EER			RETAINER, Valve Spring
9	4663 801	12				EER			SPRING, Valve
10	4663 904	12				EER			SEAL, Valve Guide
11	4663 899	6				EER			VALVE, Intake, Standard
12	4663 902	6				EER			VALVE, Exhaust, Standard
13	4663 674AC	2				EER			CHAIN, Timing
14	4663 676	2				EER			TENSIONER, Chain
15									GUIDE, Intake/Exhaust Valve,
									Standard Size, SERVICED IN
									HEAD, (NOT SERVICED) (Not
									Serviced)
16									SEAT, Intake and Exhaust Valves
									SERVICED IN HEAD, (NOT
									SERVICED) (Not Serviced)
17	6506 407AA	6				EER			BOLT

S = 300M H = SE M = LXI

X = 300M Special

Intrepid
D = Dodge Intrepid C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION

DGX = 4 Speed Automatic DG0 = All Automatic Transm

### Timing Chain and Cover 2.7L Engine Figure 2.7L-610

PART

9
16 10
(15) (6)
11 18
(1) (1) (2) (3) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4
19 (22)

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
NOTE:	Chain Tanaianar	. Dooko	ao Contoin	o: Timina (	Chain Cuic	loo Timina	Chain Ch	oin To	nsioner, Chain Case Gasket.
Sales Co		Facka	ge Contain	is. Tillillig v	Shain Guid	ies, riiriirig	Chain, Ci	iaiii i ei	isioner, Chain Case Gasket.
	oues. 2.7L V6 DOHC	24 Val	vo MDI En	aino					
-1	5183 244AA-	24 vai	VE IVIF I EII	girie		EER			TENSIONER PACKAGE, Timing
•	0100 21 17 01	•							Chain, See Note
2	4693 124AA	1				EER			PLUG
3	4663 636	1				EER			GUIDE, Timing Chain
4	6101 452	2				EER			SCREW AND WASHER, Hex Head,
	0101 102					LLIX			M8x1.25x20
5	6100 297	4				EER			BOLT AND CONED WASHER, Hex
Ŭ	0100 201	•				LLIX			Head, M8x35x17
6									SPROCKET, Intake Camshaft
	4792 305AB	1				EER			Left
	4792 306	1				EER			Right
7	6505 231AA	4				EER			BOLT, Hex Flange Head, M8x20
8	4792 104	1				EER			GUIDE, Timing Chain
9	4792 586AA	1				EER			CAP, Primary Tensioner
10	4792 480AA	1				EER			SEAL, Primary Tensioner Retainer
		-							Cap
11	4792 443AB	1				EER			TENSIONER, Chain
12	4663 634AB	1				EER			ARM, Tensioner
13	4792 208	1				EER			BUSHING
14	6101 723	1				EER			SCREW AND WASHER, Hex Head,
									M8x1.25x50
15	4663 635	1				EER			CHAIN, Timing
16	4663 637	1				EER			GUIDE, Timing Chain
17	4663 632	1				EER			SPROCKET, Crankshaft
18	6505 198AA	1				EER			STUD
19	4792 430AA	1				EER			DAMPER, Crankshaft
20	4792 005AB	1				EER			GASKET, Chain Case Cover
21	4663 614AC	1				EER			COVER, Timing Belt
22	6506 407AA	9				EER			BOLT
23	4609 089AG	1				EER			SENSOR, Camshaft

CONCORDE-INTREPID-300M (LH) -SERIES LINE

6504 608

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

-24

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde

E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

EER


TRANSMISSION

DGX = 4 Speed Automatic DG0 = All Automatic Transm


BOLT, Hex Flange Head, M6x20

#### **Engine Oiling 2.7L Engine Figure 2.7L-710**


**PART** 



#### **Engine Oiling 2.7L Engine** Figure 2.7L-710



### Manifold, Intake and Exhaust 2.7L Engine Figure 2.7L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	ales Code								
[EER] = 2	2.7L V6 DOHC	24 Val	ve MPI En	gine					
1	4663 760	6				EER			GASKET, Intake Manifold
2	6507 054AA	8				EER			BOLT, Hex Flange Head
3	4591 273	1				EER			MANIFOLD, Intake
4									BOLT
	6504 604	1				EER			Manifold to block
	6506 976AA	7				EER			Upper intake to lower
5	4792 379AL	1				EER			PLENUM, Intake Manifold
6	4663 992	2				EER			GASKET, Exhaust Manifold
7	4578 014AA	1				EER			CLIP, Throttle Cable
8	4663 759	3				EER			GASKET, Intake Plenum
9									MANIFOLD, Exhaust
	4663 762AC	1				EER			Right
	4663 763	1				EER			Left
10	6505 429AA	13				EER			SCREW, Hex Flange Head, M8x1.
									25x40
11									SHIELD, Exhaust Manifold
	4663 766AB	1				EER			Upper Right
	4663 767	1				EER			Lower Left
	4663 768	1				EER			Lower Right
	4663 993	1				EER			Upper Left
12	6505 846AA	6				EG0			BOLT, Hex Flange Head, Also for
									EER Engine
-13	6504 968AA-	7				EER			NUT, J
14	5019 080AA	1				EGC,			ACTUATOR, Manifold Tuning Valv
						EGG,			-
						EGK			
-15									O RING, Manifold Tuning Valve
									Actuator, Serviced with Actuator,
									(NOT SERVICED) (Not Serviced)
-16	6101 946	1				EER			SCREW, Tapping
-17	6101 978	1							SCREW AND WASHER, Hex Head
									M8-1.25x40
-18	4667 431	2				EER			SEAL, EGR Tube

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Crankcase Ventilation 2.7L Engine** Figure 2.7L-910

ITEM

NOTE: Sales Code

1 4573 561AB

PART

NUMBER

QTY

[EER] = 2.7L V6 DOHC 24 Valve MPI Engine

LINE

SERIES

BODY

**ENGINE** 

EER

	ı	43/3 30 IAB	1	EEN	VALVE, FCV
	2		1	EER	HOSE, Cylinder Head To Intake Manifold PCV
	3		1	EER	HOSE, Make Up Air
	4	4663 712AC	1	EER	NIPPLE, Crankcase Vent
3 4 1					

CONCORDE-INTREPID-300M (LH)

LINE

H = Chrysler

C = Concorde E = 300M

Intrepid
D = Dodge Intrepid

SERIES

S = 300M H = SE

M = LXI

P = Limited/ES

X = 300M Special

BODY

41 = 4 Door Sedan

TRANSMISSION

DGX = 4 Speed Automatic
DG0 = All Automatic Transm

TRIM

VALVE, PCV

DESCRIPTION


TRANS


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

**Group – 3.5L** 


### **Engine 3.5L Six Cylinder**





### **Group – 3.5L**

**Engine 3.5L Six Cylinder** 




### **GROUP 3.5L - Engine 3.5L Six Cylinder**

Illustration Title	Group-Fig. No.
Engine Identification  I.D. Location 3.5L Engine	Fig. 3.5L-110
Cylinder Head Cylinder Head 3.5L Engine	Fig. 3.5L-210
Cylinder Block Cylinder Block 3.5L Engine	Fig. 3.5L-310
Crankshaft, Piston and Driveplate Crankshaft, Piston, and Torque Converter 3.5L Engine	Fig. 3.5L-410
Camshafts & Valves Camshaft and Valves 3.5L Engine	Fig. 3.5L-510
Timing Belt and Cover Timing Belt and Cover 3.5L Engine	Fig. 3.5L-610
Engine Oiling 3.5L Engine	Fig. 3.5L-710
Manifolds Manifold, Intake and Exhaust	Fig. 3.5L-810
Crankcase Ventilation Crankcase Ventilation 3.5L Engine	Fig. 3.5L-910

## I.D. Location 3.5L Engine Figure 3.5L-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Engine I.D.	is located or	n the lef	t bank at t	he rear of	the block ju	ust below t	he head.		
1									LABEL, Engine Identification, (NOT SERVICED) (Not Serviced)
CONCORDE-IN SERIES P = Limited/ES S = 300M H = SE M = LXI X = 300M Spec	LINE H = Intre D = C =	Chrysler		BODY 41 = 4 Door	Sedan	EGG = 3.5 EGJ = 3.5l	= 2.7L V6 D L HO V6 MF L V6 SOHC L HO V6 MF AGNUMÖ 3.	PI 24V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm



_	: 3.5L Magnum \ : 3.5L High Outp							
-	3.5L V6 SOHC							
-	3.5L High Outp		4V MPI Po	olice Packa	ge			
<u>-1</u>	<u> </u>							GASKET PACKAGE, Engine
	5018 635AD-	1				EGJ		Upper
		1				EGG,		• •
						EGK		
2								COVER, Cylinder Head
	4792 098	1				EG0		Right
	4792 099	1				EG0		Left
3	4792 088	1				EG0		GASKET, Cylinder Cover
4	4792 330	8				EG0		ISOLATOR, Cylinder Head Cover
								Grommet And Bolt
5	4648 831AA	1				EG0		CAP, Oil Filler
6	4663 892	2				EG0		HEAD, Cylinder, Does Not Include
								Spark Plug Tubes
7								GASKET, Cylinder Head
	4792 752AA	1				EG0		Right
	4792 753AA	1				EG0		Left
8	6504 329	16				EG0		BOLT
9	4556 020	4				EG0		PLUG, Core, 1.25 Diameter
10	4648 604	6				EG0		TUBE, Spark Plug
	6034 826	2				EG0		PLUG, Hex Socket, 3/8-18NPT
11 -12	4777 042	3				EG0		SEAL, Spark Plug Tube

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

	3	8 6
		9 11 15
2	(5) (16) (17)	12

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11 EIVI	NONDER	Q I I	FUAL	JENILO	ВОВТ	ENGINE	INANO	IKIIWI	DESCINIT HON
NOTE: {	Sales Codes								
	4 Speed Autom	natic Tr	ransmissio	n					
_	⊧ 3.5L Magnum \								
_	= 3.5L High Outp								
_	3.5L V6 SOHC	-							
NMC] =	Heavy Duty En	ngine C	ooling						
NMS] =	Severe Duty E	ngine (	Sooling						
-1									GASKET PACKAGE, Engine
	4897 732AA-	· 1				EGJ			
		1				EGG,			
						EGK			
2									BLOCK, Short
	4897 435AG	1	_			EGG,			
		_				EGK		_	
		1				EGJ			
	4897 435AF	1				EGC,			[With NMS,NMC]
						EGG			
3	4448 856	4				EG0			DOWEL, Block To Cylinder Head
4	4663 941	2				EG0			PLUG, Core, 1.00 Diameter
5	4663 942	4				EG0			PLUG, Core, 1.50 Diameter
6	4663 870	1				EG0			RETAINER, Crankshaft Rear Oil
									Seal
7	6504 436	7				EG0			BOLT, Hex Flange Head, M6x20
8	4663 625	1				EG0			SEAL, Rear Main Crankshaft
9	6100 902	1				EG0			DOWEL, M6x14
10	4556 018AB	3				EG0			PLUG, Cylinder Block Oil Hole, [5/8
11	6505 643AA	2				EG0			DOWEL, Block To Clutch Housing
12	5073 039AA	1							STRAP, Tie
13	6504 101	8				EG0			BOLT, Hex Flange Head
14	6102 003	2				EG0			BOLT AND CONED WASHER, He
									Head, M6x16x14, Ground Strap
	:==== 20110	4				-00			attaching
15	4760 831AC	1				EG0			STRAP, Ground
16	4609 325AB	1							HEATER, Engine Block
17									BOLT, Hex Head, M6x1.00x25, (No. SER)/(CER) (Not Serviced)
40	2525 257 A A	0				500			SERVICED) (Not Serviced)
-18	6505 357AA-					EG0			BOLT, Cross Bolt and Washer
-19	6507 424AA-	. 4							STUD, Double Ended, Block to Tra

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410

PART




#### Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410





### Crankshaft, Piston, and Torque Converter 3.5L Engine Figure 3.5L-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4792 177	1				EG0			
	4792 177AB	1				EG0			Use After 2-03-03, With Cracked
									Steel Rods
18	6101 984	1				EG0			BOLT
19	4663 176	1				EG0			DAMPER, Crankshaft
20	6036 159AA	12				EG0			NUT, Hex, .375-24
21	6504 101	8				EG0			BOLT, Hex Flange Head
22	5093 944AA	1							CONVERTER PACKAGE, Torque
-23	5222 629	1							SEAL, Torque Converter Hub
24	4471 933	1				EG0			PLATE, Drive Plate Backing
25	6503 465	8				EG0			BOLT, Drive Plate and Flywheel
26	4736 832AA	1				EG0			PLATE, Torque Converter Drive
27	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.20
28	6505 357AA	8				EG0			BOLT
29									CAP, Serviced in Block, (NOT
									SERVICED) (Not Serviced)

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY

41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

### **Camshaft and Valves 3.5L Engine** Figure 3.5L-510

PART



NOTE; Valve Guides and Valve Seats are serviced in Cylinder Head.  NOTE: Sales Codes [EGG] = 3.5L Magnum V6 SOHC 24V [EGG] = 3.5L High Output V6 24V MPI [EGJ] = 3.5L High Output V6 24V MPI [EGK] = 3.5L High Output V6 24V MPI [EGK] = 3.5L High Output V6 24V MPI Police Package  1 4573 460 6 EG0 ROCKER ARM, Intake 2 4573 459 6 EG0 ROCKER ARM, Intake 3 4315 823 2 EG0 SHAFT, Rocker Arm 4 4663 998 2 EG0 SHAFT, Rocker Arm 5 4663 071 2 EG0 PEDESTAL, Rocker Shaft 6 4663 996 6 EG0 ROCKER ARM, Exhaust 7 CAMSHAFT  4663 886 1 EG0 ROCKER ARM, Exhaust 9 6503 279 20 EG0 Right 1 EG0 PEDESTAL, Rocker Shaft 9 6503 279 20 EG0 PEDESTAL, Rocker Shaft 10 4663 073 2 EG0 PEDESTAL, Rocker Shaft 11 4573 379 4 EG0 PEDESTAL, Rocker Shaft 12 4792 318 2 EG0 SEAL, Camshaft 13 4536 513AB 48 EG0 LOCK, Valve Spring Retainer 14 4556 547 24 EG0 RETAINER, Valve Spring 15 4792 215 12 EG0 SPRING, Intake Valve 16 4792 215 AB 12 EG0 SPRING, Intake Valve 16 4792 215 B 2 EG0 SPRING, Intake Valve 17 4663 002 24 EG0 SPRING, Intake Valve 18 6502 847 6 EG0 SCREW AND WASHER, Hex He M8x1. 25x25 19 4536 492 2 EG0 PLATE, Camshaft Thrust 20 4556 518 2 EG0 PLATE, Camshaft Thrust 21 4663 836 12 EG0 VALVE, Intake, Standard 22 4663 347 12 EG0 VALVE, Intake, Standard	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes   EGC  = 3.5L Magnum V6 SOHC 24V     EGG  = 3.5L High Output V6 24V MPI     EGJ  = 3.5L V6 SOHC 24V De-Tuned     EGK  = 3.5L High Output V6 24V MPI Police Package     1		•		•			•	•	•	
[EGC] = 3.5L Magnum V6 SOHC 24V         [EGG] = 3.5L High Output V6 24V MPI         [EGW] = 3.5L High Output V6 24V MPI Police Package         1 4573 460 6 EG0 ROCKER ARM, Intake         2 4573 459 6 EG0 SHAFT, Rocker Arm         4 4663 998 2 EG0 SHAFT, Rocker Arm         5 4663 071 2 EG0 PEDESTAL, Rocker Shaft         6 4663 996 6 EG0 ROCKER ARM, Exhaust         7 CAMSHAFT         4 4663 886 1 EG0 ROCKER ARM, Exhaust         7 EG0 REDESTAL, Rocker Shaft         8 4663 072 4 EG0 PEDESTAL, Rocker Shaft         9 6503 279 20 EG0 PEDESTAL, Rocker Shaft         9 6503 279 20 EG0 PEDESTAL, Rocker Shaft         10 4663 073 2 EG0 PEDESTAL, Rocker Shaft         -11 4573 379 4 EG0 PEDESTAL, Rocker Shaft         -11 4573 379 EG0 PEDESTAL, Rocker Shaft         -11 4563 613AB EG0 PEDESTAL EG0 PEDESTAL	NOTE; \	/alve Guides ar	nd Valve	e Seats are	serviced i	n Cylinder	Head.			
EGG  = 3.5L High Output V6 24V MPI   EGJ  = 3.5L V6 SOHC 24V De-Tuned	NOTE: S	Sales Codes								
EGJ  = 3.5L V6 SOHC 24V De-Tuned     EGK  = 3.5L High Output V6 24V MPI Police Package	EGC] =	3.5L Magnum	V6 SOF	IC 24V						
EGK  = 3.5L High Output V6 24V MPI Police Package	EGG] =	3.5L High Out	put V6 2	24V MPI						
1         4573 460         6         EG0         ROCKER ARM, Intake           2         4573 459         6         EG0         ROCKER ARM, Intake           3         4315 823         2         EG0         SHAFT, Rocker Arm           4         4663 998         2         EG0         SHAFT, Rocker Arm           5         4663 071         2         EG0         PEDESTAL, Rocker Shaft           6         4663 996         6         EG0         ROCKER ARM, Exhaust           7         CAMSHAFT         CAMSHAFT           4663 886         1         EG0         Right           4663 887         1         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         20         BOLT, Hex Flange Head, M8x1.         25x55           10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         RETAINER, Valve Spring           15	EGJ] =	3.5L V6 SOHC	24V De	e-Tuned						
2       4573 459       6       EG0       ROCKER ARM, Intake         3       4315 823       2       EG0       SHAFT, Rocker Arm         4       4663 998       2       EG0       SHAFT, Rocker Arm         5       4663 071       2       EG0       PEDESTAL, Rocker Shaft         6       4663 996       6       EG0       ROCKER ARM, Exhaust         7       CAMSHAFT         4663 886       1       EG0       Right         4663 887       1       EG0       PEDESTAL, Rocker Shaft         9       6503 279       20       EG0       BOLT, Hex Flange Head, M8x1.         25x55       20       EG0       PEDESTAL, Rocker Shaft         10       4663 073       2       EG0       PEDESTAL, Rocker Shaft         -11       4573 379       4       EG0       DOWEL, Rocker         12       4792 318       2       EG0       SEAL, Camshaft         13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Intake Valve         17       4663 002<	EGK] =	3.5L High Outp	out V6 2	4V MPI Po	olice Packa	ge				
3         4315 823         2         EG0         SHAFT, Rocker Arm           4         4663 998         2         EG0         SHAFT, Rocker Arm           5         4663 071         2         EG0         PEDESTAL, Rocker Shaft           6         4663 996         6         EG0         ROCKER ARM, Exhaust           7         CAMSHAFT         CAMSHAFT           4663 886         1         EG0         Right           4663 887         1         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SEAL, Valve	1	4573 460	6				EG0			ROCKER ARM, Intake
4         4663 998         2         EG0         SHAFT, Rocker Arm           5         4663 071         2         EG0         PEDESTAL, Rocker Shaft           6         4663 996         6         EG0         ROCKER ARM, Exhaust           7         CAMSHAFT         CAMSHAFT           4663 886         1         EG0         Right           4663 887         1         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SPRING, Exhaust Valve           17         4663 002         24         EG0         SEAL,	2	4573 459	6				EG0			ROCKER ARM, Intake
5         4663 071         2         EG0         PEDESTAL, Rocker Shaft           6         4663 996         6         EG0         ROCKER ARM, Exhaust           7         CAMSHAFT         CAMSHAFT           4663 886         1         EG0         Right           4663 887         1         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         DOBLT, Hex Flange Head, M8x1.         25x55           10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SEAL, Valve Guide           17         4663 002         24         EG0         SEAL, Valve Guide           18 <td>3</td> <td>4315 823</td> <td>2</td> <td></td> <td></td> <td></td> <td>EG0</td> <td></td> <td></td> <td>SHAFT, Rocker Arm</td>	3	4315 823	2				EG0			SHAFT, Rocker Arm
6         4663 996         6         EG0         ROCKER ARM, Exhaust CAMSHAFT           4663 886         1         EG0         Right Left           8         4663 887         1         EG0         Left           8         4663 072         4         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         25x55           10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SPRING, Exhaust Valve           17         4663 002         24         EG0         SEAL, Valve Guide           18         6502 847         6         EG0         SCREW AND WASHER, Hex He </td <td>4</td> <td>4663 998</td> <td>2</td> <td></td> <td></td> <td></td> <td>EG0</td> <td></td> <td></td> <td>SHAFT, Rocker Arm</td>	4	4663 998	2				EG0			SHAFT, Rocker Arm
7         CAMSHAFT           4663 886         1         EG0         Right           4663 887         1         EG0         Left           8         4663 072         4         EG0         PEDESTAL, Rocker Shaft           9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SPRING, Exhaust Valve           17         4663 002         24         EG0         SEAL, Valve Guide           18         6502 847         6         EG0         SCREW AND WASHER, Hex He           M8x1.25x25         EG0         SEAL, Camshaft Thrust           20	5	4663 071	2				EG0			PEDESTAL, Rocker Shaft
4663 886       1       EG0       Right         4663 887       1       EG0       Left         8       4663 072       4       EG0       PEDESTAL, Rocker Shaft         9       6503 279       20       EG0       BOLT, Hex Flange Head, M8x1.         25x55         10       4663 073       2       EG0       PEDESTAL, Rocker Shaft         -11       4573 379       4       EG0       DOWEL, Rocker         12       4792 318       2       EG0       SEAL, Camshaft         13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       19       4536 492       2       EG0       PLATE, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust      <	6	4663 996	6				EG0			ROCKER ARM, Exhaust
4663 887 1 EG0 Left  8 4663 072 4 EG0 PEDESTAL, Rocker Shaft  9 6503 279 20 EG0 BOLT, Hex Flange Head, M8x1.  25x55  10 4663 073 2 EG0 PEDESTAL, Rocker Shaft  -11 4573 379 4 EG0 DOWEL, Rocker  12 4792 318 2 EG0 SEAL, Camshaft  13 4536 513AB 48 EG0 LOCK, Valve Spring Retainer  14 4556 547 24 EG0 RETAINER, Valve Spring  15 4792 215 12 EG0 SPRING, Intake Valve  16 4792 216AB 12 EG0 SPRING, Exhaust Valve  17 4663 002 24 EG0 SEAL, Valve Guide  18 6502 847 6 EG0 SCREW AND WASHER, Hex He M8x1.25x25  19 4536 492 2 EG0 SEAL, Camshaft Thrust  20 4556 518 2 EG0 PLATE, Camshaft Thrust  21 4663 836 12 EG0 VALVE, Intake, Standard	7									CAMSHAFT
8       4663 072       4       EG0       PEDESTAL, Rocker Shaft         9       6503 279       20       EG0       BOLT, Hex Flange Head, M8x1.         25x55         10       4663 073       2       EG0       PEDESTAL, Rocker Shaft         -11       4573 379       4       EG0       DOWEL, Rocker         12       4792 318       2       EG0       SEAL, Camshaft         13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard		4663 886	1				EG0			Right
9         6503 279         20         EG0         BOLT, Hex Flange Head, M8x1.           25x55         10         4663 073         2         EG0         PEDESTAL, Rocker Shaft           -11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SPRING, Exhaust Valve           17         4663 002         24         EG0         SEAL, Valve Guide           18         6502 847         6         EG0         SCREW AND WASHER, Hex He M8x1.25x25           19         4536 492         2         EG0         SEAL, Camshaft Thrust           20         4556 518         2         EG0         PLATE, Camshaft Thrust           21         4663 836         12         EG0         VALVE, Intake, Standard		4663 887	1				EG0			Left
25x55  10 4663 073 2 EG0 PEDESTAL, Rocker Shaft  -11 4573 379 4 EG0 DOWEL, Rocker  12 4792 318 2 EG0 SEAL, Camshaft  13 4536 513AB 48 EG0 LOCK, Valve Spring Retainer  14 4556 547 24 EG0 RETAINER, Valve Spring  15 4792 215 12 EG0 SPRING, Intake Valve  16 4792 216AB 12 EG0 SPRING, Exhaust Valve  17 4663 002 24 EG0 SEAL, Valve Guide  18 6502 847 6 EG0 SCREW AND WASHER, Hex He  M8x1.25x25  19 4536 492 2 EG0 SEAL, Camshaft Thrust  20 4556 518 2 EG0 PLATE, Camshaft Thrust  21 4663 836 12 EG0 VALVE, Intake, Standard	8	4663 072	4				EG0			PEDESTAL, Rocker Shaft
10       4663 073       2       EG0       PEDESTAL, Rocker Shaft         -11       4573 379       4       EG0       DOWEL, Rocker         12       4792 318       2       EG0       SEAL, Camshaft         13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	9	6503 279	20				EG0			BOLT, Hex Flange Head, M8x1.
-11         4573 379         4         EG0         DOWEL, Rocker           12         4792 318         2         EG0         SEAL, Camshaft           13         4536 513AB         48         EG0         LOCK, Valve Spring Retainer           14         4556 547         24         EG0         RETAINER, Valve Spring           15         4792 215         12         EG0         SPRING, Intake Valve           16         4792 216AB         12         EG0         SPRING, Exhaust Valve           17         4663 002         24         EG0         SEAL, Valve Guide           18         6502 847         6         EG0         SCREW AND WASHER, Hex He           M8x1.25x25         M8x1.25x25         SEAL, Camshaft Thrust           20         4556 518         2         EG0         PLATE, Camshaft Thrust           21         4663 836         12         EG0         VALVE, Intake, Standard										25x55
12       4792 318       2       EG0       SEAL, Camshaft         13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	10	4663 073	2				EG0			PEDESTAL, Rocker Shaft
13       4536 513AB       48       EG0       LOCK, Valve Spring Retainer         14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	-11	4573 379	4				EG0			DOWEL, Rocker
14       4556 547       24       EG0       RETAINER, Valve Spring         15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	12	4792 318	2				EG0			SEAL, Camshaft
15       4792 215       12       EG0       SPRING, Intake Valve         16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	13	4536 513AB	48				EG0			LOCK, Valve Spring Retainer
16       4792 216AB       12       EG0       SPRING, Exhaust Valve         17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	14	4556 547	24				EG0			RETAINER, Valve Spring
17       4663 002       24       EG0       SEAL, Valve Guide         18       6502 847       6       EG0       SCREW AND WASHER, Hex He         M8x1.25x25       19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	15	4792 215	12				EG0			SPRING, Intake Valve
18       6502 847       6       EG0       SCREW AND WASHER, Hex He M8x1.25x25         19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	16	4792 216AB	12				EG0			SPRING, Exhaust Valve
M8x1.25x25       19     4536 492     2     EG0     SEAL, Camshaft Thrust       20     4556 518     2     EG0     PLATE, Camshaft Thrust       21     4663 836     12     EG0     VALVE, Intake, Standard	17	4663 002	24				EG0			SEAL, Valve Guide
19       4536 492       2       EG0       SEAL, Camshaft Thrust         20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard	18	6502 847	6				EG0			SCREW AND WASHER, Hex Head
20       4556 518       2       EG0       PLATE, Camshaft Thrust         21       4663 836       12       EG0       VALVE, Intake, Standard										M8x1.25x25
21 4663 836 12 EG0 VALVE, Intake, Standard	19	4536 492	2				EG0			SEAL, Camshaft Thrust
•	20	4556 518	2				EG0			PLATE, Camshaft Thrust
22 4663 347 12 EG0 VALVE, Exhaust, Standard	21	4663 836	12				EG0			VALVE, Intake, Standard
	22	4663 347	12				EG0			VALVE, Exhaust, Standard

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Timing Belt and Cover 3.5L Engine** Figure 3.5L-610

**PART** 



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
	ales Codes								
	3.5L Magnum '								
	3.5L High Outp								
	3.5L V6 SOHC								
[EGK] =	3.5L High Outp	out V6 2	4V MPI Po	olice Packa	ge				
1	4663 818	1				EG0			COVER, Timing Belt
2	4573 937	1				EG0			SEAL, Timing Belt Cover
3	4573 919	1				EG0			SEAL, Timing Belt Cover
4	4663 817	1				EG0			COVER, Timing Belt
5	4483 443	2				EG0			GASKET, Timing Cover
6	4659 430AB	1				EG0			GASKET, Water Pump
7	4556 535	1				EG0			COVER, Timing Belt
8	4792 335	1				EG0			COVER, Timing Belt
9	6502 847	3				EG0			SCREW AND WASHER, Hex Head,
									M8x1.25x25
10	6502 916	1				EG0			SCREW, Hex Head, M12x1.5x215,
									Right
11	6502 917	1				EG0			SCREW, Hex Head, M12x1.5x258,
									Left
12	6503 435	2				EG0			WASHER, Plain, M13x31.00x5.71
13	4792 025	1				EG0			GEAR, Camshaft
14	4792 580AA	1				EG0			SPROCKET, Camshaft
15	4556 546	1				EG0			COVER, Crankshaft Sprocket
16	4573 347AB	1				EG0			TENSIONER, Belt
17	6100 297	2				EG0			BOLT AND CONED WASHER, Hex
									Head, M8x35x17
18	4663 515AC	1				EG0			TENSIONER, Belt
19	4792 353	1				EG0			BELT, Timing
20	4536 479	1				EG0			GEAR, Timing Belt
21	4448 557	1				EG0			DOWEL, Crankshaft Sprocket
22	4792 317	1				EG0			SEAL, Front Main Crankshaft
23	6506 019AA	2				EG0			BOLT AND WASHER, Hex Head,
									M10x1.5x30
-24	6100 279	5				EG0			SCREW AND WASHER, Hex Head,
									M6x1x35, Timing Belt Cover to Block
-25	6101 770	1				EG0			SCREW AND WASHER, Hex Head,
	5.0.770	<u>'</u>							.19-16x1.00, Timing Belt Cover to Block

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde

E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Engine Oiling 3.5L Engine Figure 3.5L-710**

**PART** 



### **Engine Oiling 3.5L Engine** Figure 3.5L-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 905AA-	1				EGJ			
		1				EGG,			
						EGK			
		1				EGC,			
						EGG			
25	6503 692	1				EG0			SCREW, M8-1.25
26	4663 938	1				EG0			TRAY, Windage
27	6504 102	8				EG0			BOLT, Hex Flange Head
28	6100 307	3				EG0			BOLT, Hex Head
29	6504 438	12				EG0			BOLT, Hex Flange Head, M8x35
30	6504 327	2				EG0			BOLT
31	5014 313AA	1				EG0			VALVE PACKAGE, Oil Cooler
									Pressure Control, Contains valve
									and Quick Connect
32									FITTING, Quick Connect, (NOT
									SERVICED) (Not Serviced)
33									VALVE, Oil Cooler Pressure, (NOT
									SERVICED) (Not Serviced)
34	4792 283	1				EG0			FITTING, Oil Cooler Return Line At
									Oil Pan
35	4698 779AC	1				EG0			LINE, Oil Cooler Supply
36	4698 773AC	1				EG0			LINE, Oil Cooler Return
37	4698 775AC	1				EG0			BRACKET, Oil Cooler Tube
38	6504 030	1				EG0			NUT AND WASHER, Hex, M6x1
39	4592 093AB	1							RETAINER, Oil Cooler Line

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

#### Manifold, Intake and Exhaust Figure 3.5L-810



17514	PART	OTV.	LIME	050150	DODY	FNOINE	TDANG		DECORIDETION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE 6									
	Sales Codes	/C COL	10.04)/						
	3.5L Magnum \								
	3.5L High Outp								
	3.5L V6 SOHC 3.5L High Outp			olico Backs	000				
1	3.3L Tilgit Outp	ut vo z	. <del>-+</del> v 1011 1 1 C	JIICE I ACKA	ige				DECAL
•	4591 342	1				EGC,			DEGRE
	4001 04Z	•				EGG			
	4591 926AA	1				EGJ			
	4591 931AA	1				EGK			
2									PLENUM, Intake Manifold
	5080 720AB	1				EGC,			,
						EGG,			
						EGK			
	5080 818AB	1				EGJ			
-3	5017 874AA-	1				EGJ			COVER, Tuning Valve Port
-4	5017 873AA-	1				EGJ			O RING, Tuning Valve Port
5									GASKET, Intake Plenum
	4663 851	1				EGC,			
						EGG,			
						EGK			
		1				EGJ			
6	6101 953	7				EG0			BOLT
7	6101 745	6				EG0			SCREW AND WASHER, Hex Head
	5047.400.4.4					F00			M8x1.25x55
8	5017 188AA 4663 852	1				EG0 EG0			MANIFOLD, Intake
9	6101 746	2				EG0			GASKET, Intake Manifold SCREW AND WASHER, Hex Head
-10	0101 740	2				EGU			M8x1.25x65, Intake Manifold to
									Head
11									MANIFOLD, Exhaust
	4792 456AC	1				EG0			Left
	4792 457AC	1				EG0			Right
-12	4663 958	2				EG0			GASKET, Exhaust Manifold
13	6505 429AA	12				EG0			SCREW, Hex Flange Head, M8x1.
									25x40
14									SHIELD, Exhaust Manifold
	4663 859	1				EG0			Lower Left
	4663 860	1				EG0			Lower Right
	4663 861	1				EG0			Upper Right
	4663 959	1				EG0			Upper Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

September 19, 2005

#### Manifold, Intake and Exhaust Figure 3.5L-810



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•					•	•	•	
15	6505 846AA	6				EG0			BOLT, Hex Flange Head
16	4792 185AC	1				EG0			TUBE, Heater Feed
17	6500 136	2				EG0			SCREW AND WASHER, Hex Head,
									M6x1x14, Heater Tube attaching
18	6503 969	2				EG0			BOLT, Hex Flange Head, M6x1.
									00x17
19	4792 110	1				EG0			STRUT, Intake Manifold, Right Front
20	4792 111	1				EG0			STRUT, Intake Manifold, Left Front
21	4663 960	1				EG0			STRUT, Intake Manifold
22	6101 506	4				EG0			BOLT AND CONED WASHER,
									M8x1.25x18
23	4591 240	1				EGC,			BRACKET, MTV Support
						EGG,			
						EGK			
24									NUT, M6x1, M6x1.00 MTV Support
									DNS, (NOT SERVICED) (Not
									Serviced)
25	6100 902	3				EG0			DOWEL, M6x14
26	3780 788	1				EG0			BLEEDER SCREW, Brake
27	5019 080AA	1				EGC,			ACTUATOR, Manifold Tuning Valve
						EGG,			
						EGK			
-28	6101 447	1				EGC,			NUT, MTV Valve Bracket mounting
						EGG,			
						EGK			
29	5083 047AA	1				EGC,			ACTUATOR KIT, Secondary Runner
						EGG,			Valve
0.0						EGK			
-30									RESERVOIR, Secondary Runner
									Valve, (NOT SERVICED) (Not
24									Serviced)
-31									SCREW, M6X1.00X16.00, (NOT
32	6505 692AA	1				EG0			SERVICED) (Not Serviced)  O RING, Heater Tube Lower Intake
32	0000 09ZAA	1				LGU			O KING, Healer Tube Lower Intake

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Crankcase Ventilation 3.5L Engine** Figure 3.5L-910



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	les Codes								
[EGC]=3.5	L Magnum Er	ngine							
[EGG]=3.5	L High Outpu	ıt Engin	е						
1	4792 649AA	1				EGC,			VALVE, PCV
						EGG,			
						EGK			
2									COVER, Cylinder Head
	4792 098	1				EG0			Right
	4792 099	1				EG0			Left
3	4792 256	1				EG0			HOSE, Make Up Air
4	4663 792AF	1				EER			HOSE, Cylinder Head To Intake
									Manifold PCV
-5	4792 645AB-	1				EG0			HOSE, PCV Heated

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Group – 011 Exhaust





Illustration Title Group-Fig. No. **Exhaust System** 


Exhaust System [EER],[EGC],[EGG],[EGJ]



011–100 Exhaust System		
Z Z		
Ula San San San San San San San San San Sa		

Fig. 011-110

### Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Codes								
DGX] = 4	Speed Autom	natic Tra	ansmissior	1					
EER] = 2	.7L V6 DOHC	24V M	PI						
[EGC] = 3	3.5L Magnum \	V6 SO⊦	IC 24V						
[EGG] = 3	3.5L High Outp	out V6 2	24V MPI						
[EGJ] = 3	.5L V6 SOHC	24V De	e-Tuned						
[EGK] = 3	3.5L High Outp	ut V6 2	4V MPI P	olice Packa	ige				
1	4581 014AB	2							CLAMP, Exhaust Manifold
2									CONVERTER, Catalytic
	4581 734AA	1				EG0			Right
	4581 735AA	1				EG0			Left
	4581 736AA	1				EE0			Right
	4581 737AA	1				EE0			Left
	4581 010AB	1							BRACKET, Exhaust Pipe
4	6101 503	2							SCREW AND WASHER, Hex Head
									M10x1.5x25
5									MUFFLER AND RESONATOR,
									Exhaust
	4581 371AI	1	C, D	Н		EE0			
	4581 375AI	1	Υ	S		EE0			
		1				EGG			
	4581 377AB	1				EGK			
	4581 475AA	1				EGC,			
0						EGJ			CLAMP Exhaust
6	4695 220AB	2	C, D			EE0			CLAMP, Exhaust 57.2mm
	4095 ZZUAD	2	С, D	П		EGK			57.2mm
		2	Υ	S		EE0			57.2mm
		2	1	3		EGG			57.2mm
		2				EGC,			57.2mm
		_				EGJ			37.211111
	4848 935AA	1				EGK			2.5'
	4040 3007 V C	1	С	H, M		EGJ			2.5'
		<u>·</u> 1	C	P		EGG			2.5'
		1	Ū	•		EGC			2.5'
		1	D	Р		EGG			2.5'
		1	D	•		EGJ			2.5'
		<u>·</u> 1	Y	S		EER,			2.5'
		•	•	-		EGG			-
7									PIPE AND RESONATOR, Exhaust
	4581 361AF	1	D	X		EGG			,

CONCORDE-INTREPID-300M (LH)
SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Exhaust System [EER],[EGC],[EGG],[EGJ] Figure 011-110



	PART							
ITEM	NUMBER	QTY	LINE	SERIES	BODY ENGIN	TRANS	TRIM	DESCRIPTION
	4581 362AE	1	Υ	S	EER,			
					EGG			
	4581 364AO	1	D	Н	EE0			
	4581 447AB	1	D	Р	EGG			
	4581 458AB	1			EGC			
		1	D		EGJ			
	4581 378AB	1			EGK			Right
	4581 379AC	1			EGK			Left
	4581 442AC	1	С	Н	EE0			
	4581 443AC	1	С	H, M	EGJ			
	4581 448AB	1	C	P	EGG			
8		·		·				SCREW, Tapping, M8x20
	6102 153AA	2	C, D					contain, rapping, monta
	0.02 .00, 5.	2	Y	S				
9		_	•	-				STRAP, Ground
	4581 286AC	1	С	Н	EE0			J , J. J
	1001 200/10	1	D	н	EE0			
		<u>·</u> 1	D		EGJ			
		1	C	H, M	EGJ			
		1	C	P P	EGG			
		1	C	ľ	EGC			
		<u>'</u> 1			EGK			
		1	D	Р	EGG			
		1	Y	S	EER,			
		'	ı	3	EGG			
10								ISOLATOR, Exhaust Support
10	4581 004	1						130LATOR, Exhaust Support
	4581 004 4581 006AB				EGK			Tail Pipe Rear Support
	4301 000AB	1	C	ш	EE0			
		<u>1</u> 1	C D	H H	EE0			Tail Pipe Rear Support Tail Pipe Rear Support
		1	С	H, M	EGJ			Tail Pipe Rear Support
		1	С	Р	EGG			Tail Pipe Rear Support
		1			EGC			Tail Pipe Rear Support
		1	D	Р	EGG			Tail Pipe Rear Support
		1	D	6	EGJ			Tail Pipe Rear Support
		1	Υ	S	EER,			Tail Pipe Rear Support
4.					EGG			DDAGUET 5
11	4504 5555							BRACKET, Exhaust
	4581 005AC	1	C, D	_				
		1	Υ	S				
		2	Υ	Х				

CONCORDE-INTREPID-300M (LH)
SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

# Group – 013 Frames and Bumpers







#### **GROUP 13 - Frames and Bumpers**

Illustration Title	Group-Fig. No
Frames	
Frame, Front	Fig. 013-115
Frame, Rear	Fig. 013-120
Front Bumper and Fascia	
Fascia, Front	Fig. 013-210
Rear Bumper and Fascia	
Fascia, Rear	Fig. 013-310

PART



PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: [	For additional co	ompone	ents refer t	o Sheet Me	etal Illustra	tion 210			
_	SUSPENSION								
_	SUSPENSION								
SDG] =	SUSPENSION	- 4-WH	IL INDEP.	TOURING					
1									CAP, Floor Pan Rail
	4580 090AB	1							Right
	4580 091AB	1							Left
2									BRACKET, Tension Strut
	4580 028AB	1							Right
	4580 029AB	1		<del>_</del>					Left
3									CAP, Side Rail
	4580 042AC	1							Right
	4580 043AC	1							Left
4									REINFORCEMENT, Floor Pan
	4580 336AB	1							Right
	4580 337AD	1							Left
5									RAIL, Rear
	4580 302	1	D, Y						Right
	4580 303	1	D, Y						Left
	4580 436	1	C						Right
	4580 437	1	С						Left
6									RAIL, Frame Side
	4580 298AG	1	D, Y						Short, Right
	4580 299AF	1	D, Y						Short, Left
	4580 434AG	1	C						Long, Right
	4580 435AF	1	С						Long, Left
7	4580 062AC	2							EXTENSION, Rail Flange
8									EXTENSION, Body Side Sill, Inne
	4580 446AG	1							Right
	4580 447AG	1							Left
9									CROSSMEMBER, Rear Suspensi
	4581 208	1							[SDG]
	4581 227	1							[SDA,SDB.SDC,SDD]
-10	4780 739AA-		Υ						CROSSMEMBER, Rear Frame, R
									Cargo Area, Tubular, EUROPE,
									Rear Cargo Area, Tubular
									EUROPE

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY E	ENGINE TRANS	TRIM DESCRIPTION
	<u>—</u>							
(41)		ales Codes:						
		BRACKET - FR						
$\bigcap \qquad \boxed{17}$	[MD⊨] =	BRACKET - FR 6504 700	RONT W	VIDE LICI	ENSE PLAT	E		RIVET, Blind Expansion (R-Lok)
39	2	6504 700	U					SHIELD, Radiator
		4806 028AA	1	D				Red, Right
		4806 029AA	1	D				Red, Left
4)		4805 212AB	1	D	Н			White, Right
		4805 213AB	1	D	Н			White, Left
(26)		4805 204AB	1	D				Yellow, Right
		4805 205AB	1	D				Yellow, Left
		4805 244AC	1	С				Blue, Right
		4805 245AC	1	C Y	e v			Blue, Left
		4805 246AC 4805 247AC	1 1	Ϋ́Υ	S, X S, X			Green, Right Green, Left
	-3	6505 145AA-	4	•	Ο, Λ			SCREW AND WASHER, Hex Head,
	-	0000	-					M8 x 1.25 x 23.00
	4	4574 812AC	1					REINFORCEMENT, Front Bumper
	5	6504 521	4					PIN, Push
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	6							FASCIA, Front, Primed
		4574 843AB	1	D	Н			
		4574 834AB	1	D				Fog Lamps
		4806 014AA	1	D				Fog Lamps, Brakes, anti-lock 4 Wheel Disk
<b>8</b> /		4574 828	1	С				Mileel Digk
		4805 403AC	1	Y	S			
(39) (13)		4574 820AB	1	Ϋ́	S			Headlamp Washer
		5083 698AA	1	Υ	Χ			·
	7							PLUG, Front Fascia
		4806 126AA	1	С	Н			Right
		4806 127AA	1	С	Н			Left
(5)	-8	4860 379AA-	2	Υ	S, X			PIN, Push In, M8 X 1.25 X 20,
(40)		4700 662 A A	2	Y	- · ·			Fascia Attaching, Fascia attaching
24	-9 -10	4780 663AA-	2	Y	S, X			BUMPER, Hood  DUCT, Air Distribution, Police
	-10							Package
		4779 300AA-	1					Right
		4779 301AA-						Left
	-11	-						ABSORBER, Front Energy
		4574 842	1	D	Н			
(5)		4574 833AB-	1	D				Fog Lamps
28 (37) (36) (7)								
$(36) (7) \qquad (25)$	CONCORDE	E-INTREPID-300M (	(LH) ——			<u>_</u>		
	SERIES P = Limited/	LINÈ H/ES H = (	: Chrysler		BODY 41 = 4 Door	Sedan E	ENGINE EER, EE0 = 2.7L V6 D0	TRANSMISSION DHC DGX = 4 Speed Automatic
	S = 300M	Intrep	pid	·	•• • • • •	E	GG = 3.5L HO V6 MP	I 24V DG0 = All Automatic Transm
	H = SE M = LXI	C = 0	Dodge Int Concorde	trepia e		E	EGJ = 3.5L V6 SOHC 2 EGK = 3.5L HO V6 MPI EGC = ÎMAGNUMÖ 3.5	4V 24V
	X = 300M S	Special E = 3	300M					L V6
		oc required -						Sontombor 10, 2005










ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			I	1					I
NOTE:Sa	ales Codes:								
	BRACKET - FI	RONT L	ICENSE F	PLATE					
[MDE] =	BRACKET - FI	RONT V	WIDE LICE	NSE PLAT	E				
1									FASCIA, Rear, Primed
	4574 903AC	1	D						
	4574 896	1	С						
	4574 893	1	Υ	S					
	5083 699AA	1	Υ	Χ					Special
	4805 153	1	Υ						EUROPE
-2									ABSORBER, Rear Energy
	4574 902	1	D						
	4574 895	1	С						
	4574 894	1	Y Y						
	4805 154	1	Y	V					with Rear License Lamp
0	4805 788AA-	1	Y	Х					Special
-3 4	4805 400AA-		C C	<b>⊔</b> M					SEAL, Fascia, Rear GROMMET, Fascia
-4 -5	4805 336AA-			H, M					CLIP, Fascia
-3	4805 333AA-	4	С						OLII , I asola
	4000 000/ (/ C	2	Y	S					
		2	Ϋ́	X					
-6	6505 520AA-	2							SCREW, Hex Head, M4.2 x 1.70
									33.50
-7	6505 161AA-	2							NUT, Plastic Snap In, For M6.3
									Screw
8	6505 520AA	2							SCREW, Hex Head, M4.2 x 1.70
									33.50
-9	6504 700	6							RIVET, Blind Expansion (R-Lok),
									Fascia to Slash Shield
10	6504 521	9							PIN, Push
11	4805 405AB	2							FASTENER, Fascia
12									BRACE, Bumper Fascia
	4805 222AA	1	<u>Y</u>						Right
40	4805 223AA	1	Y						Left
13	490E 0044D	4	Г						BRACKET, Fascia
	4805 094AB 4805 095AB	1	D D						Right Left
	4805 095AB 4805 198AA	<u>1</u> 1	Y	S					Leit
	HOOD 190AA	1	Y	X					
14		•	•	Λ.					RIVET, Bracket to Quarter Panel
									(.187X.670), (NOT SERVICED)
									(Not Serviced)
									,
ONCORDE	:-INTREPID-300M	(LH) ——							
SERIES	LINE			BODY	Sadan	ENGINE	- 271 Mg D		TRANSMISSION
P = Limited/S = 300M	Intre			41 = 4 Door	oeuan		= 2.7L V6 D 5L HO V6 MF		DGX = 4 Speed Automatic DG0 = All Automatic Transm
H = SE M = LXI	D =	Dodge Ir				EGJ = 3.5I	L V6 SOHC	24V	
/I = LXI ( = 300M S		Concorde 300M	E				L HO V6 MP AGNUMÖ 3.9		

### Fascia, Rear Figure 013-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15									REINFORCEMENT, Fascia
	4805 066AC	1	D						
	4805 077AC	1	С						
16									REINFORCEMENT, Rear Bumper
	4805 109AC	1	Υ	S					
		1	Y	Х					
17									BOLT, M8
	6506 110AA	4	C, D						
		2	Υ	S, X					
18	6102 167AA	6							NUT AND WASHER
-19									KIT, License Plate, Fastener
	4574 930AB-	1	D	Н					
	4574 925AB-	1	D						Fog Lamps
	4574 931AB-	1	С	H, M, P					
	4574 923AB-	1	Υ	S					
-20									SCREW, Hex Flange Head Tapping,
									M6.3 x 1.81 x 20.00
	6504 975AA-	7	D						
		6	С	H, M, P					
-21	4754 324	2	Υ	S, X					GROMMET, Fascia to Quarter Pane
-22	4860 379AA-	2	Υ	S, X					PIN, Push In, M8 X 1.25 X 20,
	-								Fascia to Quarter Panel

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


Group – 014
Fuel





## **Group – 014**


Fuel



#### **GROUP 14 - Fuel**

Illustration Title	Group-Fig. No.
Tank, Fuel Fuel Tank	Fig. 014-110
Fuel Tank Filler Tube Fuel Tank Filler Tube	Fig. 014-210
Fuel Lines Fuel Lines and Fuel Filter	Fig. 014-310
Fuel Rail Fuel Rail	Fig. 014-410
Fuel Pump and Sending Unit Fuel Pump and Level Unit	Fig. 014-510
Throttle Body Throttle Body 3.5L Engine [EGC],[EGG],[EGJ]	Fig. 014-610 Fig. 014-630
Throttle Controls Throttle Controls and Pedal	Fig. 014-710
Air Cleaner Air Cleaner and Intake System	Fig. 014-810
Speed Control Speed Control	Fig. 014-1010

### **Fuel Tank** Figure 014-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5080 752AA	1							TANK, Fuel
2	5080 751AA	1							VALVE KIT, Fuel Control
-3									WIRING, Fuel Tank Jumper
	4759 769AD-	1							[NA3,NA1,NAM]
	4759 947AB-	1							[NAS]
4	4581 037AC	1							SHIELD, Heat, Side
5	4581 231	1							SHIELD, Heat, Rear
6									SCREW, Hex Flange Head, M8-1
									25x45, (NOT SERVICED) (Not
									Serviced)
7	4581 035	1							STRAP, Fuel Tank, Left
8	4581 036	1							STRAP, Fuel Tank, Right
9	5019 003AB	1							MODULE KIT, Fuel Pump/Level L
-10	5003 959AC-	1							LEVEL UNIT KIT, Fuel
-11	4695 226	1							NUT, Fuel Pump Level Unit
-12									O RING, Fuel Pump and Level Ur
	4581 239	1							[NAS] U.S.50 State
		1							
-13	5003 960AA-	1							FILTER KIT, Fuel

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Fuel Tank Filler Tube** Figure 014-210

PART

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		-						-	
								ontainin	g Gas Cap and Lock Cylinder
Uninst	alled. Dealer R	espons	ible for key	ing using t	umblers in	service kit			
1	4581 390AA	1							TUBE, Fuel Filler
2	6502 450	1							CLAMP, HOSE CLAMP
3	5278 632AB	1							CAP, Fuel Filler, Non-Locking
4									TETHER, Fuel Filler Cap
	4682 676	1							
	5278 461AA	1							[XJH]
5	5015 636AB	1							CAP KIT, Fuel Tank Locking
-6	5257 132	1	С						TUMBLER, Ignition Number 1
-7	5257 133	1	С						TUMBLER, Ignition Number 2
-8	5257 134	1	С						TUMBLER, Ignition Number 3
-9	5257 135	1	С						TUMBLER, Ignition Number 4
10									SCREW, .19-16x1.00, (NOT
									SERVICED) (Not Serviced)
11	6033 718	3							SCREW, Tapping, .19-16x.625

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

#### **Fuel Lines and Fuel Filter** Figure 014-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TUBE, Fuel Supply
	4581 134AC	1							[NAS] U.S.50 State
		1							
2	4581 384AA	1							TUBE, Fuel Vapor
-3	5010 229AA-	1							CLIP, Fuel Line
4	5010 230AA	1							CLIP, Fuel Line
5	5010 231AB	1							CLIP, Fuel Line
6	5083 036AA	1							TUBE, Fuel Supply, Steel Tube
7	5083 037AA	1							TUBE, Fuel Vapor, Steel Tube
-8	5011 478AB-	1							CLIP, Fuel Line
-9	5012 488AA-	1							CLIP, Fuel Line
-10	5010 228AA-	1							CLIP, Fuel Line

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI H = Chrysler


X = 300M Special

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Fuel Rail Figure 014-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
[DGX] =	4 Speed Auton	natic Tr	ansmissior	1					
[EER] =	2.7L V6 DOHC	24V M	PI						
[EGC] =	3.5L Magnum	V6 SOF	HC 24V						
[EGG] =	3.5L High Outp	out V6 2	24V MPI						
[EGJ] = :	3.5L V6 SOHC	24V De	e-Tuned						
1									RAIL, Fuel
	4591 627AB	1				EER			
	4591 991AA	1				EE0			Use After 4-04-03
	4591 759AB	1				EG0			
2									INJECTOR, Fuel
	4591 658AA	6				EG0			
	4591 892AA	6				EE0			Use After 4-04-03
	4591 756AB	6				EER			
3									O RING KIT, Fuel Injector
	4897 125AA	6				EG0			
		6				EER			
4									CLIP, Fuel Injector
	4418 257AB	6				EG0			
	4591 629AA	6				EER			
5									SCREW, Hex Flange Head, M4.8x1
									59x15.74, (NOT SERVICED) (Not
									Serviced)


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Fuel Pump and Level Unit Figure 014-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes Middle East Eq	uinmont	•						
1	wildule East Eq	laibineni							INSULATOR, (NOT SERVICED) (Not
'									Serviced)
2									MODULE KIT, Fuel Pump/Level Unit
	5019 003AB	1							,
	5134 210AA	1							[ABD], Export
3	5003 959AC	1							LEVEL UNIT KIT, Fuel
4	5003 960AA	1							FILTER KIT, Fuel
-5	4695 226	1							NUT, Fuel Pump Level Unit
-6									O RING, Fuel Pump and Level Unit
	4581 239	1							[NAS] U.S.50 State
		1							

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys


 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

### Throttle Body 3.5L Engine [EGC],[EGG],[EGJ] Figure 014-610



						•	
IOTE: 9	Sales Codes						
	3.5L Magnum \	/6 SOF	IC 24V				
_	3.5L High Outp						
	3.5L V6 SOHC						
1							THROTTLE BODY
	5102 020AA	1			EGJ		
		1			EGC,		
					EGG,		
					EGK		
2							SENSOR, Throttle Position
	4606 083	1			EGJ		
		1			EGC,		
					EGG,		
					EGK		
-3		_					SCREW, Throttle Position Sensor
	4778 462	2			EGJ		
		2			EGC,		
					EGG,		
4					EGK		CACKET Throwle Dodg
4	4792 265	1			EGC,		GASKET, Throttle Body
	4792 203	1			EGC,		
					EGK		
		1			EGJ		
-5		•					SCREW, Linear IACV Solenoid
-	5083 049AA-	2			EGJ		, 12 30 2 2 2 3 3 3 4
		2			EGC,		
					EGG,		
					EGK		
-6							SOLENOID, Linear IACV
	4861 325AC-	1			EGJ		
		1			EGC,		
					EGG,		
					EGK		

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Throttle Body 2.7L Engine [EER] Figure 014-630

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sa	ales Codes								
[EER]=2.7	7L Engine								
[EES]=2.7	7L Engine w/M	TV.							
1	4591 596AC	1				EER			THROTTLE BODY
2	4897 247AA	1				EER			SENSOR KIT, Throttle Position
3	4591 081	1				EER			GASKET, Throttle Body
-4	6507 115AA-	3				EER			BOLT, Hex Head, Throttle Body
									mounting
-5									SOLENOID, Linear IACV
	4861 325AC-	1				EER			
		1				EES			



CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Throttle Controls and Pedal** Figure 014-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-				-	_	_		
NOTE: S	ales Codes								
_	4 Speed Autom			1					
_	2.7L V6 DOHC								
_	3.5L Magnum \								
	3.5L High Outp 3.5L V6 SOHC								
-	3.5L High Outp			olice Packa	ae				
1					9-				CABLE, Throttle Control
	4591 233	1				EGC,			
						EGG,			
						EGJ,			
	4504.044					EGK			
	4591 244	1				EER			DDACKET Throttle Control Coble
2	4591 171	1				EER			BRACKET, Throttle Control Cable
	4591 647AB	1				EGC,			
		·				EGG,			
						EGJ,			
						EGK			
3									SCREW AND WASHER, Hex Head M6x1x16
	6501 755	2				EGC,			
						EGG,			
						EGJ,			
						EGK			
4		1				EER			NUT, M6x1, (NOT SERVICED) (Not
7									Serviced)
5	4591 687AA	1							CLIP, Cable
6									BRACKET, Throttle Body Support
	4591 314	1				EER			
	4591 751AA	1				EGC,			
						EGG,			
						EGJ,			
7	6505 311AA	1				EGK			SCREW, Hex Head, M8x1.25x20
8	6101 445	1							NUT AND WASHER, Hex Nut-Cone
	0.01.1.0	<u> </u>							Washer, M8 x 1.25
9	4591 740AA	1							BRACKET, Accelerator Shaft and Pedal
10	6502 843	2							NUT AND WASHER, Hex Nut-Cone
									Washer, M6 x 1.00
ONCORDE	-INTREPID-300M (	(LH) ——							
ERIES = Limited/	LINE			BODY 41 = 4 Door	Sedan	ENGINE FER FEO	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Intre	pid	tropid	DUUI	Juan	EGG = 3.5	IL HO V6 MF	PI 24V	DG0 = All Automatic Transm
= SE = LXI		Dodge In Concorde				EGK = 3.5	L V6 SOHC : L HO V6 MF	1 24V	
= 300M S		300M					AGNUMÖ 3.		

#### **Throttle Controls and Pedal** Figure 014-710



### Air Cleaner and Intake System Figure 014-810

6	7
	9
12	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: S	Sales Codes								
	2.7L V6 DOHC	24V M	PI						
	3.5L Magnum \								
	3.5L High Outp								
	3.5L V6 SOHC								
	3.5L High Outp			olice Packa	ge				
1	4591 099AB	1							AIR CLEANER
-2	4591 100AC-	1							ELEMENT, Air Cleaner
-3	4897 633AA-	1							GASKET, Air Inlet
-4	4268 295	1							GROMMET, Air Cleaner Bracket
5	4897 630AA	2							GROMMET, Air Cleaner Bracket
6	4591 128	1							RESONATOR, Air Cleaner
7									RESONATOR, Throttle Body
	4591 109AE	1				EER			
	4591 129AE	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
8									SENSOR, Charge Air Temp
	4606 487AB	1				EER			
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			
9	4591 105AB	1				EER			BRACKET, Resonator
10									SCREW, Hex Flanged Head, M8x
									25, (NOT SERVICED) (Not
									Serviced)
11	4759 333AB	1							BRACKET, Battery Wiring, With A
									Cleaner mounting
12	6102 160AA	2							SCREW, Hex Flange Head
-13	6505 788AA-	1				EE0			STUD, Heater Tube Bracket
-14	6500 136	2				EG0			SCREW AND WASHER, Hex Hea
									M6x1x14, Heater Tube Attaching
-15	6504 809	2							NUT/RIVET, M8X1.25X21.60,
									Attaching, Air Duct

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Speed Control Figure 014-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								<u> </u>	
NOTE: Sa	les Codes								
	Speed Auton	natic Tra	ansmission	1					
[EER] = 2.	7L V6 DOHC	24V M	기						
	.5L Magnum \								
	.5L High Outp								
	5L V6 SOHC 5L High Outp			olica Daaka					
[EGK] = 3.	SE HIGH Outp	ul vo z	4V IVIFI FC	DIICE FACKA	ge				CABLE, Speed Control
	4591 138AC	1				EER			CABLE, Opeca Control
	4591 148AC	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-2	0500 400	^							NUT, Hex Flange Serration, M6x1
	6502 493	2				EER			Cable to Servo
		2				EGC, EGG,			Cable to Servo
						EGJ,			
						EGK			
3									SERVO, Speed Control
	4669 977	1				EER			·
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			HADNESS Speed Control Vermin
4	4578 040AA	1				EER			HARNESS, Speed Control Vacuum
	4578 040AA	1				EGC,			
	1070 0 1170	•				EGG,			
						EGJ,			
						EGK			
5									BRACKET, Speed Control Servo
	4578 018AB	1				EER			
		1				EGC,			
						EGG,			
						EGJ, EGK			
6						LGK			NUT, Hex Flange Serration, M6x1
	6502 493	2				EER			Tro T, Flox Flange Corration, Mox
	NTREPID-300M								
SERIES P = Limited/E	LINE S H =	E Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D	ОНС	TRANSMISSION DGX = 4 Speed Automatic
S = 300M	Intre	pid	tropid			EGG = 3.5	L HO V6 MF	PI 24V	DG0 = All Automatic Transm
H = SE M = LXI	C =	Dodge In Concorde				EGK = 3.5	_ V6 SOHC : L HO V6 MF	PI 24V	
X = 300M Sp	ecial E = 3	300M				EGC = ÎMA	AGNUMÖ 3.	5L V6	

### Speed Control Figure 014-1010



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2				EGC,			
						EGG,			
						EGJ,			
						EGK			
7									CLIP, Cable to Servo Attach
	6025 867	1				EER			
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			
8	5073 039AA	1							STRAP, Tie
9	4591 160	1							RESERVOIR, Speed Control
									Vacuum
10	4591 161	1							HARNESS, Vacuum Speed Contro
11									NUT AND WASHER, M6x1, (NOT
									SERVICED) (Not Serviced)
12									SCREW AND WASHER, Hex Hea
									M6x1x14, (NOT SERVICED) (No
									Serviced)
13									HARNESS, Speed Control Vacuum
	4578 040AA	1				EER			
	4578 041AA	1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-14									BUMPER, Speed Control
	4592 025	1				EER			
		1				EGC,			
						EGG,			
						EGJ,			
						EGK			
-15	4663 031	1							CAP, Vacuum, Vacuum line withou
									Speed Control

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


# Group – 017 Rear Suspension




Illustration Title Group-Fig. No.

**Rear Suspension** 


Suspension, Rear ..... Fig. 017-110






	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	I I E IVI	NUMBER	QIT	LINE	SERIES	ворт	ENGINE	IKANS	IKIM	DESCRIPTION
4 6		les Codes JSPENSION - SPENSION -								
	[SDC]=TO		_							
	[SDD]=PERFORMANCE									
	[SDE]=SUSPENSION - SPORT [SDG]=4-WHL INDEP. TOURING									
		ZRV]= Spring			nd on Indivi	dual vehica	al Sales Co	ode Listing		
		6502 964	1	<b>7.</b>				J		NUT AND WASHER, Hex Nut-Coned
										Washer, M8 x 1.25
	2									DAMPER, Strut, Rear Suspension
		4895 000AE	1							[SDA]
(36)		4782 781AA	1							[SDB]
		4895 000AE 4895 001AE	1							[SDC] [SDD]
		4782 667AA	1							[SDE]
		4782 250AD	1							[SDG]
		4895 002AA	1							ISOLATOR, Spring, Lower
	4									BUMPER, Jounce
		4581 181	1							[SDC] [SDB] [SDA]
		4581 182AB	1							[SDD]
35 (13)		4581 183	1							[SDG] [SDE]
	5	6505 688AA	1							NUT, Hex Flange Lock, M14x2, Strut  Damper
	6	4895 007AC	1							MOUNT, Strut, Upper
$\begin{array}{c c} \hline (35) & \hline (36) & \hline (15) & \hline \end{array}$		4895 003AB	1							ISOLATOR, Spring, Upper
(16)	8									SPRING, Rear Coil
		4581 214AD	1							[SDA, ZAU, ZNU]
$\begin{array}{c} 32 \\ \end{array}$		4581 215AD	1							[SDA, ZAV, ZNV]
(1)		4782 780AA	1							[SDB, ZTX, ZEX]
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		4581 214AD	1							[SDC, ZAU, ZNU]
(31)		4581 215AD	1							[SDC, ZAV, ZNV]
(13) (17)		4581 214AD 4581 215AD	1							[SDD, ZPU, ZBU] [SDD, ZBV. ZPV]
		4782 668AA	1							[SDE, ZSW, ZDW]
		4581 214AD	1							[SDG, ZCU, ZRU]
(26) (33)		4581 215AD	1							[SDG, ZCV, ZRV]
$(28) \qquad (19)$	9 4	4581 048AB	1							SHIELD, Strut
$(18) \qquad (18)$		6506 115AA	2							BOLT, Lateral Link To Knuckle
	11	4581 258AB	2							LINK, Lateral Control, with
										Adjustment
(27)	12									KNUCKLE, Rear
23										
22 21										
	CONCORDE-II SERIES	NTREPID-300M Line	(LH) —— E		BODY		ENGINE			TRANSMISSION
(24)	P = Limited/E	S H =	Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D	OHC	DGX = 4 Speed Automatic
(24)	S = 300M H = SE	Intre D =	Dodge In	ntrepid			EGJ = 3.5l	L HO V6 MF _ V6 SOHC	24V	DG0 = All Automatic Transm
	M = LXI X = 300M Special	C = ecial F =	Concorde 300M	е			EGK = 3.5	L HO V6 MF AGNUMÖ 3.	PI 24V	
	7. = 000IVI OPE		JUJIVI				IIVI/	.5.15100 5.	- VU	


#### Suspension, Rear **Figure 017-110**



#### Suspension, Rear Figure 017-110



# Group – 019 Steering




019-100 Steering Wheel	019–200 Steering Column	019–300 Steering Gear	019–500 Power Steering Pump
		ê de la companya de l	
019–700 Power Steering Hoses			


### **GROUP 19 - Steering**

Illustration Title	Group-Fig. No
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering	Fig. 019-210
Steering Gear Gear, Rack And Pinion, Power And Attaching Parts	Fig. 019-310
Power Steering Pump	
Pump, Assys. And Attaching Parts 2.7, 3.5L Engines	Fig. 019-510
Power Steering Hoses	
Hoses, Power Steering 2.7L Engines	Fig. 019-710
Hoses, Power Streering 3.5L Engines	Fig. 019-715

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
	AIRBAG TRIM	COVE	RS/HORN	SWITCHES	S ARE SE	RVICEABL	E AND AS	SUCH	I, WHEN APPLICABLE, MUS
USED I	NSTEAD OF	REPLA	CING AIR	RBAG MODU	ILE ASSE	MBLY.			
Sales Cod	des:								
[MUD]=D0	DDGE Identific	cation T	ags						
[MUF]=CH	RYSLER Ide	ntificatio	n Tags						
1									WHEEL, Steering
	LJ72 1X8	1	D						Luxury, [O0]
	LJ72 WL8	1	C, Y						Luxury, [L5]
	LJ72 XDV	1	C, Y						Luxury, [DV]
	LJ72 XTM	1	C, Y						Luxury, [T5]
	LK70 1L8	1	C, Y						Leather, [L5]
	LK70 1DV	1	C, Y						Leather, [DV]
	LK70 1X9	1	D						Leather, [O0]
	LK70 XTM	1	C, Y						Leather, [T5]
	TG91 1X9BA	1	D						Leather, Radio Controls [O
	TG91 1DVBA	. 1	C, Y						Leather, Radio Controls [D:
	TG91 1L8BA	1	C, Y						Leather, Radio Controls [L2
	TG91 1TMBA	. 1	C, Y						Leather, Radio Controls [T
	TY10 1DVBA	1							Leather, Woodgrain, Radio
									Controls [DV]
	TY10 1L8BA	1							Leather, Woodgrain, Radio
									Controls [L2]
	TY10 1TMBA	1							Leather, Woodgrain, Radio
									Controls [T5]
2									AIR BAG, Driver
	MF50 DX9BC	: 1	D						[O0] [MUF]
	MF52 DX9AI	1	D						[O0] [MUD]
	MF50 WL8BC		C, Y						[L2] [L5]
	MF50 XDVBC		C, Y						[D2] [DV]
	MF50 XTMBC	2 1	C, Y						[T5]
3									COVER, Air Bag Module, Wi
									Switches
	5083 295AA	1	D						[MUF] Canada
	5083 303AA	1	D						[L2] [L5]
	5083 304AA	1	D						[DV] [D2]
	5083 305AA	1	<u>D</u>						[T5]
	5083 307AA	1	D						[MUD]
4	6505 087AA	2							SCREW, Hex Head, M4.2x1.
_	0505 00044								Speed Control Switch
	6505 300AA	2							SCREW, Air Bag to Steering
6	5026 006AA	1							SWITCH, Speed Control, Rig
CONCORDE	INTREDIT COORS	(I LI)							
CONCORDE- SERIES	INTREPID-300M ( Line			BODY		ENGINE			TRANSMISSION
P = Limited/E		Chrysler		41 = 4 Door	Sedan		= 2.7L V6 D		DGX = 4 Speed Automatic
S = 300M H = SE	Intre D =	pia Dodge In	trepid				SL HO V6 MF L V6 SOHC :		DG0 = All Automatic Transm
M = LXI		Concorde					L HO V6 MF		



AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	5026 007AA	1							SWITCH, Speed Control, Left
-8									SWITCH, Remote Radio
	56045 563AA	- 1							Left
	56045 564AA	- 1							Right
-9	4759 876BA-	1							WIRING, Radio Adapter
10	6506 846AA	1							NUT, Lock, Steering Wheel
11									CLOCKSPRING
	4649 400AA	1							7 Circuit, with Audio Controls
	4698 304AD	1							5 Circuit, without Audio Controls
12	0154 817	2							SCREW, Clockspring Mounting .164-
									32x.750
13									LABEL, Air Bag Warning
	4787 437AA	2							English and French [Canada], Sun
									Visor
	4649 281AA	2							Seat Side, English and French
									[Export]
	4649 282AA	2							Seat Side, [English]
	5023 548AA	2							English and Arabic [Middle East],
									Sun Visor


X = 300M Special


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

**PART** 





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	C, Y						[L5] [CUF]
	LJ79 XDV	1	C, Y						[DV] [CUF]
	LJ79 XTM	1	C, Y						[T5] [CUF]
20									SHROUD, Steering Column, Lower,
									with Floor Shift
	LJ84 DX9	1	D						[O0] [CUF]
	LJ84 WL8	1	C, Y						[L2] [CUF]
		1	C, Y						[L5] [CUF]
	LJ84 XDV	1	C, Y						[DV] [CUF]
	LJ84 XTM	1	C, Y						[T5] [CUF]
-21	6503 375	2							SCREW AND WASHER, Round
									Head, M4x.7x10, Steering Column
									Cover To Column
22	4602 273AC	1							MODULE, Immobilizer
23	0154 817	2							SCREW, Smart Key Immobilizer
									Attaching
-24	5014 187AA-	1							TRIM RING, Ignition Key Cylinder
25	4580 409AE	1							BEAM, Steering Column Support
-26	4649 101AA-	1							INTERLOCK, steering column
-27	4761 170	1							CABLE, Park Interlock
-28									CABLE, Gear Selector
	4578 168AA-	1							With Floor Console
	4578 169AA-	1							
-29	5086 367AA-	1							BRACKET, Steering Column

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year

#### Gear, Rack And Pinion, Power And Attaching Parts Figure 019-310

PART







ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales Codes								
[SBA]=S	TEERING - PO	WER							
[SBC]=S	TEERING - SP	EED SI	ENSITIVE						
[SBP]=S	TEERING - PE	RFORM	1ANCE						
[SDB]=S	SUSPENSION -	HEAVY	DUTY						
[SDD]=S	SUSPENSION -	PERFO	RMANCE						
[SDE]= \$	SUSPENSION -	SPOR	Т						
1									GEAR, Power Steering
	5083 091AA	1							[SBP, SDE]
	5003 933AB	1							[SBA]
	5003 940AB	1							[SBP, SDB, SDD]
	5073 185AA	1							[SBC]
2	6505 368AA	4							SCREW, Steering Gear Mounting
									M10x1.50x85.00
3									LINE, Rack And Pinion, Serviced in
									Gear Assembly, (NOT SERVICED
									(Not Serviced)
4									LINE, Rack And Pinion, Serviced in
									Gear Assembly, (NOT SERVICED
									(Not Serviced)
5	5086 282AA	2							TIE ROD, Steering, Outer
6	5003 931AB	1							SLEEVE KIT, Tie Rod, Contains:
									Sleeve, Clamp, Bolt, Nut
7	6505 822AA	2							NUT, Tie Rod Pinch
8	5072 586AA	1							REPAIR PACKAGE, Steering Gear
9									TIE ROD, Steering
-	5017 460AA	1							Inner Right
	5017 461AA	1							Inner Left
10	6502 544	2							NUT, Hex Lock, M10x1.25, Tie Roo
									End
-11	5019 611AA-	1							SOLENOID, Steering Control Valve
	22.2 0	•							[SBC]
									r - · - 1

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M | LYI
 Consequence
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Pump, Assys. And Attaching Parts 2.7, 3.5L Engines **Figure 019-510**

**PART** 



#### **Hoses, Power Steering 2.7L Engines** Figure 019-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:Sa	les codes								
[EER]=2.	7L V6 DOHC 2	24 Valve	9						
1	5011 239AA	1				EER			RESERVOIR, Power Steering Pump, with Cap
2	5011 231AB	1				EER			CAP, Power Steering Reservoir
3	4772 536AE	1							HOSE, Power Steering Return,
									Cooler to Reservoir
4	6504 217	2							CLAMP, Hose, M18.5, Return Hose
									Attaching
5	4782 203AJ	1							LINE, Power Steering
6	6504 406	2							SCREW
7	4782 283AA	1				EE0			TUBE, Power Steering Pump,
									Pressure
8	5101 846AA	1							COOLER, Power Steering, Kit
9	6500 274	2							LOCK NUT, M6x1.0x6
10	4782 229AC	1							CLIP, Cooler, Cooler Line Retention

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Hoses, Power Streering 3.5L Engines Figure 019-715

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:S	ales codes								
[EGC]='N	MAGNUM' 3.5L	V6 SO	HC 24V						
[EGG]=3	.5L High Outpu	ıt V6							
[EGJ]=3.	5L V6 SOHC 2	4 VALV	Έ						
[EGK]=3	.5L HIGH OUTI	PUT V6	24V MPI						
1	4772 456AD	1				EG0			RESERVOIR, Power Steering Pump with Cap
2	5011 231AB	1				EG0			CAP, Power Steering Reservoir
3	4782 219AB	1				EG0			BRACKET, Power Steering
4	6035 102	1				EG0			SCREW, Hex Flange Head Tapping, .25-14x.75
5	6102 142AA	2				EGC,			SCREW, Hex Head, M6x1x15
						EGG,			
						EGJ,			
						EGK			
6	4772 682AC	1				EG0			HOSE, Power Steering
7	4772 536AE	1							HOSE, Power Steering Return,
									Cooler to Reservoir
8	6504 217	2							CLAMP, Hose, M18.5, Return Hose
									Attaching
9	4782 203AJ	1							LINE, Power Steering
10	6504 406	2							SCREW, Power Steering Hose To
									Rail
11	4782 209AB	1				EG0			TUBE, Power Steering Pump,
									Pressure
12	4782 260AC	1							COOLER, Power Steering
13	6500 274	2							LOCK NUT, M6x1.0x6
14	4782 229AC	1							CLIP, Cooler, Cooler Line Retention

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – 42LE

### **Automatic Transaxle 4 Speed**




42LE-100	42LE-200	42LE-300	42LE-400
Transaxie Assembly	Case and Extension	Oil Pump	Gear Train
42LE-700	42LE-800	42LE-1200	
Valve Body	Differential	Gearshift Controls	

#### **GROUP 42LE - Automatic Transaxle 4 Speed**

Illustration Title	Group-Fig. No.
Transaxle Assembly Transaxle Assembly, Seal & Gasket Package [DGX]	Fig. 42LE-110
Case and Extension	1 ig. 1222 110
Transaxle Mounting & Related Parts [DGX]  Structural Collar [DGX]  Case & Related Parts [DGX]	Fig. 42LE-210 Fig. 42LE-220 Fig. 42LE-230
Oil Pump Oil Pump & Reaction Shaft [DGX]	Fig. 42LE-310
Gear Train	
Clutch, Input Shaft [DGX]	Fig. 42LE-410
Transfer Shaft [DGX]	Fig. 42LE-420
Gear Train [DGX]	Fig. 42LE-430
Valve Body	
Valve Body [DGX]	Fig. 42LE-710
Accumulator Piston & Springs [DGX]	Fig. 42LE-720
Parking Sprag [DGX]	Fig. 42LE-730
Differential	
Differential Case & Gears [DGX]	Fig. 42LE-810
Gearshift Controls	
Gearshift Controls, Floor & Column Shift [DGX]	Fig. 42LE-1210

### Transaxle Assembly, Seal & Gasket Package [DGX] Figure 42LE-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Cod	les								
[DGX]=4 S	Speed Automa	atic Tran	nsmission -	- 42LE					
[EER]=2.7	L V6 24V DO	HC Eng	gine						
[EGC]=3.5	L V6 24V SO	НС Ма	gnum Engi	ine					
[EGG]=3.5	SL V- 24V Hig	h Outpu	ut Engine						
[EGJ]=3.5	L V6 24V SOI	HC Eng	jine						
[EGK]=3.5	L V6 24V Hig	h Outpo	ut Engine -	Police Pa	ckage				
1									TRANSAXLE PACKAGE, WITH
									TORQUE CONVERTER
	5097 862AB	1				EGC,	DGX		Stamp # [04800862AA]
						EGG,			
						EGJ			
	5097 984AB	1				EER,	DGX		Stamp # [04800984AA]
						EGK			
	5104 380AA	1				EER,	DGX		Stamp # [04800380AA]
						EGK			
	5093 944AA-	1							CONVERTER PACKAGE, Torque
-3									SEAL AND GASKET PACKAGE,
									Transmission
	5086 442AA-	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Transaxle Mounting & Related Parts [DGX]** Figure 42LE-210

PART

5 7	
2	•

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Co	odes:								
[EER]=2.	7L V-6 DOHC	24V En	gine						
[EG0]=A	II 3.5 & 3.2L V6	Engine	es						
1	4593 199AC	1							TUBE, Transmission Oil Filler
2	6030 608	1							SEAL, Oil Filler Tube
3	5093 944AA	1							CONVERTER PACKAGE, Torque
4	6507 424AA	4							STUD, Double Ended
5									ENGINE, Complete, See Engine
									Group, (NOT SERVICED) (Not
									Serviced)
6									TRANSAXLE, See Illustration 110,
									(NOT SERVICED) (Not Serviced)
7	6501 742	2							SCREW, Hex Head, M12x1.75x50
8	6504 383	4							BOLT, Hex Head, M10x1.50 x 13.2
9	6501 714	1							SCREW AND WASHER, Hex Head
									M6x1x18
10	4765 014AE	1							INDICATOR, Transmission Fluid
									Level
11									PLATE, Torque Converter Drive
	4736 832AA	1				EG0			
		1				EER			
-12									PLATE, Drive Plate Backing
	4471 933	1				EG0			
		1				EER			
13									BOLT, Drive Plate and Flywheel
	6503 465	8				EG0			
		8				EER			

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid C = Concorde


E = 300M

BODY 41 = 4 Door Sedan

**ENGINE** EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Structural Collar [DGX] Figure 42LE-220

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 019AA	9							BOLT AND WASHER, Hex Head,
									M10x1.5x30
2	4663 952	1							COLLAR, Structural, Oil Pan To
									Transmission
3									TRANSAXLE, See Illustration # 110
									(NOT SERVICED) (Not Serviced)
4									ENGINE, Complete, See Engine
									Group, (NOT SERVICED) (Not
									Serviced)



CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

**PART** 













**PART** 



**PART** 








## Oil Pump & Reaction Shaft [DGX] Figure 42LE-310

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE:									
	Sales Code	es								_
		Speed Autom	atic Trar	nsmission	- 42LE					
		L V6 24V DC								
		L V6 24V SC			ine					
		SL V- 24V Hig								
	[EGJ]=3.5L	L V6 24V SO	HC Eng	ine						
	[EGK]=3.5	L V6 24V Hig	gh Outpu	ut Engine	- Police Pack	age				
(8) $(10)$	1									SEAL AND GASKET PACKAGE,
										Transmission Oil Pump
	4	4883 272	1				EGC,	DGX		
							EGG,			
							EGJ			
			1				EER,	DGX		
	_						EGK			
	2	=0.40.004.4.4						DOV		PUMP, Transmission Oil
		5019 691AA	1				EGC,	DGX		
							EGG,			
			1				EGJ EER,	DGX		
			1				EGK,	DGA		
	3						LOIN			SEAL, Ring Reaction Support, 2 1/16
	O									O.D.
	4	4471 874	4				EGC,	DGX		
							EGG,			
							EGJ			
			4				EER,	DGX		
							EGK			
OPEN (6)	4									BOLT, Hex Head, M8x1.25x19
	6	6500 211	6				EGC,	DGX		
							EGG,			
			•				EGJ	DOV		
$\begin{array}{c} \begin{array}{c} \begin{array}{c} \\ \end{array} \end{array}$			6				EER,	DGX		
	5						EGK			BALL, Check
	_	0147 482	2				EGC,	DGX		Reaction Shaft
	,	0147 402	2				EGG,	DGX		Reaction Shart
4	-						EGJ			
			2				EER,	DGX		Reaction Shaft
							EGK	-		
(3)										
	CONCORDE	NTREPID-300M	(I H) —							
	SERIES	LIN	E		BODY		ENGINE			TRANSMISSION
	P = Limited/ES S = 300M	S H = Intre	Chrysler		41 = 4 Door S	edan	EER, EE0 EGG = 3.5	= 2.7L V6 D 5L HO V6 MF	OHC Pl 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE	D =	Dodge In	trepid			EGJ = 3.5I	L V6 SOHC	24V	
	M = LXI X = 300M Special	C = ecial E =	Concorde 300M	Э			EGK = 3.5 $EGC = \hat{I}MA$	L HO V6 MF AGNUMÖ 3.	71 24V 5L V6	
				istrated na	rt # = New th	is model v				September 19, 2005

#### Oil Pump & Reaction Shaft [DGX] Figure 42LE-310



H = SE

M = LXI


X = 300M Special


D = Dodge Intrepid


C = Concorde


E = 300M

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6










**« »** 




	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	4659 993	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
26									PLATE, Transmission O/Drive Clutch
	3836 237AB	AR				EGC,	DGX		[1.70 - 1.77 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[1.70 - 1.77 MM]
						EGK			
	3836 238AB	AR				EGC,	DGX		[1.92 - 1.99 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[1.92 - 1.99 MM]
						EGK			
	3836 239AB	AR				EGC,	DGX		[2.14 - 2.21 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[2.14 - 2.21 MM]
						EGK			
	3836 240AB	AR				EGC,	DGX		[2.36 -2.43 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[2.36 -2.43 MM]
						EGK	501		
	3836 241AB	AR				EGC,	DGX		[2.58 - 2.65 MM]
						EGG,			
						EGJ	DOY		10.500.5.1.11.1
		AR				EER,	DGX		[2.58 - 2.65 MM]
	4404 00545	4.5				EGK	DOV		14.55 4.00 MM
	4431 665AB	AR				EGC,	DGX		[1.55 - 1.66 MM]
						EGG,			
		۸۵				EGJ	DCV		[4 FF
		AR				EER,	DGX		[1.55 - 1.66 MM]
	4421 666 A D	ΛD				EGK EGC,	DCV		[1 Q1
	4431 666AB	AR				EGC, EGG,	DGX		[1.81 - 1.88 MM]
						EGG, EGJ			
		AR				EER,	DGX		[1.81 - 1.88 MM]
		ΔN				EGK,	DGV		[1.01 - 1.00 [VIIVI]
						LOIN			

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4431 667AB	AR				EGC,	DGX		[2.03 - 2.10 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[2.03 - 2.10 MM]
	4404 CCCAD					EGK	DOY		10.05 0.00 MMI
	4431 668AB	AR				EGC,	DGX		[2.25 - 2.32 MM]
						EGG, EGJ			
		AR				EER,	DGX		[2.25 - 2.32 MM]
		AIN				EGK	DGX		[2.23 - 2.32
	4431 669AB	AR				EGC,	DGX		[2.47 - 2.54 MM]
	4431 009AB	AIX				EGC, EGG,	DGX		[2.47 - 2.54 [VIIVI]
						EGJ			
		AR				EER,	DGX		[2.47 - 2.54 MM]
		7.113				EGK	Вол		[2.17 2.01 [8]]
	4446 670AB	AR				EGC,	DGX		[2.69 - 2.76 MM]
		7				EGG,	20/1		[2.00 2.10]
						EGJ			
		AR				EER,	DGX		[2.69 - 2.76 MM]
						EGK			
	4446 671AB	AR				EGC,	DGX		[2.91 - 2.98 MM]
						EGG,			
						EGJ			
		AR				EER,	DGX		[2.91 - 2.98 MM]
						EGK			
27									SNAP RING, Underdrive Clutch, Flat
	4659 980	1				EGC,	DGX		[1.53 - 1.58 MM]
						EGG,			
						EGJ			
		1				EER,	DGX		[1.53 - 1.58 MM]
						EGK			
28									DISC, Clutch
	4531 678	4				EGC,	DGX		
						EGG,			
						EGJ			
		4				EER,	DGX		
						EGK			
29	4050.050	4				F00	DOY		PLATE, Transmission O/Drive Clutch
	4659 053	4				EGC,	DGX		
						EGG,			
						EGJ			


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6









	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4531 903	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
51									SEAL, Reverse Servo Piston
	4659 056	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
52									SEAL, Reverse Servo Piston
	4659 056	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
-53									PISTON, 2nd and 4th Clutch
	4431 647	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


PART



	PARI						1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Co	ndoo.								
		natia Tra		40LE					
	Speed Autor			- 42LE					
_	.7L V6 24V D	-							
	.5L V6 24V S			ine					
	5.5L V- 24V H								
_	5L V6 24V S	_		D-1: D-	-1				
-	.5L V6 24V H	ign Outpi	ut Engine	- Police Pa	скаде				CLUM Transfer Chaff 2.52
1	4507.454					F00	DOV		SHIM, Transfer Shaft, 3.53 - 3.55n
	4567 151	AR				EGC,	DGX		
						EGG,			
		4.0				EGJ	DOV		
		AR				EER,	DGX		
2						EGK			CLUM Transfer Chaft 2.56, 2.50n
-2	4567 450	<b>A</b> D				FCC	DCV		SHIM, Transfer Shaft, 3.56 - 3.58n
	4567 152	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DOV		
		AR				EER,	DGX		
2						EGK			CLUM Transfer Chaft 2.50, 2.61m
-3	4507.450					F00	DOV		SHIM, Transfer Shaft, 3.59 - 3.61n
	4567 153	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DOV		
		AR				EER, EGK	DGX		
-4						LGK			SHIM, Transfer Shaft, 3.62 - 3.64n
-4	4567 154	AR				EGC,	DGX		Si ilivi, Transier Shart, 3.02 - 3.04ii
	4307 134	AIX				EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
		AIX				EGK	DGX		
-5						LGK			SHIM, Transfer Shaft, 3.65 - 3.67m
-3	4567 155	AR				EGC,	DGX		Grinn, Transier Ghart, 5.05 - 5.0711
	1001 100	AIX				EGG,	DOX		
						EGJ			
		AR				EER,	DGX		
		7111				EGK	Вол		
-6						LOIK			SHIM, Transfer Shaft, 3.68 - 3.70m
Ü									or min, Transier Grian, 6:66 6:76:1
	E-INTREPID-300I								TRANSMISSION:
ERIES = Limited		NE = Chrysler		BODY 41 = 4 Door	r Sedan	ENGINE FFR. FF0	= 2.7L V6 DO	HC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Int	repid		= + 0001	Journ	EGG = 3.5	SL HO V6 MPI	24V	DG0 = All Automatic Transm
= SE  = LXI	D	<ul><li>Dodge Ir</li><li>Concord</li></ul>	ntrepid				L V6 SOHC 24 5L HO V6 MPI		

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

M = LXIX = 300M Special Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•	•								
	4567 156	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			011114 7 ( 01 ( 0.74 0.70
-7	4EG7 1E7	۸D				ECC	DCV		SHIM, Transfer Shaft, 3.71 - 3.73mm
	4567 157	AR				EGC, EGG,	DGX		
						EGJ			
		AR				EER,	DGX		_
						EGK			
-8									SHIM, Transfer Shaft, 3.74 - 3.76mm
	4567 158	AR				EGC,	DGX		
						EGG,			
		4 D				EGJ	DOY		
		AR				EER, EGK	DGX		
-9						LGK			SHIM, Transfer Shaft, 3.77 - 3.79mm
Ü	4567 159	AR				EGC,	DGX		Ormin, Transier Chart, Chr. C. C.
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-10	4507.400	4 D				F00	DOY		SHIM, Transfer Shaft, 3.80 - 3.82mm
	4567 160	AR				EGC, EGG,	DGX		
						EGJ,			
		AR				EER,	DGX		
						EGK			
-11									SHIM, Transfer Shaft, 3.83 - 3.85mm
	4567 161	AR				EGC,	DGX		
						EGG,			
		A.D.				EGJ	DOY		
		AR				EER,	DGX		
-12						EGK			SHIM, Transfer Shaft, 3.86 - 3.88
- 12									mm
	4567 162	AR				EGC,	DGX		
						EGG,			
						EGJ			

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005







	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR				EER,	DGX		
						EGK			
-13		. –							SHIM, Transfer Shaft, 3.89 - 3.91mm
	4567 163	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7				EGK	20/1		
-14									SHIM, Transfer Shaft, 3.92 - 3.94mm
	4567 164	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
4.5						EGK			CLUM Transfer Chaft 2.05 2.07
-15	4567 165	AR				ECC	DGX		SHIM, Transfer Shaft, 3.95 - 3.97mm
	4507 105	AK				EGC, EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-16									SHIM, Transfer Shaft, 3.98 - 4.00mm
	4567 166	AR				EGC,	DGX		
						EGG,			
						EGJ	<b>D Q V</b>		
		AR				EER, EGK	DGX		
-17						EGN			SHIM, Transfer Shaft, 4.01 - 4.03mm
	4567 167	AR				EGC,	DGX		or my, Transier Grant, 4.01 4.00mm
		7				EGG,	20/1		
						EGJ			
		AR				EER,	DGX		
						EGK			
-18									SHIM, Transfer Shaft, 4.04 - 4.06mm
	4567 168	AR				EGC,	DGX		
						EGG,			
		AR				EGJ EER,	DGX		
		ΛN				EGK	DGV		
-19						2010			SHIM, Transfer Shaft, 4.07 - 4.09mm
									.,

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 169	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
-20						EGK			SHIM, Transfer Shaft, 4.10 - 4.12mm
-20	4567 170	AR				EGC,	DGX		Si iivi, Transier Shart, 4.10 - 4.12iiiii
	4007 170	7113				EGG,	ВОХ		
						EGJ			
		AR				EER,	DGX		
						EGK			
-21									SHIM, Transfer Shaft, 4.13 - 4.15mn
	4567 171	AR				EGC,	DGX		
						EGG,			
		4.5				EGJ	DOV		
		AR				EER,	DGX		
-22						EGK			SHIM, Transfer Shaft, 4.16 - 4.18mn
-22	4567 172	AR				EGC,	DGX		Silliwi, Italisiei Silait, 4.10 - 4.10illi
	4007 172	7113				EGG,	ВОХ		
						EGJ			
		AR				EER,	DGX		
						EGK			
-23									SHIM, Transfer Shaft, 4.19 - 4.21mm
	4567 173	AR				EGC,	DGX		
						EGG,			
		4.5				EGJ	DOV		
		AR				EER, EGK	DGX		
-24						EGN			SHIM, Transfer Shaft, 4.22 - 4.24mn
	4567 174	AR				EGC,	DGX		or my, transfer chart, 1.22 1.2 mi
						EGG,	20/1		
						EGJ			
		AR				EER,	DGX		
						EGK			
-25									SHIM, Transfer Shaft, 4.25 - 4.27mr
	4567 175	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DOY		
		AR				EER, EGK	DGX		
-26						EGN			SHIM, Transfer Shaft, 4.28 - 4.30mn
-20									Orlini, Transier Ghart, 4.20 - 4.30mm
	-INTREPID-300M								
ERIES = Limited/l	LIN FS H =	E Chrysler		BODY 41 = 4 Door	Sedan	ENGINE FFR. FF0	= 2.7L V6 D0	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Intro	epid		71 - 7 DUUI	Juan	EGG = 3.5	SL HO V6 MP	I 24V	DG0 = All Automatic Transm
= SE = LXI	D = C =	Dodge In Concorde	trepid e				L V6 SOHC 2 L HO V6 MP		
= 300M S	nacial E -	: 300M	-			$FGC = \hat{I}M$	AGNUMÖ 3.5	1 V6	

AR = Use as required -= Non illustrated part # = New this model year





ITEM	NUMBER	QTY	LINE	SERIES					
				SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								-	_
	4567 176	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-27		. –					5.01/		SHIM, Transfer Shaft, 4.31 - 4.33mm
	4567 177	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7113				EGK	ВОХ		
-28									SHIM, Transfer Shaft, 4.34 - 4.36mm
	4567 178	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-29	4507 470	4.5				500	DOY		SHIM, Transfer Shaft, 4.37 - 4.39mm
	4567 179	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		,				EGK	DOX		
-30									SHIM, Transfer Shaft, 4.40 - 4.42
									mm
	4567 180	AR				EGC,	DGX		_
						EGG,			
						EGJ			
		AR				EER,	DGX		
24						EGK			CLIM Transfer Chaft 4.42 4.45mm
-31	4567 181	AR				EGC,	DGX		SHIM, Transfer Shaft, 4.43 - 4.45mm
	4507 101	AN				EGC, EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-32									SHIM, Transfer Shaft, 0.681 - 0.
									707mm
	4539 677	AR				EGC,	DGX		
						EGG,			
						EGJ			

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence

M = LXIX = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR				EER,	DGX		
						EGK			
-33	1505 100					<b>500</b>	<b>D Q V</b>		SHIM, Transfer Shaft, 4.46 - 4.48mm
	4567 182	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
						EGK			
-34									SHIM, Transfer Shaft, 4.49 - 4.51mm
	4567 183	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
25						EGK			CLUM Transfer Chaft 4.52 4.54mm
-35	4567 184	AR				EGC,	DGX		SHIM, Transfer Shaft, 4.52 - 4.54mm
	4307 104	AIX				EGG,	DGX		
						EGJ			
		AR				EER,	DGX		
						EGK			
-36									SHIM, Transfer Shaft, 4.55 - 4.57mm
	4567 185	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-37						LGK			SHIM, Transfer Shaft, 4.58 - 4.60mm
	4567 186	AR				EGC,	DGX		Crimi, Transfer Chart, 1.00 1.00mm
						EGG,	_		
						EGJ			
		AR				EER,	DGX		
						EGK			
-38									SHIM, Transfer Shaft, 4.61 - 4.63mm
	4567 187	AR				EGC,	DGX		
						EGG,			
		۸Þ				EGJ	DGY		
		AR				EER, EGK	DGX		
-39						LOIX			SHIM, Transfer Shaft, 4.64 - 4.66mm
									,,

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence


M = LXI

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

X = 300M Special AR = Use as required -= Non illustrated part # = New this model year



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 188	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-40									SHIM, Transfer Shaft, 4.67 - 4.69n
	4567 189	AR				EGC,	DGX		
						EGG,			
						EGJ	D0)/		
		AR				EER,	DGX		
4.4						EGK			DEADING OUD TO ( O
41	4500 000					<b>500</b>	D.0.\/		BEARING CUP, Transfer Gear
	4539 863	1				EGC,	DGX		
						EGG,			
						EGJ	DOV		
		1				EER,	DGX		
40						EGK			DEADING COME TO 1 C
42	4500 000					F00	DOV		BEARING CONE, Transfer Gear
	4539 862	1				EGC,	DGX		
						EGG,			
						EGJ	501/		
		1				EER,	DGX		
40						EGK			NUT T ( O) ( MO) 450
43	0500 447	4				F00	DOV		NUT, Transfer Shaft, M33 x 1.50
	6502 447	1				EGC,	DGX		
						EGG,			
		4				EGJ	DOV		
		1				EER,	DGX		
44						EGK			CDDOCKET Transfer Chaft
44	4050 004	4					DOV		SPROCKET, Transfer Shaft
	4659 834	1				EER,	DGX		
	4659 233	4				EGK EGC,	DGX		
	4009 200	1					DGA		
						EGG, EGJ			
45						⊑GJ			WASHER, Sprocket
40	4539 901	2				EGC,	DGX		WASHEN, SPIOCKEL
	<del>4</del> 538 801					EGC,	טפע		
						EGG, EGJ			
		2				EGJ EER,	DCV		
		2				EGK,	DGX		
46						EGN			SNAP RING
40									SNAF KING
NCORD	E-INTREPID-300N	1 (LH) ——							

CONCOR SERIES P = Limited/ES S = 300M H = SE


M = LXIX = 300M Special

OOM (LH) LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	6502 448	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
47									CHAIN, Transmission Drive
	4659 190	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
48									SEAL PACKAGE, Transfer Shaf
	4728 303	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
49									BEARING CUP, Transfer Shaft
	4567 293	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
50									BEARING CONE, Transfer Shaf
	4567 292	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
51									SHIM, Transfer Shaft, 0.681 - 0. 707mm
	4539 677	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-52									SHIM, Transfer Shaft, 0.708 - 0.
									734mm
	4539 678	AR				EGC,	DGX		
						EGG,			
						EGJ			

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation

M = LXIX = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		4							2 200
		AR				EER,	DGX		
-53						EGK			SHIM, Transfer Shaft, 0.735 - 0
00									761mm
	4539 679	AR				EGC,	DGX		
						EGG,			
		AR				EGJ EER,	DGX		
		AIX				EGK	DOX		
-54									SHIM, Transfer Shaft, 0.762 - 0
									788mm
	4539 680	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7.11.				EGK	DOX		
-55									SHIM, Transfer Shaft, 0.789 - 0
									815mm
	4539 681	AR				EGC,	DGX		
						EGG,			
		AR				EGJ EER,	DGX		
		AN				EGK	DGX		
-56									SHIM, Transfer Shaft, 0.816 - 0
									842mm
	4539 682	AR				EGC,	DGX		
						EGG,			
		AR				EGJ EER,	DGX		
		AR				EGK,	DGA		
-57									SHIM, Transfer Shaft, 0.843 - 0
									869mm
	4539 683	AR				EGC,	DGX		
						EGG,			
		4.5				EGJ	DCV		
		AR				EER, EGK	DGX		
-58									SHIM, Transfer Shaft, 0.870 - 0.
									896mm

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4500 004					500	501		
	4539 684	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DOV		
		AR				EER, EGK	DGX		
-59						LGK			SHIM, Transfer Shaft, 0.897 -
00									923mm
	4539 685	AR				EGC,	DGX		02011111
	1000 000	7111				EGG,	Вол		
						EGJ			
		AR				EER,	DGX		
						EGK			
-60									SHIM, Transfer Shaft, 0.924 -
									950mm
	4539 686	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-61									SHIM, Transfer Shaft, 0.951 -
	4500 007					F00	DOV		977mm
	4539 687	AR				EGC, EGG,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		7111				EGK	ВОХ		
-62									SHIM, Transfer Shaft, 0.978 -
									004mm
	4539 688	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-63									SHIM, Transfer Shaft, 1.005 - 031mm
	4539 689	AR				EGC,	DGX		
						EGG,	-		
						EGJ			
		AR				EER,	DGX		
						EGK			
-64									SHIM, Transfer Shaft, 1.032 -
									058mm

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation


M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4500,000	4 D				F00	DOY		
	4539 690	AR				EGC,	DGX		
						EGG, EGJ			
		AR				EER,	DGX		
		AIX				EGK	DOX		
-65						-			SHIM, Transfer Shaft, 1.059 - 1.
									085mm
	4539 691	AR				EGC,	DGX		
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
-66									SHIM, Transfer Shaft, 1.086 - 1.1
	4539 692	AR				EGC,	DGX		
						EGG,			
		۸۵				EGJ	DCV		
		AR				EER, EGK	DGX		
-67						LGK			SHIM, Transfer Shaft, 1.113 - 1.
01									139mm
	4539 693	AR				EGC,	DGX		100111111
						EGG,			
						EGJ			
		AR				EER,	DGX		
						EGK			
68									GEAR, Differential Ring
	4567 617	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			

CONCORDE-INTREPID-300M (LH)

SERIES
P = Limited/ES
S = 300M
H = SE


M = LXIX = 300M Special


LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NOTE									
53 82 83	NOTE: Sales Cod	les								
		Speed Autom			- 42LE					
		L V6 24V D0 SL V6 24V S0			ine					
	[EGG]=3.5	5L V- 24V Hi	gh Outpu	t Engine						
(5) (7) (1)		L V6 24V SC 5L V6 24V Hi			- Police Pa	ckage				
	1									CARRIER AND BEARING, Planet
(2) (3) (55) (54)		5014 201AA	1				EER,	DGX		Pinion
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$							EGK			
			1				EGC, EGG,	DGX		
(57)							EGJ			
	2	4412 235AB	1				EER,	DGX		BEARING CONE, Output Shaft
	<u></u>	4412 Z33AD					EGK	ВОХ		
			1				EGC, EGG,	DGX		
							EGJ			
58)	3	6501 853	1				EER,	DGX		SNAP RING  Low & Reverse Clutch Piston
(81)		0001 003	I				EGK,	DGX		Low & Reverse Clutch Fiston
59			1				EGC, EGG,	DGX		
(60)							EGJ,			
66)	4	4442.264	4				EER,	DGX		SPRING, Low/Reverse Clutch Piston
67		4412 261	<u>I</u>				EGK,	DGX		
(71) (69) (68)			1				EGC,	DGX		
(71) (69)							EGG, EGJ			
	5									SEAL PACKAGE, Transmission
79		4882 917	1				EER,	DGX		Clutch  Low & Reverse Clutch Piston
			1				EGK	DOV		Low & Reverse Clutch Piston
			1				EGC, EGG,	DGX		Low & Reverse Clutch Piston
	0						EGJ			DIOTON I averaged Davisses Objects
76	6									PISTON, Low and Reverse Clutch
74 75										
$\int_{0}^{\infty} \sqrt{3}$	SERIES	NTREPID-300M	ΙE		BODY	0 - 1 -	ENGINE	071.165		TRANSMISSION
72	P = Limited/E S = 300M H = SE	Intr	: Chrysler epid : Dodge Int	tranid	41 = 4 Door	Sedan	EGG = 3.5	= 2.7L V6 E 5L HO V6 MI L V6 SOHC	PI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	M = SE M = LXI X = 300M Sp	C =	: Doage Int : Concorde : 300M	ii epiù			EGK = 3.5	L V6 SOHC 5L HO V6 MF AGNUMÖ 3.	PI 24V	
	7 – 2001vi 3p	- L =	JUUIVI				IIVI	, .C. TOIVIO 3.	JL VU	

















	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 022	1				EER,	DGX		
	4507 022	1				EGK	DGX		
		1				EGC,	DGX		
		'				EGG,	Вол		
						EGJ			
43									BEARING
	4567 025AB	1				EER,	DGX		
						EGK			
		1				EGC,	DGX		
						EGG,			
						EGJ			
44									NUT, Rear Carrier, M36 x 1.50
	6502 476	1				EER,	DGX		
						EGK			
		1				EGC,	DGX		
						EGG,			
						EGJ			
45									SHIM, Carrier Sprocket, 2.64 - 2.
									84mm
	5280 053	AR				EER,	DGX		
						EGK			
		AR				EGC,	DGX		
						EGG,			
4.0						EGJ			
-46									SHIM, Carrier Sprocket, 2.85 - 3.
	5000 054	۸۵				FFD	DCV		05mm
	5280 054	AR				EER, EGK	DGX		
		AR				EGC,	DGX		
		AK				EGC,	DGX		
						EGJ			
-47						LGJ			SHIM, Carrier Sprocket, 3.06 - 3.
-41									26mm
	5280 055	AR				EER,	DGX		2011111
	0200 000	7.11.				EGK	Вол		
		AR				EGC,	DGX		
						EGG,			
						EGJ			
-48									SHIM, Carrier Sprocket, 3.27 - 3.
									47mm

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm








NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4412 200	1				EED	DGY		
4412 209	ı					DGX		
	1					DGX		
	•					DOX		
					EGJ			
								GEAR, Sun
4377 080	1				EER,	DGX		Rear Sun [38T]
					EGK			
	1					DGX		Rear Sun [38T]
					EGJ			TUDUOT DEADING D. O. O.
								THRUST BEARING, Rear Sun Gear Front
4412 229AB	1				FFR	DGX		FIOR
4412 223/IB	'					ВОХ		
	1					DGX		
					EGJ			
								DISC, Clutch
4567 573AB	5				EER,	DGX		
	5					DGX		
					EGJ			DI ATE Transmission Clutch
								PLATE, Transmission Clutch Reaction
4659 055	5				FFR	DGX		Reaction
.000 000						20/1		
	5					DGX		
					EGG,			
					EGJ			
								SNAP RING
4412 395	1				EER,	DGX		[6 -1/2 O.D.]
	1					DGX		[6 -1/2 O.D.]
					EGJ			DIATE Transmis : Cl. ( )
								PLATE, Transmission Clutch Reaction
/377 10/	1				EED	DGY		[5.49 - 5.75 MM] Thick
+311 134	ı					DGA		[3.48 - 3.73 WIVI] THICK
	4412 229AB 4567 573AB 4659 055	4377 080 1 1 4412 229AB 1 1 4567 573AB 5 5 4659 055 5 5 4412 395 1 1	1 4377 080 1 1 4412 229AB 1 1 4567 573AB 5 5 4659 055 5 5	1 4377 080 1 1 4412 229AB 1 1 4567 573AB 5 5 4659 055 5 5	4377 080 1 1  4412 229AB 1 1  4567 573AB 5 5  4659 055 5 5	1 EGK EGC, EGG, EGJ  4377 080 1 EER, EGK EGC, EGG, EGJ  4412 229AB 1 EER, EGK EGC, EGG, EGJ  4412 229AB 5 EER, EGK EGC, EGG, EGJ  4567 573AB 5 EER, EGK EGC, EGG, EGJ  4659 055 5 EER, EGK EGC, EGG, EGJ  4412 395 1 EER, EGK EGC, EGG, EGJ	### 1	The image of the

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm




#### **Gear Train [DGX]** Figure 42LE-430





## Gear Train [DGX] Figure 42LE-430



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
00									DIATE Transmission Obstab
80									PLATE, Transmission Clutch Reaction
	4659 054	4				EER,	DGX		[2nd & 4th]
	4009 004	4				EGK,	DGX		[210 & 411]
		4				EGC,	DGX		[2nd & 4th]
						EGG,	ВОХ		[Zild & Hill]
						EGJ			
81						200			DISC, Clutch
0.	4799 860AB	4				EER,	DGX		[2nd & 4th]
						EGK			
		4				EGC,	DGX		[2nd & 4th]
						EGG,			
						EGJ			
82									WASHER, Sprocket
	4539 901	2				EER,	DGX		
						EGK			
		2				EGC,	DGX		
						EGG,			
						EGJ			
83									SNAP RING
	4377 195	1				EER,	DGX		
						EGK			
		1				EGC,	DGX		
						EGG,			
						EGJ			
-84	0004.040						501/		THRUST WASHER, Planet Pinion
	3681 949	6				EER,	DGX		
		0				EGK	DOV		
		6				EGC, EGG,	DGX		
						EGJ,			
-85						LGJ			ROLLER, Front and Rear Pinion
-00	3743 664	57				EER,	DGX		NOLLEN, FIGHT AND NEAF FINION
	3. 10 00 1	<u> </u>				EGK	20/		
		57				EGC,	DGX		
		٥.				EGG,			
						EGJ			

CONCORDE-INTREPID-300M (LH)

SERIES
P = Limited/ES
S = 300M
H = SE M = LXI

X = 300M Special


LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									1	
	NOTE:									
	Sales Cod									
(3)———		Speed Automa			- 42LE					
		L V6 24V DOI								
$\stackrel{\square}{\bowtie} \stackrel{\square}{(5)} \stackrel{\square}{(6)}$		L V6 24V SO L V- 24V High			ine					
		L V6 24V SOH								
		L V6 24V Hig			Police Pac	kage				
4 —	1									GASKET PACKAGE, Valve Body
		4864 696AB-	1				EGC,	DGX		
(24) (16) (19)							EGG,			
			4				EGJ	DCV		
(21) (22) (3)			1				EER, EGK	DGX		_
	2						LOK			VALVE BODY
		5012 907AA	1				EGC,	DGX		
							EGG,			
(7)							EGJ			
(17) (20)			1				EER,	DGX		
	2						EGK			SEAL, Manual Valve Lever
	3	4412 836	1				EGC,	DGX		SEAL, Maridal Valve Level
		1112 000	•				EGG,	20%		
							EGJ			
			1				EER,	DGX		
d (18)							EGK			
	4	4500 005	4				F00	DCV		LEVER, Manual Valve
	•	4539 665	1				EGC, EGG,	DGX		
							EGJ			
			1				EER,	DGX		
							EGK			
	5	0500 0 15 1								SCREW
	I	6506 245AA	1				EGC,	DGX		
							EGG, EGJ			
			1				EER,	DGX		
(14)							EGK			
	6									SENSOR, Manual Valve Lever
	CONCOBDE	NTREPID-300M (	71 LL\							
	SERIES	LINE			BODY		ENGINE			TRANSMISSION
	P = Limited/E S = 300M	Intre	Chrysler pid		41 = 4 Door	Sedan	EGG = 3.5	= 2.7L V6 D 5L HO V6 M	PI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI	D = İ	Dodge Intre Concorde	epid			EGJ = 3.5I	L V6 SOHC	24V	
	X = 300M  Sp	ecial E = 3	300M				EGC = ÎM/	L HO V6 MF AGNUMÖ 3.	.5L V6	
	45 !!									

**>>>** 




	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			1				EER,	DGX		
(3)————————————————————————————————————	13		'				EGK	BOX		SCREW
		6506 245A	A 1				EGC, EGG,	DGX		
5 (6)			1				EGJ EER,	DGX		
4	14						EGK			RETAINER, Transmission Filter Retaining
(24) (16) (19)		4567 419	2				EGC, EGG,	DGX		rotaining
21 22 23 23			2				EGJ EER,	DGX		-
	15	4539 787	1				EGK EGC,	DGX		GASKET, Transmission Solenoid
(17) (20) (7) (8) (2) (2) (8) (17) (17) (17) (17) (17) (17) (17) (17		4559 767					EGG, EGJ	DGX		
(17) (20)			1				EER, EGK	DGX		
	16	4471 880	1				EGC, EGG,	DGX		SPRING, Accumulator [2nd & 4th] Accumulator Outer
(18)			1				EGJ EER,	DGX		[2nd & 4th] Accumulator Outer
	17						EGK			SOLENOID AND SWITCH, Valve
		4539 766	1				EGC,	DGX		Body Control
15)			1				EGG, EGJ EER,	DGX		
	18						EGK			SCREEN, Transmission Regulator
14)		3878 313	1				EER,	DGX		Valve
			1				EGK EGC, EGG,	DGX		
(13)—4 %	19						EGJ			SEAL, Accumulator
	CONCORDE-I SERIES P = Limited/E S = 300M H = SE M = LXI X = 300M Sp	LI ES H In D C Decial E	INE = Chrysler atrepid = Dodge Ir = Concord = 300M	ntrepid e	BODY 41 = 4 Door		EGG = 3.5 EGJ = 3.5 EGK = 3.5 EGC = ÎM/	= 2.7L V6 D 5L HO V6 MF L V6 SOHC : IL HO V6 MP AGNUMÖ 3.5	PI 24V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	AR = Use a	s required	- = Non ill	ustrated pa	rt # = New	this model	year			September 19, 2005





#### **Accumulator Piston & Springs [DGX]** Figure 42LE-720



TRIM

DESCRIPTION

SPRING, Accumulator

SPRING, Accumulator

SEAL, Accumulator

COVER, Accumulator

TRANSMISSION

DGX = 4 Speed Automatic


DG0 = All Automatic Transm

PISTON, 2nd and 4th Accumulator


O RING, Accumulator, Transmission

## Accumulator Piston & Springs [DGX] Figure 42LE-720


6501 549 1		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1		 	6501 549	1				EGC,	DGX		
1 EER, DGX EGK								EGG, EGJ			
1 EER, DGX EGK	①—— <b>—</b>	 		1					DGX		ONAR RING
1 EER, DGX EGK			6501 695	1				EGG,	DGX	,	SNAP RING
		<u> </u>		1				EER,	DGX		
								EGK			
		<u> </u>									
3											
3											
5	(3)										
	(5)———										
6	6——	<u> </u>									
CONCORDE-INTREPID-300M (LH)  SERIES LINE BODY ENGINE TRANSMISSION		CONCORDE SERIES	INTREPID-300N	/I (LH) ——		BODY		FNGINE			TRANSMISSION
Name		P = Limited/ S = 300M H = SE M = LXI	ES H	= Chrysler repid = Dodge Int = Concorde		41 = 4 Door S	Sedan	EER, EE0 EGG = 3.5	I HO V6 ME	PI 24\/	DGX = 4 Speed Automatic DG0 = All Automatic Transm



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	· L								
NOTE:									
Sales Co				401.5					
=	Speed Auto			- 42LE					
_	7L V6 24V D 5L V6 24V \$	-		ine					
	5L V- 24V F								
_	5L V6 24V S	-	-						
EGK]=3.	5L V6 24V F	ligh Outpo	ut Engine -	Police Pa	ckage				
1									GUIDE PACKAGE, Parking Sprag
	4000 5054	^ 4				F00	DCV		Pawl
	4883 505A	A 1				EGC, EGG,	DGX		
						EGJ			
		1				EER,	DGX		
						EGK	-		
2									SPRING, Parking Sprag Return
	4431 653	1				EGC,	DGX		Return
						EGG,			
		4				EGJ	DOY		Datama
		1				EER, EGK	DGX		Return
3						EGN			ROD, Parking Sprag
3	4431 634	1				EGC,	DGX		
		-				EGG,			
						EGJ			
		1				EER,	DGX		
_						EGK			
4	6025.250	4				ECC	DCV		SNAP RING, Rod
	6035 256	1				EGC, EGG,	DGX		
						EGJ			
		1				EER,	DGX		
						EGK			
-5									SCREW AND WASHER, Park Spr
									Shaft, M5X0.8X12
	6503 384	1				EGC,	DGX		
						EGG,			
						EGJ, EGK			
		1				EER,	DGX		
		•				EGK			
						EGN			
	INTREPID-300								
ERIES = Limited/l		NE = Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	In	trepid				EGG = 3.5	IL HO V6 MF	1 24V	DG0 = All Automatic Transm
= SE = LXI	С	= Dodge Ir = Concorde				EGK = 3.5	L V6 SOHC : L HO V6 MP	I 24V	
= 300M Sp		= 300M					AGNUMÖ 3.		



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•					
OTE:									
ales Co									
_	Speed Auto			- 42LE					
_	7L V6 24V [		-						
	5L V6 24V			ine					
	5L V- 24V F								
	5L V6 24V S 5L V6 24V I			Polico Po	ckago				
GR]=3. 1	JL VO 24V I	iigii Outpi	at Engine .	- Fulle Fa	ckage				DIFFERENTIAL, Transaxle
'	4539 661	1				EGC,	DGX		DITTERCITAL, Transaxio
		•				EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
2									CIRCLIP, Half Shaft
	4593 012	2				EGC,	DGX		
						EGG,			
						EGJ	DOV		
		2				EER, EGK	DGX		
3						EGK			OUTPUT SHAFT, Transaxle
<u> </u>	4539 748	1				EGC,	DGX		OUT OT STALT, Transaxie
	1000 7 10	•				EGG,	Don		
						EGJ			
		1				EER,	DGX		
						EGK			
4									LOCK, Drive Shaft
	2852 883	1				EGC,	DGX		
						EGG, EGJ			
		1				EER,	DGX		
		•				EGK	ВОХ		
5									SCREW, Special Shouldered,
									M10x1x29
	6502 034	12				EGC,	DGX		
						EGG,			
						EGJ			
		12				EER,	DGX		
^						EGK			CASE Transfer Front
6									CASE, Transfer Front
NCORDE	-INTREPID-300								
RIES Limited/		INE I = Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER. EE0	= 2.7L V6 D6	OHC	TRANSMISSION DGX = 4 Speed Automatic
300M	Ir	ntrepid		. 2301	··	EGG = 3.5	IL HO V6 MP	1 24V	DG0 = All Automatic Transm
: SE : LXI		) = Dodge Ir C = Concorde					L V6 SOHC 2 L HO V6 MP		
300M S	pecial E	= 300M					AGNUMÖ 3.5		



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4567 505	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			DUOLUNIO Company Cons
7	4567 225	2				FCC	DCV		BUSHING, Support Case
	4567 225	2				EGC,	DGX		
						EGG, EGJ			
		2				EER,	DGX		
		_				EGK	Вол		
8									THRUST WASHER PACKAGE, Axle
									Differentail
	4131 293	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
9									GEAR PACKAGE, Differential
	5016 367AA	1				EGC,	DGX		
						EGG,			
		4				EGJ	DCV		
		1				EER, EGK	DGX		
10						LOIX			PIN, Shift Fork
	0154 567	1				EGC,	DGX		,
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
11									WASHER, Pinion Gear
	2852 912	2				EGC,	DGX		
						EGG,			
		•				EGJ	DOY		
		2				EER,	DGX		
12	6501 714	1				EGK			SCREW AND WASHER, Hex Head,
ΙZ	0001 / 14	ı							M6x1x18
13									CASE, Transfer Front
10									orice, francior front

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005







	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4E67 505	4				F00	DCV		
	4567 505	1				EGC, EGG,	DGX		
						EGJ			
		1				EER,	DGX		
		•				EGK	ВОХ		
14									BUSHING, Support Case
	4567 225	2				EGC,	DGX		2, 21, 1
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
15									GEAR, Differential Ring
	4567 617	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
16									CIRCLIP, Half Shaft
	4593 012	2				EGC,	DGX		
						EGG,			
						EGJ	DOV		
		2				EER,	DGX		
17						EGK			O RING, CV Joint
17	6502 363	2				EGC,	DGX		O KING, CV Joint
	0302 303					EGG,	ВОХ		
						EGJ			
		2				EER,	DGX		
						EGK			
18									SNAP RING
	6502 482	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
19									BEARING, Differential
	4539 879	1				EGC,	DGX		
						EGG,			
						EGJ			
		1				EER,	DGX		
						EGK			
20									OUTPUT SHAFT, Transaxle

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		·		<u> </u>					
	4567 216	1				EGC,	DGX		
		<u> </u>				EGG,			
						EGJ			
		1				EER,	DGX		
		•				EGK	DOX		
21									BEARING CONE, Output Shaf
	4412 235AB	1				EGC,	DGX		zzamie conz., caparona.
	1112 200713	•				EGG,	DOX		
						EGJ			
		1				EER,	DGX		
		•				EGK	DOX		
-22						LOIX			SNAP RING
	6502 482	1				EGC,	DGX		C
	3002 102	'				EGG,	20/		
						EGJ			
		1				EER,	DGX		
		•				EGK	ВОХ		
23						LOIN			BEARING, Differential
20	1790 541	2				EGC,	DGX		Side Cone
	1730 041	_				EGG,	ВОХ		Side Gone
						EGJ			
		2				EER,	DGX		Side Cone
		2				EGK	DOX		Side Corie
24						LOIN			BEARING, Differential
27	1790 541	2				EGC,	DGX		Case Cone
	1730 041					EGG,	ВОХ		Cuse Cone
						EGJ			
		2				EER,	DGX		Case Cone
		_				EGK	ВОХ		Cuse Cone
25									O RING, CV Joint
	6502 363	2				EGC,	DGX		2
	3002 000	_				EGG,	23/		
						EGJ			
		2				EER,	DGX		
		_				EGK	20/		
26						_0.0			GEAR, Differential Side
_0	4593 110	2				EGC,	DGX		,
	.000 110					EGG,	20/		
						EGJ			
		2				EER,	DGX		
		_				EGK	DOX		
27						LGIN			PINION, Differential
۷.									i iiviOiv, Dilielellual

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consequence
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART	0.777		055150	DODY				DECODIFICA
EM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4593 112	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			
28									SHAFT, Differential Pinion
	2852 913	2				EGC,	DGX		
						EGG,			
						EGJ			
		2				EER,	DGX		
						EGK			

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Gearshift Controls, Floor & Column Shift [DGX] Figure 42LE-1210**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4578 171AB	1							LEVER, Gearshift, With [DHD]
2	4578 148AA	1							SHIFTER, Transmission, Without
									[DHD]
3									KNOB, Gearshift
	4593 490AA	1							Vinyl
	4593 491AA	1							Leather
-4	6504 104	1							SCREW, Set, Shift Knob, M5x0.8x10
-5	6502 756	5							NUT, Hex Lock, M8x1.25
6	4295 369	1							CLIP, Clutch Cable, Shift Control
									Cable, M27x31.75Lg.
7	4578 168AA	1							CABLE, Gear Selector
8	4578 013AA	1							CABLE, Ignition Interlock
9									COLUMN, Steering, Reference See
									Group 19, (NOT SERVICED) (Not
									Serviced)
10									CABLE, Gear Selector
	4578 168AA	1							With [CUF]
	4578 169AA	1							Without [CUF]
11	4761 170	1							CABLE, Park Interlock
12	6503 078	1							CLIP, Moulding, Shift Cable, Column
									Shift, M25.20x16.50Lg.
-13	6505 405AA-	1							STUD, Shift Cable Reatainer
-14	4670 322	1							LEVER, Manual Control

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Group – 022 Wheels, Covers and Jacks






#### **GROUP 22 - Wheels, Covers and Jacks**

Illustration Title	Group-Fig. No
Wheels and Hardware	
Wheels and Hardware	Fig. 022-110
Wheel Covers and Center Caps	
Covers, Wheel	Fig. 022-210
Jack Stowage	
Jack and Spare Tire Stowage	Fig. 022-310

#### **Wheels and Hardware** Figure 022-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steel
	4782 244AC	4							[WCS,WLZ], 16 x 7
	4782 793AB	4							[WDH], 16 x 7
	4782 175AB	1							[TBC] 16X4.0 CONVENIENC
									SPARE
2									WHEEL
	4782 575AB	4							[WD9], 16 x 7
	4782 296AB	4							[WGW], 17 x 7, 10 Spoke
	4782 425AB	4							[WGE], 17 x 7, Crusader
	TU70 PAKAB	4							[WNW], 16 x 7, Painted
	UU48 PAKAB	4							[WN2], 16 x 7, 5 Spoke
3									WHEEL, Aluminum
	WA54 PAKAB	4							[WFS], 17 x 7, 6 Spoke, Pair
	4782 289AB	4							[WF7], 17 x7 6 Spoke Chrom
	XY49 PAKAA	4							[WNG], 16 x 7 Genesis
	UW21 ZDJAB	2							[WPW], 18 x 7.5, Painted
4									CAP, Wheel Center
	4782 783AA	4							[WF7,WGE,WD9]
	4284 004	4							[WNG]
	4782 787AA	4							[WNW,WN2]
	4782 792AA	4							[WMH,WDH] And Police Pac
	4782 314AA	4							[WGW]
	4782 905AA	4							[WPW]
	RG98 PAKAA	4							[WFS]
5	6502 738	20							NUT, Wheel Chrome, M12x1.5
									[WLZ]
6									NUT, Wheel, M12x1.5
	6507 498AA	20							[WDH]
	6504 672	20							[WCS]
7									STEM, Wheel Valve
	2073 355	5							,
	2401 840	1							Wheel Covers
-8	5083 124AA-	5							CAP, Valve Stem, Chrome
9	52088 990AC	5							SENSOR, Tire Pressure, valve
10	5083 124AA	5							CAP, Valve Stem, Chrome
-11	4897 346AA-	5							VALVE CORE, WHEEL SENS
• •	.00. 0.0/	Ū							VALVE, ALUMINUM
-12	5083 123AA-	5							GROMMET
-13	52088 961AA-								NUT
-14	52109 664AA-								MAGNET
-15	32100 004/ VA	•							LABEL, Tire Pressure
10	4782 251AA-	1							P225/60 R16 BSW A/S TOU
	7102 201AA	1							1 220/00 INTO DOW A/O TOU

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


### **Wheels and Hardware** Figure 022-110



·	PART	)		CEDIES	BODY	FNOINE	TRANS	TDIM	DESCRIPTION
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4782 248AA-	1							P225/55R17 95S AS TOURING
	4782 256AA-								P225/55R17 95S AS TOURING
	:								FRENCH
	4782 299AA-	1							P225/55R17 95V AS PERF.
NCORDE	E-INTREPID-300M (	(LH) ——							
RIES = Limited/		Chrysler		BODY 41 = 4 Door	r Sedan	ENGINE EER, EE0	) = 2.7L V6 D	DOHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M = SE	Intre	epid Dodge In				EGG = 3.5	5L HO V6 MI 5L V6 SOHC	1PI 24V	DG0 = All Automatic Transm
= SE = LXI	<b>└</b>	Concorde	illepiu			LU0 - 0.0.	5L V6 SONG 5L HO V6 MF	∠4 v	

		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2	3	NOTE:Sa [W6F] = V [W6G] = V	ales Codes: WHEEL COVE WHEEL COVE TW10 PAKA TW11 PAKA WR51 PAKA	ERS - 16' ERS - 16 .A 4 .A 4	S'						COVER, Wheel, [W6F] COVER, Wheel, [W6G] COVER, Wheel, 16", Police Group, [W6D]
		CONCORDE: SERIES P = Limited/I S = 300M H = SE M = LXI X = 300M SI	Intre D = C =	I (LH) ——— IE = Chrysler repid = Dodge Int = Concorde = 300M	ntrepid	BODY 41 = 4 Door	r Sedan	EGG = 3.5	) = 2.7L V6 D 5L HO V6 MF 5L V6 SOHC : 5L HO V6 MP 1AGNUMÖ 3.9	PI 24V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

# Jack and Spare Tire Stowage Figure 022-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 807AB	1							SUPPORT, Spare Tire Cover
2									COVER, Spare Tire
	4580 451AE	1	С						
	4580 458AE	1	D, Y						
3									CUP, Spare Tire Retention
	52059 414AC	1	С						
		1	D, Y						
4	6504 599	1							NUT, M10x1.50, Wing, Jack Hold
									Down
5	4772 481AB	1							JACK, Scissors
-6	4772 483AB-	1							WRENCH, Wheel Lug Nut
-7									LABEL, Tire Pressure
	4782 248AA-	1							[TR1] P255/55R17 30 PSI, English
	4782 251AA-	1							[TRU] P255/60R16 32 PSI, English
	4782 299AA-	1							[TRG] P255/55R17 95V 30 PSI,
									English
-8									FASTENER, (NOT SERVICED) (No
									Serviced)
9	4782 177	1							SPACER, Spare Tire, 16 x 4
									Convenience Spare
10	6505 614AA	1							BOLT, Square Neck, M8 x 1.25 x
									226.50

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – 23D


# Wiper/Lock Cylinder and Keys

# 023D-100 023D-200



### GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No
Lock Cylinders and Keys	
Lock Cylinders and Double Bitted Lock Cylinder Repair Components	Fig. 23D-105
Windshield Wiper and Washer Systems	
Windshield Wiper and Washer System	Fig. 23D-205



TEM	PART	OTV	LINE	SEDIFO	BODY	ENGINE	TDANC	TDIM	DESCRIPTION
IEW	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
TE: A	LL LOCK CYLI	INDERS	S ARE UN	CODED					
1									KEY, Blank
	5018 689AA	1	D						Without Sentry
	5018 690AA	1	D						With Sentry
	5018 868AA	1	С						Without Sentry
		1	Υ						Without Sentry
	5018 869AA	1	Υ						With Sentry
		1	С						With Sentry
2									CYLINDER, Ignition Lock
	5003 843AB	1	С						
		1	Υ						
		1	D						
3									TUMBLER, Ignition Number 1,
									Sidebar
	5010 879AA	1	С						
		1	Υ						
		1	D						
-4									TUMBLER, Ignition Number 2,
									Sidebar
	5010 880AA-	1	С						
		1	Y						
_		1	D						
-5									TUMBLER, Ignition Number 3,
	5040 004 4 4		0						Sidebar
	5010 881AA-	1	C Y						
		1 1	Y D						
-6		'	D						TUMBLER, Ignition Number 4,
-0									Sidebar
	5010 882AA-	1	С						Jidebai
	0010 002AA-	1	Y						
		1	D.						
7		•							SPRING, Ignition Tumbler, Sidek
	5010 883AB	1	С						
	22.2.3002	1	Y						
		1	D						
8		•	_						CYLINDER, Deck Lid Lock
	4778 145	1	С						,
	-	1	Y						
		1	D						
9									CYLINDER, Door Lock
9		<u>'</u>							

CONCORDE-INTREPID-300M (LH) SERIES

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


LINE H = Chrysler Intrepid D = Dodge Intrepid


E = 300M


C = Concorde


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm











		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•										
		5056 182AA	1	С						Right or Left
-			1	D						Right or Left
			1	Υ						Right or Left
	10									TUMBLER, Door and Deck Number
										1, Wide
_		4778 117	1	С						
			1	Υ						
			1	D						
_	-11									TUMBLER, Door and Deck Number
										2, Wide
		4778 118	1	С						
			1	Y						
_			1	D						TIME 5
	-12									TUMBLER, Door and Deck Number
		4778 119	4	0						3, Wide
		4//8 119	1	C Y						
-			1 1	D T						
	-13		'	D						TUMBLER, Door and Deck Number
	10									4, Wide
		4778 120	1	С						, , , , ,
-			1	Y						
			1	D						
	14									SPRING, Door and Deck Tumbler
		4778 121	1	С						
_			1	Υ						
			1	D						
	15									CYLINDER, Glove Box Lock
_		4778 448	1	С						
			1	Y						
			1	D						
	16			_						TUMBLER, Ignition Number 1
_		5257 132	1	С						
			1	Y						
	47		1	D						TUMPLED Invition Number 0
	-17	E0E7 400	4	0						TUMBLER, Ignition Number 2
-		5257 133	1 1	C Y						
			1	r D						
	-18		'	D						TUMBLER, Ignition Number 3
	- 10	5257 134	1	С						TOWNERY, Ignition Number o
-		0201 104								

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE

E = 300M


H = Chrysler Intrepid
D = Dodge Intrepid


C = Concorde


BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm














	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Υ						
		1	<u>.</u> D						
-19		-	_						TUMBLER, Ignition Number 4
	5257 135	1	С						, 3
		1	Y						
		1	D						
20									SPRING, Lock Cylinder Tumbler
	4746 873	1	С						•
		1	Υ						
		1	D						
21									CAP, Door Lock Cylinder, Bright
	4778 149	1	С						
		1	Υ						
		1	D						
22	4778 150	1	С						SHUTTER, Door, Deck and Liftgate,
									Bright
23	4378 793	1	С						SPRING, Cylinder Return
24									SPRING, Lock Cylinder Return
	4378 798	1	С						
		1	Y						
		1	D						
25									CAP, Serviced with Cylinder, Deck
									Lid P/N 4778145, (NOT
26									SERVICED) (Not Serviced)
26	4658 444		С						CLIP, Latch
	4000 444	1 1	Y						Purple Purple
		1	D						Purple
	4658 445	1	C						Orange
	4000 440	1	Y						Orange
		1	D.						Orange
27		•	_						LEVER, Front Door Cylinder
	4717 288	1	С						,
	= = = = = = = = = = = = = = = = = = =	1	Y						
		1	D						
28									LEVER, Deck Lid Cylinder
	4780 387AB	1	С						•
	4780 457AA	1	Υ						
		1	D						
29	4480 116	1							RETAINER, Lock Cylinder
-30	4878 786AA-	1							RETAINER, Door Lock Cylinder
31									TRANSMITTER, Keyless Entry

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid

E = 300M


C = Concorde

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm




2



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4602 260AA	2							
	4602 261AB	2							Export
32									RECEIVER, Keyless Entry
	4602 415AC	1							Export
	56045 755AB	1							
33	4602 273AC	1							MODULE, Immobilizer
-34	8350 4802	2							BATTERY, Transmitter
-35									CAP KIT, Fuel Tank Locking
	5015 636AB-	1	Υ						
		1	С						
		1	D						
36									CLIP, Retainer, (NOT SERVICED)
									(Not Serviced)
-37									SCREW, Self Tapping, M6x1x15
	6505 907AA-	2	D, Y						Deck Lid Lock Cylinder Bracket
									ataching
		2	С						Deck Lid Lock Cylinder Bracket
									ataching





CONCORDE-INTREPID-300M (LH)

LINE **SERIES** P = Limited/ES H = Chrysler S = 300M H = SE

M = LXI


X = 300M Special

Intrepid D = Dodge Intrepid C = Concorde E = 300M

BODY 41 = 4 Door Sedan

**ENGINE** EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6 TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

### **Windshield Wiper and Washer System Figure 23D-205**



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
CH=Cor	ncorde								
CP=LHS	3								
1	5011 198AA	1							LINKAGE, Wiper Arm
-2	5011 199AB-	1							MOTOR, Wiper
-3	5011 200AA-	1							LINK, Drive Wiper
-4	5011 201AA-	1							LINK, Slave
5	5011 202AA	1							GROMMET, WIPER FRAME
6	6504 559	2							SCREW AND WASHER, Hex Head,
									M6x1.00x45.00, Wiper Module
									attaching
7	6505 683AA	1							SCREW AND WASHER, HEX
									HEAD, M8 X 1.25 X 75.00
8	6504 954AA	2							NUT & WASHER, Hex, M10 X 1.25
9	4630 783	2							CAP, Wiper Arm Nut
10									ARM, Wiper
	5011 204AB	1							Right
	5011 205AB	1							Left
11									BLADE, Wiper
	5011 206AC	1							Right
	5011 207AB	1							Left
12									REFILL, Wiper Blade
	5011 208AB	1							Right
	5011 209AA	1							Left
13									NOZZLE, Washer, Windshield
	4805 467AB	1	Υ						Left
	4805 466AB	1	Υ						Right
	5101 940AA	1							
	4806 064AA	1							Right
14	4805 166	1							CONNECTOR, Washer Hose, Y
15	4805 409AA	2							CLIP, Washer Hose
16	5018 127AA	1							HOSE, Windshield Washer, 50 foot
									roll make up as required
17	5011 825AA	1							COUPLING, Flexible
18	6034 716	1							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875
19									RESERVOIR, Washer
	5011 819AA	1							With headlamp washers, Export
	5011 823AB	1							
-20	6101 737	3							SCREW, M6x1.0x18
-21	6506 133AA-	4							SCREW, Reservoir mounting
-22	6503 641	AR							SCREW, M7X1.25X16.00

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Windshield Wiper and Washer System Figure 23D-205



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-23	5011 809AA-	1							GROMMET, Windshield Washer
										Pump
	-24									GROMMET, Washer Reservoir
		5013 755AA-	1							Fluid level sesnor
		4863 704	1							Inlet Connector
	25	6101 712	1							NUT, U, M6x1, Wiper Module
										attaching
	26	55077 241AB	1							PUMP, Washer, Windshield
	27	5011 821AA	1							PUMP, Washer, Headlamp
	-28	5011 809AA-	1							GROMMET, Windshield Washer
										Pump
	-29	5011 822AA-	1							GROMMET, Headlamp Washer
										Pump
_	30	4882 797	1							SENSOR, Washer Fluid Level
	31	4797 694	1							CAP, Washer Reservoir
	32	5011 827AA	1							FILLER, Mouth
	33	5011 810AA	1							INLET, Connector
	34									NOZZLE, Washer, Headlamp
		4805 072AD	1							Right
		4805 073AD	1							Left
	-35	4805 071AC-	1	Υ						HOSE, Washer, Headlamp
	-36	6505 570AA-	4							SCREW, Pan Head, M4 x 0.70 x 10.
										00, Headlamp Washer Attaching

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# **Group – 024**

# Air Conditioning & Heater




# D24–100 Air Conditioner and Heater Units Air Conditioner and Heater Plumbing D24–500 Air Conditioning Compressor Mounting D24–600 Air Ducts and Outlets

### **GROUP 24 - Air Conditioning & Heater**

Illustration Title	Group-Fig. N
Air Conditioner and Heater Units	
Air Conditioning Unit	Fig. 024-110
ATC Unit	Fig. 024-120
Air Conditioner and Heater Plumbing	
A/C Plumbing	Fig. 024-210
Plumbing, Heater	Fig. 024-220
Air Conditioner and Heater Controls	
Controls, Air Conditioning and Heater	Fig. 024-310
Air Conditioning Compressor	
Compressor and Related Parts	Fig. 024-415
Air Conditioning Compressor Mounting	
Compressor Mounting	Fig. 024-515
Air Ducts and Outlets	
Air Distribution Ducts	Fig. 024-610
Air Distribution Outlets	Fig. 024-625

# Air Conditioning Unit Figure 024-110



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_		-			-			-		
	1	5010 979AE	1							HOUSING, A/C And Heater
	-2	4644 168AB-	1							LEVER, Defroster Door Control
	-3	4644 149	1							LEVER, Vent Door
	-4	4596 099AC-	1							TUBE, Drain
	5	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
	6	4644 225	3							STUD, A/C Heater Housing
	7	6031 087	3							WASHER, A/C Unit Mounting Stud
	8	4734 770AC	1							ACTUATOR, Blend Door
	9	4734 772AC	1							ACTUATOR, Mode Door
	10	4734 984AC	1							ACTUATOR, Recirculation Door
	11	5010 981AA	1							HOUSING, Air Inlet
	12	6101 308	1							NUT, U, M6x1
	13	4885 845AA	1							RESISTOR, Blower Motor
	14	4760 757	1							WIRING, A/C and HEATER
	15	4885 148AC	1							MOTOR, Blower with Wheel
	16	4885 057AB	1							COVER, Blower Motor
	17	4734 733AB	1							DUCT, Floor Distribution
	18	5011 078AB	1							CORE, Heater
	19	5093 737AA	1							EVAPORATOR KIT, Air Conditioning
	-20	4734 726	1							PROBE, Air Conditioning
	21	4734 227	49							SCREW, Hex Head, M4.8-1.59x19
	22	5093 736AA	1							VALVE KIT, Expansion
	-23									O RING, Expansion Valve
		4885 802AA-	1							[15.5mm]
		4885 803AA-	1							[10.25mm]
	24	4734 122AB	2							SCREW, Expansion Valve Mounting
	25	5010 977AB	1							SEAL KIT, A/C And Heater Unit
	-26	4596 510AB-	1							LABEL, A/C Spec, Belt Rtg. & Fan Caution
_	-27	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum
	-28	5061 334AA-	1							SEAL, Heater Core Tubes
	-29	4734 385	1							SCREW AND WASHER, Control
	-		•							Lever
	-30	4885 929AA-	2							CLIP, Air Conditioning Wire


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **ATC Unit** Figure 024-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-		-				
1	5010 979AE	1							HOUSING, A/C And Heater
-2	4644 149	1							LEVER, Vent Door
-3	4644 168AB-	1							LEVER, Defroster Door Control
-4	4596 099AC-	1							TUBE, Drain
5	4734 227	18							SCREW, Hex Head, M4.8-1.59x19
6	4644 225	3							STUD, A/C Heater Housing
7	6031 087	3							WASHER, A/C Unit Mounting Stud
8	4734 770AC	1							ACTUATOR, Blend Door
9	4734 772AC	1							ACTUATOR, Mode Door
10	4734 984AC	1							ACTUATOR, Recirculation Door
11	5010 981AA	1							HOUSING, Air Inlet
12	6101 308	1							NUT, U, M6x1
13	4760 451	1							WIRING, A/C and HEATER
14	4885 148AC	1							MOTOR, Blower with Wheel
15	4885 057AB	1							COVER, Blower Motor
16	4734 733AB	1							DUCT, Floor Distribution
17	5011 078AB	1							CORE, Heater
18	5093 737AA	1							EVAPORATOR KIT, Air Conditioning
-19	4734 913AE-	1							MODULE, ATC Blower Control
20	4734 726	1							PROBE, Air Conditioning
21	5061 264AB	1							VALVE, Expansion
-22									O RING, Expansion Valve
	4885 802AA-	1							[15.5mm]
	4885 803AA-	1							[10.25mm]
23	4734 122AB	2							SCREW, Expansion Valve Mounting
24	5010 977AB	1							SEAL KIT, A/C And Heater Unit
25	4734 227	18							SCREW, Hex Head, M4.8-1.59x19
-26	4596 510AB-	1							LABEL, A/C Spec, Belt Rtg. & Fan
									Caution
-27	6505 224AA-	1							NUT, M6x1.00, Unit to Plenum
-28	4734 385	1							SCREW AND WASHER, Control
									Lever
-29	4885 929AA-	2							CLIP, Air Conditioning Wire

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

2 1 1 1 1 1 1 1 1 1 1 1 1 1	
25 23 1 20 19	

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: I	For Heater Plu	ımbing se	e Illustrati	on 7-310 C	oolant Red	covery Syst	tem.		
Sales C	odes:								
EER] =	2.7L V6 DOH	C 24 VAI	VE MPI						
EES] =	2.7L V6 24V	W/ACTIV	E INTAKE						
EGC] =	'MAGNUM' 3	.5L V6 S	OHC 24V						
EGG] =	3.5L HIGH O	UTPUT \	/6 24V MF	7					
EGJ] =	3.5L V6 SOH	C 24 VAL	.VE						
EGK] =	3.5L HIGH O	UTPUT V	6 24V MP	1					
1									LINE, A/C Liquid
	5003 979AA	\ 1				EE0			
		1				EG0			
2									O RING, A/C Line
	5066 560AA	1				EE0			
		1				EG0			
3	5010 962AA	1				EE0			VALVE, Charging
4	5019 242AA	١ 1				EE0			CAP, A/C Check Valve
5									O RING, A/C Line
	5072 462AA	1				EG0			·
		1				EE0			
6									SCREW, [M6.3X1.81X25.00], (NO
									SERVICED) (Not Serviced)
7									DRIER, Air Conditioning Filter, Wit
									Bracket and Tube
	5101 762AA	١ 1				EE0			
	0.002					EG0			
8	5061 264AE								VALVE, Expansion
9	4596 529AA					EE0			LINE, A/C Suction, Evaporator
10	4882 136	1				EE0			O RING, A/C Line, 3/4
-11	5264 638	1				EE0			VALVE, Charging
-12	5019 242AA					EE0			CAP, A/C Check Valve
13	4698 751					EE0			LINE, A/C Suction, Compressor
14	4796 564	2				EE0			O RING, A/C Line
15	4596 531AE					EG0			LINE, A/C Suction
16	4882 136	1				EG0			O RING, A/C Line, 3/4
17	4796 564	1				EG0			O RING, A/C Line, 5/8
18	6101 445	2				_00			NUT AND WASHER, Hex Nut-Cor
.0	0.01 r-0	_							Washer, M8 x 1.25
19									LINE, A/C Discharge
13	4758 330AE	1				EG0			, , , , O Disorial go
	4758 335AE					EE0			
20	1700 000712					LLO			O RING, A/C Line
									3 Times, 7.00 Line
ONCORD	E-INTREPID-300			DODY.		ENOUS I			TDANOMICCION
RIES = Limited		NE = Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
= 300M	Int	repid			,	EGG = 3.5	IL HO V6 MF	PI 24V	DG0 = All Automatic Transm
= SE = LXI		<ul><li>Dodge In</li><li>Concorde</li></ul>					L V6 SOHC : L HO V6 MF		
- L/I		= Concorde = 300M	-				AGNUMÖ 3.		

# A/C Plumbing Figure 024-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4796 565	2				EG0			
		2				EE0			
-21	5264 638	1				EE0			VALVE, Charging
22									TRANSDUCER PACKAGE, A/C
									Pressure
	5019 881AA	1				EG0			
		1				EE0			
23	6101 467	2							NUT, Hex Flange, M8x1.25
24									SCREW AND WASHER, Hex Hex
									M8x1.25x95
	6502 425	3				EG0			
		3				EE0			
25									CONDENSER KIT, Air Conditionin
	5014 111AB	1							[NMS,NMC,NMD]
	4758 305AC	1							[NMB]
-26	4761 512	1							SCREW, Condenser Tube Bracket
									Plastic
27	6102 160AA	2							SCREW, Hex Flange Head
28	6504 342	1							NUT, Hex Flange Lock

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

PART





ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
	2.7L V6 DOHC								
	2.7L V6 24V W/								
	'MAGNUM' 3.5L								
	3.5L HIGH OUT			1					
[EGW] =	3.2L V6 SOHC		LVE MPI						
1	4758 269AC	1							BOTTLE, Pressurized Coolant
2	4596 444AA	1							CAP, Coolant Recovery Bottle,
									Export
3	4596 198	1							CAP, Radiator
4	6034 716	2							SCREW AND WASHER, Hex Flange
									Head, .25-14x.875, Bottle Mounting
5	6502 018	1				EG0			CLAMP, Hose, M28.9 x 1.60
6	4592 126	1				EE0			CLAMP, Hose
7	6100 574	1				EE0			BOLT AND CONED WASHER, Hex
									Head, M8x20x17
8									TUBE, Heater Return, w/Hose
	4767 150AC	1				EG0			
	4767 152AC	1				EE0			
-9	4792 308	1				EER			CLIP, Heater Hose
10	HHR00 034AA	. 1							HOSE 1FT, Heater, 3/4", Return
									(Roll Stock)
-11	6505 692AA-	1				EG0			O RING
12	4596 266AC	1				EE0			BRACKET, Heater Tube To Block
13									HOSE, Heater Supply
	4767 170AB	1				EG0			
	4767 172AH	1				EE0			
14									HOSE, Bottle Supply, Serviced with
									TUBE ASSY- POSTIVE
									CRANKCASE VENTILATION
									HEATED - 4792645AB, (NOT
									SERVICED) (Not Serviced)
15	6101 467	1				EER			NUT, Hex Flange, M8x1.25

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Controls, Air Conditioning and Heater** Figure 024-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, A/C And Heater
	4698 198AB	1	D						
		1	C, Y						
2									KNOB, A/C And Heater Control
									Rotary
	5011 272AA	1	C, Y						
		1	D						
-3									BULB AND SOCKET, Heater ar
									A/C Control
	5013 815AA-	1	D						
		1	C, Y						
4									CONTROL, A/C And Heater, Au Temp Control
	4698 199AD	1	D						
		1	С						
		1	Υ						
5									KNOB, A/C And Heater Control
									Rotary
	5011 272AA	1	D						
		1	C, Y						
-6									BULB AND SOCKET, Heater ar
									A/C Control
	5013 815AA-	1	D						
		1	C, Y						

CONCORDE-INTREPID-300M (LH)

SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid C = Concorde


E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


# Compressor and Related Parts Figure 024-415

		ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS T	TRIM .	DESCRIPTION
			1								
_		NOTE:Sale	iles Codes: 2.7L V6 DOH	C. 24 VA	√ VF MPI						
			MAGNUM' 3.								
			3.5L HIGH O			rl .					1
		[EGJ] = 3.	5.5L V6 SOHO	C 24 VAL	LVE						
		[EGK] =3. <sup>4</sup>	.5L HIGH OU	TPUT V	/6 24V MPI						
		1									CLUTCH OVERHAUL KIT, A/C
			:==== 044AB					===			Compressor
			4723 011AB	1				EE0			
		2		Ί				EG0		N	MANIFOLD KIT, A/C Compressor
			5010 168AA	. 1				EE0		IV	MANIFOLD KIT, AVO COMPLESSO
L	5		5010 169AA					EG0			!
		3	0010							S	SEAL, Manifold To Compressor
		_	4728 854	1				EE0			
 				1				EG0			!
		4									/ALVE CORE, High Flow, A/C
					<del></del>		<del></del>				Compressor
	(2) (8)	-	4723 015	1				EE0			!
		_		1				EG0			
i I		5									CAP, High Flow Valve Core, A/C
	10 9		1700 047	4							Compressor
		4	4723 017	Ί 1				EE0 EG0			1
		6		I				EGU		V	/ALVE CORE, Low Flow, A/C
  - 											Compressor
			4723 016	1				EE0			Ochipioses.
				1				EG0			!
		7	— <del></del>		<u> </u>					С	CAP, Low Flow Valve Core, A/C
											Compressor
 		,	4723 018	1				EE0			
				1				EG0			
		8									/ALVE, High Pressure Relief,
											Serviced in Manifold for 1999, (NOT
		0									SERVICED) (Not Serviced)
ĺ		9	4698 723AC	· 1				EER		C	COMPRESSOR, Air Conditioning
			4758 322AB					EGC,			
			4100 022, .2	,				EGC, EGG,			
								EGJ,			
:   								EGK			
	(13)	10								С	COIL, Stator, A/C Compressor Clutch
		CONCORDE-	-INTREPID-300M	л (I H) ——							
		SERIES	LIN	٧E		BODY		ENGINE			TRANSMISSION
		P = Limited/ES S = 300M	ES H =	= Chrysler repid	r	41 = 4 Door	Sedan	EGG = 3.5L	= 2.7L V6 DOH L HO V6 MPI 2	24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
		H = SE	D =	= Dodge Ir	Intrepid ·			FGJ = 3.51	V6 SOHC 24\	V	500 7 7
		M = LXI X = 300M Special	oecial E :	= Concord = 300M	de			EGK = 3.5L EGC = ÎMA	L HO V6 MPI 2 AGNUMÖ 3.5L	24V V6	

### **Compressor and Related Parts** Figure 024-415



# Compressor Mounting Figure 024-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ales Codes:								
	.7L V6 DOHC								
	MAGNUM' 3.5								
	3.5L HIGH OU			1					
	.5L V6 SOHC								
	5L HIGH OUT	PUIV	o 24V IVIPI						CODEW AND WACHED Have head
1									SCREW AND WASHER, Hex Head, M8x1.25x95
	6502 425	3				EG0			
		3				EE0			
2	4792 291AB	1				EG0			BRACKET, A/C Compressor
-3	6505 653AA-	1				EG0			STUD, Compressor Bracket and Belt Guide mounting
-4	6506 019AA-	1				EG0			BOLT AND WASHER, Hex Head, M10x1.5x30, A/C Compressor Brkt Mounting to Cyl. Head and Timing Cover, Lower
-5	6101 467	2							NUT, Hex Flange, M8x1.25, Belt guide mounting, Belt Guide Mounting

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Air Distribution Ducts** Figure 024-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4698 533AB	1							DUCT, Defroster
2	6101 946	1							SCREW, Tapping, Duct Attaching
3	4758 350AB	1							DUCT, Heat Distribution
4	6501 925	1							PIN, Splash Shield, Duct Mounting
5	4758 351AD	1							DUCT, Heat Distribution
6	4758 352	1							DUCT, Floor Console, Front
7	4758 353	1							DUCT, Floor Console, Carpet
									Module, Front
8	4758 349AB	1							DUCT, Floor Console, Center
9	4698 690	1							DUCT, Instrument Panel, Under
									Column
10	4734 733AB	1							DUCT, Floor Distribution
11									DUCT, Air Distribution, Center
	4698 518	1	D						
	4698 685	1	С						C-P
		1	Υ						
	4698 687	1	С						[C-H, C-M]
12									DUCT, Air Distribution, Left
	4698 520	1	D						
	4698 675	1	С						C-P
		1	Y						
	4698 682	1	С						[C-H, C-M]
13									DUCT, Air Distribution, Right
	4698 519	1	D						
		1	С						C-H
	4698 684	1	С						C-P
		1	Υ						
14									DUCT, Demister, Right
	4698 534AB	1	D						
		1	С						C-H
		1	Y						
15		_	_						DUCT, Demister, Left
	4698 683AB	1	D						
		1	С						C-H
40		1	Υ						BUOT A: B: ( " . "
-16	4000 004	,	6						DUCT, Air Distribution
	4698 684	1	C						Right
	4698 685	1	С						Left
	4698 684	1	Y						Right
	4698 685	1	Υ						Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Air Distribution Outlets** Figure 024-625



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1102			1 0220			110.000	1	220 1.0
1									GRILLE, Demister, Right
	PD56 WL8	1	С						[L5]
		1	D						[L5]
	PD56 XDV	1	С						[DV]
		1	D						[DV]
	PD56 XTM	1	С						[T5]
		1	D						[T5]
2									GRILLE, Demister, Right
	QH88 XDV	1	С						[D2,DV]
		1	Y						[D2,DV]
	QH88 XTM	1	С						[T5]
_		1	Υ						[T5]
3									GRILLE, Demister, Left
	PD57 WL8	1	D						[L5]
	PD57 XDV	1	D						[DV]
4	PD57 XTM	1	D						[T5]
4	DD64 WILD	- 1	С						GRILLE, Demister, Left
	PD61 WL8	1	Y						[L2,L5]
	PD61 XDV	1 1	C						[L2,L5] [DV,D2]
	FD01 XDV	1	Y						[DV,D2] [DV,D2]
	PD61 XTM	<u>'</u> 1	C						[T5]
	1 201 7(11)	1	Y						[T5]
5		•	·						OUTLET, Air Conditioning & Heater
									Center
	QT04 WL8AA	3	С						[L2]
		3	Υ						[L2]
	QT04 XDVAA	3	С						[D2,DV]
		3	Υ						[D2,DV]
	QT04 XTMAA	3	С						[T5]
		3	Υ						[T5]
6									OUTLET, Air Conditioning & Heater
									Center
	QU67 WL8AB	1	С						[L5]
	QU67 XDVAB	1	С						[DV]
	QU67 XTMAB	1	С						[T5]
7									OUTLET, Air Conditioning & Heater
									Center
	QU69 WL8AA	2	D -						[L5]
	QU69 XDVAA	2	D -						[DV]
	QU69 XTMAA	2	D						[T5]

CONCORDE-INTREPID-300M (LH)

**SERIES** P = Limited/ES S = 300MH = SEM = LXI

X = 300M Special

LINÈ H = Chrysler Intrepid D = Dodge Intrepid


E = 300M

C = Concorde

BODY 41 = 4 Door Sedan

**ENGINE** EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6 TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

### **Air Distribution Outlets** Figure 024-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8									OUTLET, Air Conditioning & Heate
									Woodgrain
	QT02 WL8AA	2	С						[L2]
		2	Υ						[L2]
	QT02 XDVAA	. 2	С						[D2,DV]
		2	Υ						[D2,DV]
	QT02 XTMAA	. 2	С						[T5]
		2	Υ						[T5]
9									OUTLET, Air Conditioning & Heate
									Left
	QU68 WL8AB	3 1	С						[L5]
	QU68 XDVAB	3 1	С						[DV]
	QU68 XTMAE	3 1	С						[T5]
10									OUTLET, Air Conditioning & Heate
									Left
	QU71 WL8AA	1	D						[L5]
	QU71 XDVAA		D						[DV]
	QU71 XTMAA	1	D						[T5]
11									OUTLET, Air Conditioning & Heate
									Right side
	QU66 WL8AB		С						[L5]
		2	D						[L5]
	QU66 XDVAB	3 2	С						[DV]
		2	D						[DV]
	QU66 XTMAE		С						[TM]
		2	D						[TM]

CONCORDE-INTREPID-300M (LH)

**SERIES** P = Limited/ES S = 300MH = SE

X = 300M Special

M = LXI

LINÈ H = Chrysler Intrepid D = Dodge Intrepid

E = 300M

C = Concorde


BODY 41 = 4 Door Sedan


**ENGINE** EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic

DG0 = All Automatic Transm


# Group – 025 Emission Systems





### **GROUP 25 - Emission Systems**

Illustration Title	Group-Fig. No
Emission Labels	
Emission Labels	Fig. 025-110
EGR System	Fig. 025-210
Vacuum Canister	
Emission Harness	Fig. 025-310
Vapor Canister and Leak Detection Pump	Fig. 025-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	les Codes	2 2 4 \ / 1 / 1	DI						
	7L V6 DOHC .5L Magnum								
	.5L High Out								
	5L V6 SOHC								
[EGK] = 3	.5L High Outp	out V6 2	4V MPI Po	olice Packa	ge				
1									LABEL, Emission
	4578 240AB	1				EER			[NAS] U.S.50 State
	4578 241AB 4578 242AB					EER EGJ			[NA1] Export [NAS] U.S.50 State
	4578 242AB	1				EGC,			[NAS] U.S.50 State
	1010 2 10/12	•				EGG,			[, w.e.] e.e.ee etate
						EGK			
	4578 244AB	1	C, Y			EGG			[NA1] Export
	5032 954AA	1				EGJ			[NAM] Mexico
	5032 955AA	1				EGG			[NAM] Mexico
ONCORDE-I ERIES = Limited/E = 300M = SE = LXI	Intre D =	E Chrysler		BODY 41 = 4 Door	Sedan	EGG = 3.5 EGJ = 3.5I	= 2.7L V6 D L HO V6 MF _ V6 SOHC : L HO V6 MF	PI 24V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

### **EGR** Figure 025-210


Figure 025-2	10								
ITEM	PAR M NUME		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
4	6024.06					F00			DLUC Hay Cooket 2/0 40NDT
1	6034 82	26 2				EG0			PLUG, Hex Socket, 3/8-18NPT, Cylinder Head EGR Hole
2									SCREW AND WASHER, Hex Head,
	0504.00					EED			M8x1.25x20, (NOT REQUIRED)
3	6504 62	22 1				EER			STUD, 2 End Same, M6x1.00x45.00, EGR Cover Plate Attach
									Lort cover riate / titaer
CONCO	RDE-INTREPID	-300M (LH)							
SERIES P = Limi		LINÈ H = Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
S = 300 H = SE	M	Intrepid			2	EGG = 3.5	L HO V6 MF L V6 SOHC	PI 24V	DG0 = All Automatic Transm
M = LXI		D = Dodge II C = Concord	le			EGJ = 3.51 EGK = 3.5	L V6 SOHC L HO V6 MF AGNUMÖ 3.	24 V PI 24V	
X = 300	M Special	E = 300M				EGC = ÎM/	AGNUMO 3.	5L V6	

### **Emission Harness** Figure 025-310

OFFICE	
2	

	PART				<u> </u>				
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
יסדר, פי	lee Oedoo								
	ales Codes 7L Engine								
	7L Engine 7L Engine w/M	ЛТV							
	5L Magnum E								
	5L High Outpu		ıe						
	.2L Engine								
1	-								HARNESS, Vapor
	4578 209AB								
	4578 209AD								Use 12-02-02 And After
	4591 733AA								SOLENOID, Proportional Purge
-3	4578 099AB-	- 1							BRACKET, Proportional Purge
4									Solenoid, Solenoid Bracket
-4									TUBE, Vacuum, To LDP in Tank,
									(NOT SERVICED) (Not Serviced)
	-INTREPID-300M					ENGINE			TO A MODALICO IONI
		-		D/ 11 11.		FNGINE			TRANSMISSION
ERIES	LINE			BODY 41 = 4 Door	Sedan		= 2.7L V6 D	JOHC	
ERIES = Limited/E = 300M	LINE ES H = Intre	= Chrysler epid			· Sedan	EER, EE0 EGG = 3.5	) = 2.7L V6 D 5L HO V6 MF	IPI 24V	DGX = 4 Speed Automatic DG0 = All Automatic Transm
ONCORDE-I ERIES = Limited/E = 300M = SE   = LXI	LINE ES H = Intre D =	- Chrysler	ntrepid		<sup>r</sup> Sedan	EER, EE0 EGG = 3.5 EGJ = 3.5l		IPI 24V 24V	DGX = 4 Speed Automatic

# Vapor Canister and Leak Detection Pump Figure 025-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
NOTE: 9	Sales Codes								
	eaded Fuel								
	0 States Emissi	ions							
1									CANISTER, Vapor
	4891 428AC	1							Natural Vacuum Leak Detection
	4581 388AC	1							[NA3,NA1,NAM]
	4891 386AD	1							[NAS]
2	4891 387AB	1							DETECTOR, Natural Vacuum Leak
									Detection
3									SCREW, Tapping, .19-16x.375,
									(NOT SERVICED) (Not Serviced)
4	4581 352AB	1							FILTER, Fuel Vapor Canister, With
									Leak Detection Pump
-5	4581 386AA-	1							FILTER, Air, Without Leak Detection
									Pump
6	4581 240AA	1							BRACKET, Leak Detection Pump
7									HOSE, Vent Valve to Filter, Service
									With Filter, (NOT SERVICED) (No
									Serviced)
-8	6101 978	1							SCREW AND WASHER, Hex Head
									M8-1.25x40
-9	4581 354AA-	1							VALVE, Onboard Vapor Recovery
									Control, Service Manual calls this
									Flow Management Valve.

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Group – DLH

### **Doors and Related Parts**






### **GROUP DLH - Doors and Related Parts**

Illustration Title	Group-Fig. No.
Front Door	
Door, Front Shell and Hinges	Fig. DLH-108
Door, Front Exterior Handle and Links	Fig. DLH-110
Door, Front Glass and Regulators	Fig. DLH-120
Door, Front Bezels and Speakers	Fig. DLH-130
Rear Door	
Door, Rear Shell and Hinges	Fig. DLH-205
Door, Rear Exterior Handle and Links	Fig. DLH-210
Door, Rear Glass and Regulators	Fig. DLH-220
Door, Rear Bezels	Fig. DLH-230
Exterior Mirror	
Mirror, Exterior	Fig. DLH-510
Weatherstrips and Seals	
Weatherstring Front and Rear Door	Fig. DI H-610

# Door, Front Shell and Hinges Figure DLH-108



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									DOOR, Front
<u> </u>	5003 224AD	1	D						Right
	5003 225AD	1	D						Left
	5003 226AG	1	C, Y						Right
	5003 227AG	1	C, Y						Left
2			,						PANEL, Door Outer
	4574 230AD	1	D						Right
	4574 231AD	1	D						Left
	4574 272AD	1	C, Y						Right
-	4574 273AD	1	C, Y						Left
3									WATERSHIELD, Front Door
	4780 148AE	1							Right
	4780 149AE	1							Left
4	6505 762AA	4							STUD, M8-1.25x52
5	6505 567AA	8							NUT, Flange
6									HINGE, Front Door Upper
	4574 274AB	1							Right
	4574 275AB	1							Left
7									HINGE, Front Door Lower
	4574 300AB	1							Right
	4574 301AB	1							Left
8	6505 546AA	6							SCREW AND WASHER, Hex Head,
									M8x1.25x30
-9	6505 530AA-	8							SCREW, Hex Flange Head, Hinge to
									Body
10									CHECK STRAP, Front Door
	4574 332AH	1							Right
	4574 333AH	1							Left
-11	4780 506AC-	2							SEAL, A-Pillar, Check Strap
12	6101 736	2							NUT AND WASHER, Hex, M6x1
13	6504 055	4							SCREW, Hex Head, M6x1x16
14									PROTECTOR KIT, Door Edge, Front,
									(NOT SERVICED) (Not Serviced)
15									WEATHERSTRIP, Front Door
									Opening
	4574 336	1							Right
	4574 337	1							Left
-16	4780 529AA-	2							TAPE, Acess Hole

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm


98Q093 105

# Door, Front Exterior Handle and Links Figure DLH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									HANDLE, Front Door Exterior,
1									Includes pink Clip
	LF02 AP4AE	4							
		1							[P4], Right
	LF03 AP4AE	1							[P4], Left
	LF02 AXRAE	1							[XR], Right
	LF03 AXRAE	1							[XR], Left
	LF02 SW1AE								[W1], Right
	LF03 SW1AE								[W1], Left
	LF02 WELAE								[EL], Right
	LF03 WELAE								[EL], Left
	LF02 WS2AE								[S2], Right
	LF03 WS2AE								[S2], Left
	LF02 YBWAE								[BW], Right
	LF03 YBWAE	1							[BW], Left
	LF02 YJRAE	1							[JR], Right
	LF03 YJRAE	1							[JR], Left
	LF02 ZDRAE	1							[DR], Right
	LF03 ZDRAE	1							[DR], Left
	LF02 ZKJAE	1							[KJ], Right
	LF03 ZKJAE	1							[KJ], Left
	LF02 ZMQAE	1							[MQ], Right
-	LF03 ZMQAE	1							[MQ], Left
	XE82 AP4AB	1							[P4], Without Lock Cylinder, Right
	XE82 AXRAB	1							[XR], Without Lock Cylinder, Right
	XE82 SW1AE	3 1							[W1], Without Lock Cylinder, Right
	XE82 WELAE	3 1							[EL], Without Lock Cylinder, Right
	XE82 WS2AE	3 1							[S2], Without Lock Cylinder, Right
	XE82 XBQAB	3 1							[BQ], Without Lock Cylinder, Right
	XE82 YBWAE	3 1							[BW], Without Lock Cylinder,
-									Right
	XE82 YJRAB	1							[JR], Without Lock Cylinder, Right
	XE82 ZDRAB								[DR], Without Lock Cylinder, Right
	XE82 ZKJAB	1							[KJ], Without Lock Cylinder, Right
	XE82 ZMQAE								[MQ], Without Lock Cylinder,
									Right
	XE82 ABEAB	1							[BE], Without Lock Cylinder, Right
	XE82 BB8AB	1							[B8], Without Lock Cylinder, Right
2	ALOZ BBOAB	•							LINK, Outside Handle To Latch,
_									Front Door
	4574 152	1							Right
	4574 153	1							Left
3	4374 133	'							LINK, Key Cylinder To Latch
3									LINK, Key Cyllider To Later
	INTREPID-300M								
SERIES P = Limited/E	LINE S H =	E Chrysler		BODY $41 = 4$ Door	Sedan	ENGINE FER FEO	= 2.7L V6 D	OHC	TRANSMISSION DGX = 4 Speed Automatic
S = 300M	Intre			-1 - + D001	Jouan		= 2.7L VO D 5L HO V6 MF		DG0 = All Automatic Transm
H = SE		Dodge In					L V6 SOHC		
M = LXI X = 300M Sp		Concorde 300M	<del>-</del>				L HO V6 MF AGNUMÖ 3.		

### **Door, Front Exterior Handle and Links** Figure DLH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4574 154	1							Right
	4574 155	1							Left
4	6505 533AA	4							SCREW, Hex Flange Head Tapping
									M4.8 x 1.59 x 14.00, Handle
									Attaching
5									KNOB AND LINK, Door Latch
	LE98 WL8AF	1							[L5,L2], Right
	LE99 WL8AF	1							[L5,L2], Left
	LE98 XDVAF	1							[DV,D2], Right
	LE99 XDVAF	1							[DV,D2], Left
	LE98 XTMAF	1							[T5], Right
	LE99 XTMAF	1							[T5], Left
-6	4658 674	AR							CLIP, Latch Link
7									BEZEL, Lock Knob
	PP03 WL8AB	1							[L5,L2]
	PP03 XDVAB	1							[DV,D2]
	PP03 XTMAB	1							[T5]
8									LATCH, Front Door
	4574 150AD	1							Right
	4574 151AD	1							Left
9									LINK, Inside Handle To Latch, Front
									Door
	4574 140	1	D						Right
	4574 141	1	D						Left
	4574 140	1	С	H, M					Right
	4574 141	1	С	H, M					Left
	4574 136	1	С	Р					Right
	4574 137	1	С	Р					Left
	4574 136	1	Υ	S, X					Right
	4574 137	1	Y	S, X					Left
10	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch Attaching

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Door, Front Glass and Regulators Figure DLH-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									GLASS AND LIFTPLATE, Front D
									Solar
	4780 230AG	1							Right
	4780 231AG	1							Left
2	4878 907AC	2							LIFT PLATE, Door Glass, Also
									serviced in Glass Assembly
3			_						MOLDING, Front Door
	4805 524AM	1	С	P					Chrome, Right
	4805 525AM	1	С	P					Chrome, Left
	4805 524AM	1	С	H					Chrome, Right
	4805 525AM	1	С	Н					Chrome, Left
	4805 524AM	1	Y	S					Chrome, Right
	4805 525AM	1	Y	S					Chrome, Left
	4805 524AM	1	Y	X					Chrome, Right
	4805 525AM 4805 638AF	1	Y	Χ					Chrome, Left Black, Right
	4805 639AF	1	D						Black, Left
	4805 638AF	1 1	D C	H					Black, Right
	4805 639AF	1	C	H					Black, Left
	4805 638AF	1	C	M					Black, Right
	4805 639AF	1	C	M					Black, Left
4	4000 000711	'		IVI					SCREW, Moulding Attaching (.164
•									18X.562), (NOT SERVICED) (No
									Serviced)
5	0154 863AA	AR							SCREW, .164-18x.375
6	6036 042AA	14							NUT/SPRING, Snap In, .164-18
7									WEATHERSTRIP, Front Door Gla
	4574 032AJ	1							Right
	4574 033AJ	1							Left
8									CHANNEL, Door Glass
	4780 080AF	1							Right Front
	4780 081AF	1							Left Front
9									CHANNEL, Front Door Glass
	4780 510AF	1							Right Rear
	4780 511AF	1							Left Rear
-10	6505 446AA-	2							SCREW, Channel Bracket attachi Rear
11									SCREW, Tapping (M6X1.00X16.0
									(NOT SERVICED) (Not Serviced
12	6101 443	4							NUT AND WASHER, Hex, M5x.80
	3.0	•							Front Glass Run
13									REGULATOR, Front Door Window

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Door, Front Glass and Regulators Figure DLH-120



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			-				-		
	4574 092AO	1							Right
	4574 093AO	1							Left
14									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Door, Front Bezels and Speakers Figure DLH-130

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: B	ezels not listed	are se	rviced with	Trim Pane	el.				
Sales Co	des:								
[RCD] = 3	SPEAKERS - F	OUR							
[RCE] = \$	SPEAKERS - 9	INFIN	TY IN 7 L	OCATIONS	3				
[RCG] =	SPEAKERS - S	SIX							
[RCJ] = S	SPEAKERS - S	IX, PRI	EMIUM INI	FINITY					
[RCP] = \$	SPEAKERS -1	INFIN	ITY IN 9 L	OCATION:	3				
[RCQ] =	SPEAKERS - 7	INFIN	ITY IN 7 L	OCATION					
[RCZ] = \$	SPEAKERS - 9	INFINI	TY IN 9 LO	OCATION					
1									SPEAKER, Front Door
	4760 650AC	1							[RCJ], 2 1/2 DOOR FLAG
	5059 122AA	1							[RCJ], 6 1/2
	56038 410AC	1							[RCE], WOOFER
	5026 465AA	1							[RCE], 11 INFINITY IN 9
									LOCATIONS
2									PLATE, Speaker
	TC52 DX9AB	1	D						Right
		1	С	Н, М					Right
	TC50 DX9AB	1	С	P					Right
		1	Y	S					Right
		1	Y	X					Right
	TC51 DX9AB	1							Left
-3	6504 904AA-	3							NUT, Speaker Attaching
4									BRACKET, Speaker, Enclosure,
									Outer
	4628 882AB	1	D						[RCD], Right
	4628 883AB	1	D						[RCD], Left
	4628 882AB	1	С	H, M					[RCD], Right
	4628 883AB	1	С	н, M					[RCD], Left
5				,					BEZEL, Power Window Switch
	QB08 WL8AB	1							[L2], Chrome Switches, Right
	QB09 WL8AC								[L2], Chrome Switches, Left
	QB09 XDVAC								[DV], Chrome Switches, Left
	QB08 XTMAB								[T5], Chrome Switches, Right
	QB09 XTMAC								[T5], Chrome Switches, Left
	QB08 XDVAB								[DV], Chrome Switches, Right
	PT68 WL8AB	1							[RCJ, L5], Right
	PT68 XDVAB	1							[RCJ, DV], Right
	PT68 XTMAB	-							[RCJ, T5], Right
	PQ43 XTMAB								

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Door, Front Bezels and Speakers Figure DLH-130

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-6									BEZEL, Power Mirror Switch, Y
									Model Bezels are serviced in De
									Trim Panel
	PP01 WL8AB-	1							[L2,L5]
	PP01 XDVAB-								[D2,DV]
	PP01 XTMAB-	1							[T5]
-7									PLUG, Bezel Trim
	QU33 WL8AA-	. 1							[L2,L5]
	QU33 XDVAA-	. 1							[DV,D2]
	QU33 XTMAA-	- 1							[T5]
8	6032 723	20							SCREW, Self Tapping, M4.2x1.
									69x19.05, Panel Attaching
9									GRILLE, Speaker
	PQ28 WL5	1	D						[L5], Right
	PQ29 WL5	1	D						[L5], Left
	PQ28 XDV	1	D						[DV], Right
	PQ29 XDV	1	D						[DV], Left
	PQ28 XT5	1	D						[T5], Right
	PQ29 XT5	1	D						[T5], Left
	PY44 WL5	1	С	H, M					[L5], Right
	PY45 WL5	1	С	H, M					[L5], Left
	PY44 XDV	1	С	H, M					[DV], Right
	PY45 XDV	1	С	H, M					[DV], Left
	PY44 XT5	1	С	H, M					[T5], Right
	PY45 XT5	1	С	H, M					[T5], Left
	PT98 TL2AB	1	С	Р					[L2], Right
	PT99 TL2AB	1	С	Р					[L2], Left
	PT98 XDVAB	1	С	Р					[DV], Right
	PT99 XDVAB	1	С	Р					[DV], Left
	PT98 XT5AB	1	С	Р					[T5], Right
	PT99 XT5AB	1	С	Р					[T5], Left
	PT98 XT5AB	1	Υ	S					[T5], Right
	PT99 XT5AB	1	Υ	S					[T5], Left
	PT98 TL2AB	1	Υ	S					[L2], Right
	PT99 TL2AB	1	Υ	S					[L2], Left
	PT98 TL2AB	1	Υ	Χ					[D2], Right
	PT99 TL2AB	1	Υ	Χ					[D2], Left
	PT98 XDVAB	1	Υ	S					[DV], Right
	PT99 XDVAB	1	Υ	S					[DV], Left
	PT98 XDVAB	1	Υ	Χ					[DV], Right
	PT99 XDVAB	1	Υ	Χ					[DV], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005




# Door, Front Bezels and Speakers Figure DLH-130



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									NAMEPLATE, Infinity, Serviced in
									Grille, (NOT SERVICED) (Not
									Serviced)
-11									REFLECTOR, Door Trim Panel
	4760 356	1							Right
	4760 357	1							Left
12									HOUSING, Speaker
	TC46 XDVAE	1	D						[RCE, DV,L5], Right
	TC46 XTMAE		D						[RCE, T5], Right
	TC46 XDVAE		С	H, M					[RCE, DV,L5], Right
	TC46 XTMAE		С	H, M					[RCE, T5], Right
	TC44 XDVAE		С	Р					[RCE,RCP, L2,DV], Right
	TC44 XTMAE		С	P					[RCE,RCP, T5], Right
	TC44 XDVAE		Υ	S					[RCE,RCP, L2,DV], Right
	TC44 XTMAE		Y	S					[RCE,RCP, T5], Right
	TC44 XDVAE		Υ	X					[RCE,RCP, D2,DV], Right
	TC45 XDVAE								[RCE,RCP, D2,DV,L2,L5], Left
	TC48 XDVAE		D						[RCJ, DV,L5], Right
	TC48 XTMAE		D						[RCJ, T5], Right
	TC48 XDVAE		С	H, M					[RCJ, DV,L5], Right
	TC48 XTMAE		C Y	H, M S					[RCJ, T5], Right
	TC58 XDVAE TC58 XTMAE		Ϋ́Υ						[RCJ, DV,L2], Right
	TC58 XDVAE		Ϋ́	S X					[RCJ, T5], Right [RCJ, DV,L2], Right
	TC47 XDVAE		T	^					[RCJ, DV,L2], Right
	TC47 XDVAE								[RCJ, T5], Left
	TC47 XTMAE		С	Р					[RCQ,RCZ,DV,L2], Right
	1044 10110	' ' 1	Y	S					[RCQ,RCZ,DV,L2], Right
		1	Ϋ́	X					[RCQ,RCZ,DV,L2], Right
	TC45 XDVAG		•						[RCQ,RCZ,DV,L2], Left
	TC44 XTMAG		С	Р					[RCQ,RCZ,T5], Right
		1	Y	S					[RCQ,RCZ,T5], Right
	TC45 XTMAG	3 1	•						[RCQ,RCZ,T5], Left
	5081 031AA	1							With Speaker - paint as required
									[RCQ,RCZ]
-13	0153 816	1							SCREW, Tapping, .164-18x.75
14									COVER, Speaker Opening
	TC56 DX9AD	1	D						[RCD], Right
	TC57 DX9AC	1	D						[RCD], Left
	TC56 DX9AD	1	С	H, M					[RCD], Right
	TC57 DX9AC	1	С	H, M					[RCD], Left
-15	0153 816	1							SCREW, Tapping, .164-18x.75
CONCORDE-INTREPID-300M (LH) ————————————————————————————————————									
P = Limite	ed/ES $H = 0$	Chrysler		41 = 4  Door	Sedan	EER, EE0	= 2.7L V6 D		DGX = 4 Speed Automatic
S = 300M Intrepid EGG = 3.5L HO V6 MPI 24V DG0 = All Automatic Transm H = SE D = Dodge Intrepid EGJ = 3.5L V6 SOHC 24V									
M = LXI	M = LXI C = Concorde EGK = 3.5L HO V6 MPI 24V								
X = 300M Special E = 300M EGC = ÎMAGNUMÖ 3.5L V6									

### Door, Front Bezels and Speakers Figure DLH-130



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
16	6035 934AA	3							SCREW, Tapping
-17	6505 115AA-	4							NUT, Door Flag outer plate mounting
18									KIT, Door Handle
	5102 836AA	1							Dark Slate, Right
	5102 839AA	1							Dark Slate, Left
	5102 838AA	1							Dark Taupe, Right
	5102 841AA	1							Dark Taupe, Left
	5102 837AA	1							Dark Sandstone, Right
	5102 840AA	1							Dark Sandstone, Left
	5102 847AA	1							Dark Slate - Infinity, Right
	5102 849AA	1							Dark Slate - Infinity, Left
	5102 850AA	1							Dark Sandstone - Infinity, Right
	5102 851AA	1							Dark Sandstone - Infinity, Left
	5102 852AA	1							Dark Taupe - Infinity, Right
	5102 853AA	1							Dark Taupe - Infinity, Left
	5102 863AA	1							Dark Slate - Chrome, Right
	5102 862AA	1							Dark Slate - Chrome, Left
	5102 865AA	1							Dark Sandstone - Chrome, Right
	5102 864AA	1							Dark Sandstone - Chrome, Left
	5102 867AA	1							Dark Taupe - Chrome, Right
	5102 866AA	1							Dark Taupe - Chrome, Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Door, Rear Shell and Hinges Figure DLH-205

5 8 9
-------

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	5003 258AG	1	D						Right
	5003 259AG	1	D						Left
	5003 236AJ	1	C, Y						Right
	5003 237AJ	1	C, Y						Left
2									PANEL, Door Outer
	4574 362AD	1	D						Right
	4574 363AD	1	D						Left
	4574 364AD	1	C, Y						Right
	4574 365AD	1	C, Y						Left
3			_						WATERDAM, Rear Door
	4780 152AD	1	D						Right
	4780 153AD	1	D						Left
	4780 248AE	1	C, Y						Right
	4780 249AE	1	C, Y						Left
4	4574 400								HINGE, Rear Door Upper
	4574 428	1							Right
_	4574 429	1							Left
5	6505 546AA	6							SCREW AND WASHER, Hex Head
6	6505 530AA-	0							M8x1.25x30
-6 7	6101 736	2							SCREW, Hex Flange Head
8	6101 736	2							NUT AND WASHER, Hex, M6x1 NUT AND WASHER, Hex, M6x1
9	0101 730	2							HINGE, Rear Door Lower
9	4574 436	1							Right
	4574 437	<u>'</u> 1							Left
10	4014 401	•							WEATHERSTRIP, Rear Door
10									Opening
	4780 158AB	1	D						Right
	4780 159AB	<u>·</u> 1	 D						Left
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
11			-,						CHECK STRAP, Rear Door
	4574 412AG	1							Right
	4574 413AG	1							Left
-12	6503 909	4							SCREW, Dryer, M6-1.0x20, Check
									Attaching
-13	4780 508AD-	2							SEAL, B-Pillar, Check Strap
-14									LABEL, Child Protection Lock,
									English
	4780 544AA-	1							Right
	4780 545AA-	1							Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Door, Rear Shell and Hinges Figure DLH-205

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-15									LABEL, Child Protection Lock
									French
	4780 546AC-	1							Right
	4780 547AC-	1							Left



CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Door, Rear Exterior Handle and Links** Figure DLH-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
'									_
1									HANDLE, Rear Door Exterior
	LF04 AP4AD	1							[P4], Right
	LF05 AP4AD	1							[P4], Left
	LF04 AXRAD	1							[XR], Right
	LF05 AXRAD	1							[XR], Left
	LF04 SW1AD	1							[W1], Right
	LF05 SW1AD	1							[W1], Left
	LF04 WELAD	1							[EL], Right
	LF05 WELAD	1							[EL], Left
	LF04 WS2AD	1							[S2], Right
	LF05 WS2AD	1							[S2], Left
	LF04 YBWAD								[BW], Right
	LF05 YBWAD	1							[BW], Left
	LF04 YJRAD	1							[JR], Right
	LF05 YJRAD	1							[JR], Left
	LF04 ZDRAD	1							[DR], Right
	LF05 ZDRAD	1							[DR], Left
	LF04 ZKJAD	1							[KJ], Right
	LF05 ZKJAD	1							[KJ], Left
	LF04 ZMQAD								[MQ], Right
	LF05 ZMQAD	1							[MQ], Left
2									LINK, Outside Handle To Latch, Rear
	4700 270 A D	4	C V						Door
	4780 378AB 4780 379AB	1	C, Y						Right Left
	4574 024AC	1 1	C, Y D						Right
	4574 024AC 4574 025AC	1	D						Left
	6505 533AA	4	Ь						SCREW, Hex Flange Head Tapping,
J	0000 000/ 1/ (	7							M4.8 x 1.59 x 14.00
4									KNOB AND LINK, Door Latch
	LE92 WL8AL	1	D						[L5], Right
	LE93 WL8AL	1	D						[L5], Left
	LE92 XDVAL	1	D						[DV], Right
-	LE93 XDVAL	1	D						[DV], Left
	LE92 XTMAL	1	D						[T5], Right
	LE93 XTMAL	1	D						[T5], Left
	LE98 WL8AF	1							[L2,L5], Right
	LE99 WL8AF	1							[L2,L5], Left
	LE98 XDVAF	1							[DV], Right
	LE99 XDVAF	1							[DV], Left
	LE98 XTMAF	1							[T5], Right
	LE99 XTMAF	1							[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Door, Rear Exterior Handle and Links** Figure DLH-210





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	5056 208AA	2							CABLE, Door Lock Knob Emergency
									Release, Police Package
6									BEZEL, Lock Knob
	PP03 WL8AB	1							[L2,L5]
	PP03 XDVAB	1							[DV]
	PP03 XTMAB	1							[T5]
7									LINK, Door Lock Control
	4574 984AF	1	D						Right
	4574 985AF	1	D						Left
	4780 370AE	1	C, Y						Right
	4780 371AE	1	C, Y						Left
8	4658 448AC	2							CLIP, Latch
9									LINK, Inside handle To Latch, Rear
									Door
	4574 012AB	1	D						Right
	4574 013AB	1	D						Left
	4574 008AC	1	С	H, M					Right
	4574 009AC	1	С	Н, М					Left
	4574 010AC	1	С	Р					Right
	4574 011AC	1	С	Р					Left
	4574 010AC	1	Υ	S, X					Right
	4574 011AC	1	Υ	S, X					Left
10									LATCH, Rear Door
	4574 022AE	1							Right
	4574 023AE	1							Left
11	6033 876	6							SCREW, Tapping, M6.3x1.8x38.1,
									Latch Attaching
12									BELLCRANK, Outside Door Handle
	5525 6722	1							Right
	5525 6723	1							Left
-13	6032 452	2							SCREW, Self Piercing, .164-15x.625,
									Bell Crank to Inner Door
-14									LABEL, Child Protection Lock,
									English
	4780 544AA-	1							Right
	4780 545AA-	1							Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year


September 19, 2005

**«** 

#### Door, Rear Glass and Regulators Figure DLH-220



### Door, Rear Glass and Regulators Figure DLH-220



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									SCREW, (M6X1.00X16.00), (NOT
									SERVICED) (Not Serviced)
11	6101 443	2							NUT AND WASHER, Hex, M5x.80
12									SCREW, (8-18X.375), (NOT
									SERVICED) (Not Serviced)
13									REGULATOR, Rear Door Window
	4574 100AN	1							Right
	4574 101AN	1							Left
14									MOTOR, Window Regulator
	5012 544AD	1							Right
	5012 545AD	1							Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
OTE: B	sezels not listed	are se	rviced in D	oor Trim P	anel.				
1									BEZEL, Power Window Switch
	PQ42 WL5AB	1							[L5], Right
	PQ43 WL5AB	1							[L5], Left
	PQ42 WL8AB	1							[L2], Right
	PQ43 WL8AB	1							[L2], Left
	PQ42 XDVAB	1							[DV], Right
	PQ43 XDVAB	1							[DV], Left
	PQ42 XT5AB	1							[T5], Right
	PQ43 XT5AB	1							[T5], Left
-2									REFLECTOR, Door Trim Panel
	4760 356	1							Right
	4760 357	1							Left
3									PANEL, C Pillar
	PB90 DX9AD	1	C, Y						Right
	PB91 DX9AD	1	C, Y						Left
	PB92 DX9AD	1	D						Right
	PB93 DX9AD	1	D						Left
-4	6035 906	2	C, Y						CLIP, Door Trim, Sail Attaching
-5									GRILLE, Speaker
	QB14 WL8	1							[L2], Right
	QB15 WL8	1							[L2], Left
	QB14 XDV	1							[DV], Right
	QB15 XDV	1							[DV], Left
	QB14 XTM	1							[T5], Right
	QB15 XTM	1							[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
						-			
NOTE:Sal	es Codes:								
[GTK] = M	IIRRORS - PO	OWER I	FOLD-AW	ΑY					
[GTS] = M	IIRRORS - PO	OWER I	HEATED,	FOLD-AWA	·Υ				
[GT8] = M	IRRORS - PO	WER							
[GU2] = M	IIRRORS - PV	VR,HE	AT,FOLDIN	NG,AUTO E	DIM, MIDD	LE EAST			
[GU9,GUS	S,GUY] = MIR	RORS	-PWR,HTD	,FOLDING	DRVR MI	EMORY			
[GU9] = M	IIRRORS - PV	VR,HE	AT,FOLDIN	NG,AUTO E	DIM				
[GUA] = N	IIRRORS - P\	۷R,HE	AT,FOLDII	NG,AUTO [	DIM,MEMC	)RY			
[GUC] = N	IIRRORS - PO	OWER,	FOLD-AW	/AY, AUTO	DIM				
1									MIRROR, Outside, Rearview,
									Electric, Heated
	4805 944AA	1							[GUP], Right
	4805 953AB	1							[GUP], Left
	4805 944AC	1							[GUA,GUS], Right
	4805 953AD	1							[GUA], Left
	4805 951AD	1							[GUS], Left
	4805 946AA	1							[GTK,GUE], Up to 06-26-02,
	4805 947AB	1							[GTK,GUE], Up to 06-26-02,
	4805 946AE	1							[GTK,GUY], After 06-26-02, F
	4805 947AD	1							[GTK,GUY], After 06-26-02, L
	UT74 DX8AG	1							[GU9, XR] Without [AVP], Rig
	UT75 DX8AG	1							[GU9, XR] Without [AVP], Lef
	UT74 WS2AG	3 1							[GU9, S2] Without [AVP], Rig
	UT75 WS2AG	3 1							[GU9, S2] Without [AVP], Left
	UT74 YBWAC	3 1							[GU9, BW] Without [AVP], Rig
	UT75 YBWAC	3 1							[GU9, BW] Without [AVP], Le
	UT74 DX8AG	1							[GU9,DR,XR] Without [AVP],
									Right
	UT75 DX8AG	1							[GU9,DR,XR] Without [AVP],
	UT74 BB8AI	1							[GU9, B8] Without [AVP], Rig
	UT75 BB8AG	1							[GU9, B8] Without [AVP], Lef
	UT74 DX8AG	1							[GU9] With [AVP], Right
	UT75 DX8AG	1							[GU9] With [AVP], Left
	YS62 DX8AA	1							[GUP], DR, XR, Arabic Letter
									Right
•	YS63 DX8AA	1							[GUP], DR, XR, Arabic Letter
									Left
	YS62 WS2AA	. 1							[GUP], S2, Arabic Lettering, F
	YS63 WS2AA	. 1							[GUP], S2, Arabic Lettering, L
	YS62 YBWAA	1							[GUP], BW, Arabic Lettering,
									Right
	YS63 YBWAA	\ 1							[GUP], BW, Arabic Lettering,
SERIES	NTREPID-300M			BODY		ENGINE			TRANSMISSION
P = Limited/E S = 300M	S H = Intre	Chrysler pid		41 = 4 Door	Sedan		= 2.7L V6 D 5L HO V6 MF		DGX = 4 Speed Automatic DG0 = All Automatic Transm



AR = Use as require	d -= Non illustrated	part # = New this mode	el year	September 19, 2
CONCORDE-INTREPIDE SERIES P = Limited/ES S = 300M H = SE M = LXI X = 300M Special	-300M (LH) — LINE H = Chrysler Intrepid D = Dodge Intrepid C = Concorde E = 300M	BODY 41 = 4 Door Sedan	ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
YS63 YI	BWAA 1			[GUP], BW, Arabic Lettering,
1302 11	BWAA I			[GUP], BW, Arabic Lettering, Right
YS63 W YS62 YI				[GUP], S2, Arabic Lettering,
YS62 W	_			[GUP], S2, Arabic Lettering,
YS63 D.	X8AA 1			[GUP], DR, XR, Arabic Lette Left
				Right
1 202 D.	XXAA T			- 1



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
2									GLASS, Mirror Replacement
	5127 496AA	1							[GUA] [GUS Up to 06-26-02], Right
	5018 306AA	1							[GUP], Right
	5127 500AA	1							[GUA,GUP], Left
	5103 259AA	1							[GUS After 06-26-02], Left
	5093 643AA	1							[GTK,GUE] Up to 06-26-02, Right
	5127 497AA	1							[GTK,GUY] After 06-26-02, Right
	5018 306AA	1							[GU7,GU9], Right
	5103 259AA	1							[GU7,GU9], Left
3									MIRROR, Outside Rearview, Folding,
									Arabic, ARABIC
	4805 948AA	1							[GTS,GUC,GU2], Molded in Color
									Up to 06-26-02, Right
	4805 948AD	1							[GTS,GUC,GU2], Molded in Color
									After 06-26-02 Up to 02-12-03,
									Right
	4805 948AE	1							[GTS,GUC,GU2], Molded in Color
									After 02-12-03, Right
	4805 949AD	1							[GTS,GUC,GUG], Molded in
									Color, EXPORT, Left
4									GLASS, Mirror Replacement,
									ARABIC
	5018 297AA	1							[GTS,GUC,GU2], Molded in Color
									Up to 02-12-03, Right
	5127 498AA	1							[GTS,GUC,GU2], Molded in Color
									After 02-12-03, Right
5									MIRROR, Outside Rearview
	4574 606AG	1							[GT8], Right
	4574 607AG	1							[GT8], Left
6									GLASS, Mirror Replacement
	5018 464AA	1							[GT8], Right
	5018 465AA	1							[GT8], Left
-7	4780 529AA-	2							TAPE, Acess Hole
8	6101 952	2							SCREW, Hex Flange Head Tapping,
									M4.8 x 1.59 x 25.00
9	6101 443	2							NUT AND WASHER, Hex, M5x.80

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Weatherstrips Front and Rear Door Figure DLH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WEATHERSTRIP, Drip Rail
									Secondary
	4780 764AB	1							Right
	4780 765AB	1							Left
-2									SUPPORT, Roof, Drip Rail Seal
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 594	1	С						Right
	4575 595	1	С						Left
	4575 594	1	Υ						Right
	4575 595	1	Υ						Left
3									WEATHERSTRIP, Front Door
									Opening, Door Mounted
	4574 336	1							Right
	4574 337	1							Left
4									WEATHERSTRIP, Rear Door
									Opening, Door Mounted
	4574 450AB	1	C, Y						Right
	4574 451AB	1	C, Y						Left
	4780 158AB	1	D						Right
	4780 159AB	1	D						Left
5									WEATHERSTRIP, Front Door
									Opening, Body Mounted
	UP92 XXXAC	1							Right
	UP93 XXXAC	1							Left
6									WEATHERSTRIP, Rear Door, Bod
									Mounted
	UP90 XXXAC	1	D						Right
	UP91 XXXAC	1	D						Left
	WR34 XXXAB		C, Y						Right
	WR35 XXXAB		C, Y						Left
7			- ,						WEATHERSTRIP, Door Bottom
-									Cladding
	4780 096AB	1							Right
	4780 097AB	1							Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Group – ELH

### **Exterior Ornamentation**






#### **GROUP ELH - Exterior Ornamentation**

Illustration Title	Group-Fig. No
Nameplates	
Nameplates and Medallions	Fig. ELH-110
Moldings and Ornamentation	
Mouldings	Fig. ELH-210
Cladding	Fig. ELH-220

#### **Nameplates and Medallions** Figure ELH-110




		FANI				1				
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5288 946AC	1							NAMEPLATE, Dodge
_	2	4805 184AA	1	D						NAMEPLATE, Deck Lid, Chrysler
	3	4805 182AA	1							NAMEPLATE, Decklid, Intrepid
	4									DECAL, 3.5 L
		4591 342	1							[EGC,EGG]
-		4591 926AA	1							[EGJ]
		4591 931AA	1							[EGK]
	5	4806 063AA	1							NAMEPLATE, SXT
	6	4805 183AB	1							NAMEPLATE, ES
-	7	4805 648AB	1							NAMEPLATE, SE
	8	4805 065AB	1	С						EMBLEM, Decklid, Winged Victory
	9	4805 878AA	1							NAMEPLATE, Concorde LX
	10	4805 879AA	1							NAMEPLATE, Concorde LXI
_	11	4805 880AA	1							NAMEPLATE, Concorde Limited
	12	4805 286AC	1							MEDALLION, Deck Lid, 300, [MG3]
	13	4805 747AA	1							MEDALLION, Oval 300, [MW3]
	14	4805 105	1	Υ						NAMEPLATE, Deck Lid, Chrysler,
_										[MV9]
	15									MEDALLION, Fender, 300
		4805 287AC	2							[MG2]
		4805 762AA	2							[MW2]
	16	5288 694AB	1							NAMEPLATE, Chrysler, Gold
	17	KS76 SZ1	1							NAMEPLATE, Medallion, Ram Head
	18	5113 021AA	2							NAMEPLATE, PLATINUM SERIES

E = 300M


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Mouldings** Figure ELH-210




### Mouldings Figure ELH-210


**PART** 



### Mouldings Figure ELH-210



### Cladding Figure ELH-220



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•								
	1	6501 559	6							RIVET, .25x.50
-	2	0001 000								CLADDING, Quarter Panel
	_	5018 738AA	1							[K20] Paint as required, Right
		5018 739AA	1							[K20] Paint as required, Left
		5018 730AA	1							[K50] Paint as required, Right
-		5018 731AA	1							[K50] Paint as required, Left
		5018 724AA	1	Υ	S					[K30] Paint as required, Right
		5018 725AA	1	Y	S					[K30] Paint as required, Left
		UT58 1BWAB		Y	X					[K3U], Right
-		UT59 1BWAB		Y	X					[K3U], Left
		UT58 1DRAB	1	Y	X					[K3F], Right
		UT59 1DRAB	1	Y	X					[K3F], Left
		UT58 1S2AB	1	Υ	X					[K3S], Right
-		UT59 1S2AB	1	Υ	Х					[K3S], Left
		UT58 1XRAB	1	Υ	Χ					[K3Y], Right
		UT59 1XRAB	1	Υ	Χ					[K3Y], Left
		UT58 1B8AB	1	Υ	Χ					[K3D], Right
-		UT59 1B8AB	1	Υ	Х					[K3D], Left
	3									CLADDING, Fender
		5018 736AA	1							[K20] Paint as required, Right
		5018 737AA	1							[K20] Paint as required, Left
_		5018 728AA	1							[K50] Paint as required, Right
		5018 729AA	1							[K50] Paint as required, Left
		5018 722AA	1	Υ	S					[K30] Paint as required, Right
		5018 723AA	1	Υ	S					[K30] Paint as required, Left
_		UT56 1B8AC	1	Υ	Х					[K3D], Right
		UT57 1B8AC	1	Υ	X					[K3D], Left
		UT56 1BWAB	1	Υ	X					[K3U], Right
		UT57 1BWAC	1	Υ	Χ					[K3U], Left
		UT56 1DRAB	1	Υ	Х					[K3F], Right
		UT57 1DRAC	1	Υ	Χ					[K3F], Left
		UT56 1S2AC	1	Υ	Χ					[K3S], Right
_		UT57 1S2AC	1	Υ	Х					[K3S], Left
		UT56 1XRAC	1	Υ	Χ					[K3Y], Right
		UT57 1XRAC	1	Υ	X					[K3Y], Left
	4	6036 070AA	2							SCREW AND WASHER, Round
_										Head, .164-18x.625
	-5	5011 076AB-	1							RETAINER, Side Cladding, M33.5 x
										14.5, Black, Lower
	-6	5011 077AB-	1							RETAINER, Side Cladding, M35 x 8.
_										33, White, Upper

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Group – ILH Interior Trim



ILH-100 Headliner and Visor	ILH-200 Moldings, Scuff Plates	ILH-300 Carpet	ILH-400 Door Trim Panels
ILH-500 Front Seats and Attaching Parts	ILH-600 Rear Seats- Folding and Quad	ILH-700 Seat Belts-Front and Rear	ILH–800 Adjusters, Covers, Shields, and Risers

### **GROUP ILH - Interior Trim**


Illustration Title	Group-Fig. No
Headliner and Visor	F:- 1111 440
Headliner, Visors, Assist Straps And Shelf Panel	Fig. ILH-110
Moldings, Scuff Plates	
Cowl Panel, Footrest, Dash Silencer	Fig. ILH-210
Scuff Plates - Front And Rear	Fig. ILH-215
Molding - A and B Pillar	Fig. ILH-220
Panel, Quarter Trim - Upper And Lower	Fig. ILH-225
Carpet	
Carpet And Floor Mats	Fig. ILH-310
Carpet Luggage Compartment	Fig. ILH-315
Silencers	Fig. ILH-320
Door Trim Panels	
Door Panels - Front	Fig. ILH-410
Door Panels - Rear	Fig. ILH-420
	g
Front Seats and Attaching Parts	Fia II II 510
Seat Front - Trim Code [B7]	Fig. ILH-510
Seat Front - Trim Code [BF]	Fig. ILH-515 Fig. ILH-520
Seat Front - Trim Code [CL]	Fig. ILH-525
Seat Front - Trim Code [NL]	Fig. ILH-530
Seat Front - Trim Code [ML]	Fig. ILH-535
Seat Front - Trim Code [MP]	Fig. ILH-540
Seat Front - Trim Code [QF]	Fig. ILH-545
Seat Front - Trim Code [TL]	Fig. ILH-550
Seat Front - Trim Code [Z5]	Fig. ILH-555
Seat Front - Trim Code [SL, PL]	Fig. ILH-560
Seat Front - Trim Code [UL]	Fig. ILH-565
Seat Front - Trim Code [C8, X5, Y5] Police Car	Fig. ILH-570
Rear Seats- Folding and Quad	_
Seat Rear - Trim Code [B7]	Fig. ILH-610
Seat Rear - Trim Code [BF]	Fig. ILH-615
Seat Rear - Trim Code [CL]	Fig. ILH-620
Seat Rear - Trim Code [Q5]	Fig. ILH-625
Seat Rear - Trim Code [NL]	Fig. ILH-630
Seat Rear - Trim Code [ML]	Fig. ILH-635
Seat Rear - Trim Code [MP]	Fig. ILH-640
Seat Rear - Trim Code [QF]	Fig. ILH-645
Seat Rear - Trim Code [TL]	Fig. ILH-650
Seat Rear - Trim Code [Z5]	Fig. ILH-655

#### **GROUP ILH - Interior Trim**

Illustration Title	Group-Fig. N
Rear Seats- Folding and Quad (Continued)	
Seat Rear - Trim Code [SL, PL]	Fig. ILH-660
Seat Rear - Trim Code [UL]	Fig. ILH-665
Seat Rear - Trim Code [C8, X5, Y5]	Fig. ILH-670
Seat Belts-Front and Rear	
Seat Belts - Front	Fig. ILH-710
Seat Belts - Rear	Fig. ILH-720
Adjusters, Covers, Shields, and Risers	
Seats Attaching Parts Manual Seat	Fig. ILH-810
Seats Attaching Parts Power Seat	Fig. ILH-815
Seats Attaching Parts	Fig. ILH-820

### Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note									
	ode: CHK = HEA		R MODUI	_E - BASE					
	SUNROOF - PO	WER							
1			_						HEADLINER
	TJ20 1L2AE	1	D					O0	Base Model With Sunroof (Use U
			_						To 1-31-03)
	1AR05 1L2AA	1	D					O0	Base Model With Sunroof (Use
								_	After 1-31-03)
	TJ10 1L2AD	1	Y					O0	With Garage Door Opener and
									Sunroof (Use Up To 1-31-03)
	1AR06 1L2AA	1	Υ					O0	With Garage Door Opener and
									Sunroof (Use After 1-31-03)
	TJ14 1L2AD	1	С	Р				00	With Garage Door Opener and
									Sunroof (Use Up To 1-31-03)
	1AR07 1L2AA	1	С	Р				00	With Garage Door Opener and
									Sunroof (Use After 1-31-03)
	TJ04 TL2AE	1	D					00	With Garage Door Opener and
									Without Sunroof
	TJ08 1L2AD	1	D					00	With Garage Door Opener and
									Sunroof (Use Up To 1-31-03)
	1AQ97 1L2AA	1	D					00	With Garage Door Opener and
									Sunroof (Use After 1-31-03)
	TJ03 TL2AE	1	D					00	With [CHK], without [GWA]
	TJ12 TL2AF	1	С	Р				00	With [CHK], without [GWA]
		1	С	Н				00	With [CHK], without [GWA]
		1	С	М				00	With [CHK], without [GWA]
2									VISOR
	TH96 TL2AB	1	С	Н				00	Right
	TH97 TL2AB	1	С	Н				00	Left
	TH96 TL2AB	1	D					O0	Right
	TH97 TL2AB	1	D					00	Left
3									VISOR, Illuminated
_	TH98 TL2AB	1	С	Р				00	Right
	TH99 TL2AB	1	C	P				00	Left
	TJ00 TL2AB	1	D	•				00	Right
	TJ01 TL2AB	1	D					00	Left
	TH98 TL2AB	1	Y					00	Right
	TH99 TL2AB	1	Y					00	Left
-4	THOU ILZAD	•	1					00	RETAINER, Visor
-4	5013 812AA-	1	D					00	Black Piece That Clip Goes Into
	3013 012AA-	'	D					00	The Headliner
									THE HEAUIITEI

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	Υ					O0	Black Piece That Clip Goes Into
									The Headliner
		1	С	Н				00	Black Piece That Clip Goes Into
									The Headliner
		1	С	М				00	Black Piece That Clip Goes Into
									The Headliner
		1	С	Р				00	Black Piece That Clip Goes Into
									The Headliner
5									PANEL, Shelf
	TJ05 WL8BC	1	D					00	[L5], Includes Teather and Covers
	TJ05 XDVBC	1	D					00	[DV], Includes Teather and Covers
	TJ05 XTMBC	1	D					00	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	С					O0	[L5], Includes Teather and Covers
	TJ06 XDVBC	1	С					00	[DV], Includes Teather and Covers
	TJ06 XTMBC	1	С					00	[T5], Includes Teather and Covers
	TJ06 WL8BC	1	С					00	[L2], Includes Teather and Covers
	TJ07 WL8BC	1	Υ	S				00	[L2], Includes Teather and Covers
	TJ07 XDVBC	1	Υ	S				00	[DV], Includes Teather and Covers
		1	Υ	Χ				00	[DV], Includes Teather and Covers
	TJ07 XTMBC	1	Υ	S				00	[T5], Includes Teather and Covers
-6									COVER, Anchor
	TA52 WL8AA-							00	[L2]
	TA52 XTMAA							00	[T5]
	TA52 XDVAA-							O0	[DV]
		AR						O0	[D2]
7			_						SILENCER, Shelf Extension
	4628 854AC	1	С	Р					
		1	С	H, M					
	4628 856AC	1	<u>Y</u>	S					
=	1005 55-15	1	Y	X					011 511055 5 51 11
8	4628 855AB	1	D						SILENCER, Rear Shelf
-9	4780 538AF-	1	С						DEADENER, Shelf Panel, Rear
10	6501 925	1							PIN, Splash Shield, Shelf Panel
-11	0000 71 04 0	,	-					00	HANDLE
	QB26 TL2AG-		D					00	Right
	QB26 TL2AF-	1	С	Н				00	Right
		1	С	<u>M</u>				00	Right
		1	С	Р				00	Right
	OD07 TI 04 C	1	Y					00	Right
	QB27 TL2AG-		D	Г.				00	Left
	QB27 TL2AF-	1	С	Р				00	Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



### Headliner, Visors, Assist Straps And Shelf Panel Figure ILH-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	С	М				00	Left
		1	С	Н				00	Left
		1	Υ					00	Left
12									RETAINER PACKAGE, Headline
									Serviced With Headliner Only,
									(NOT SERVICED) (Not Service
13									RETAINER, Assist Handle, (NOT
									REQUIRED)
-14									HANDLE, Roof Grab
	QB24 TL2	1	С	M				O0	
		1	С	Н				O0	
		1	С	Р				00	
		1	D					00	
		1	Υ					00	
-15									TETHER, Child Seat, Serviced W
									Rear Shelf Panel, (NOT
									SERVICED) (Not Serviced)
-16	4754 806	1							BRACKET, Flare (RHD Japan)
17	4728 575	1	D					O0	CLIP, Roll Top
18								_	CLIP, Visor
	MH08 TL2	1	С	Р				00	
		1	Y					00	
		1	D					00	
		1	С	Н				00	
-19	5404 044 4 4								MAGNET, Headliner
	5134 211AA-	1	D					00	
		1	Y					00	
		1	С	H				00	
-20		1	С	M				00	CLID Haadliner
-20	5127 332AA-	1	D					00	CLIP, Headliner
	3121 332AA-		D Y						
		1 1	r C	Н				O0 O0	
		1	C	<u>п</u> М				00	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Cowl Panel, Footrest, Dash Silencer** Figure ILH-210



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side Trim
	LK74 TL2AD	1						O0	[L2], Right
	LK74 WL5AD	1						00	[L5], Right
	LK74 XDVAD	1						00	[DV], Right
	LK74 XT5AD	1						00	[T5], Right
	LK75 TL2AC	1						O0	[L2], Left
	LK75 WL5AC	1						00	[L5], Left
	LK75 XDVAC	1						00	[DV], Left
	LK75 XT5AC	1						00	[T5], Left
2									SCREW, SCREW, (.190-16x2.00),
									(NOT SERVICED) (Not Serviced)
3	6033 581	1							SCREW, Hex Flange Head, .25-14x.
									875, Foot Rest Attaching
4	4628 567AB	1							SUPPORT, Footrest
5	4698 441AE	1							SILENCER, Cowl Side
6									STUD, Tapping - Dashliner Attaching
									(M6x1.00/.250-14x51.50), (NOT
									SERVICED) (Not Serviced)



 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Scuff Plates - Front And Rear** Figure ILH-215



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PLATE, Scuff, Front
	LL72 TL2AC	1						O0	[L2], Right
	LL72 WL5AC	1						00	[L5], Right
	LL72 XDVAC	1						00	[DV], Right
	LL72 XT5AC	1						00	[T5], Right
	LL73 TL2AC	1						O0	[L2], Left
	LL73 WL5AC	1						00	[L5], Left
	LL73 XDVAC	1						00	[DV], Left
	LL73 XT5AC	1						00	[T5], Left
	4805 793AA	1	Υ	Х					Right & Left
-2									PIN, Push
	6506 889AA-	2						00	
	6504 521	1							
3									PLATE, Scuff, Rear
	LL68 TL2AE	1						00	[L2], Right
	LL68 WL5AE	1						00	[L5], Right
	LL68 XDVAE	1						00	[DV], Right
	LL68 XT5AE	1						O0	[T5], Right
	LL69 TL2AE	1						00	[L2], Left
	LL69 WL5AE	1						00	[L5], Left
	LL69 XDVAE	1						00	[DV], Left
	LL69 XT5AE	1						O0	[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Molding - A and B Pillar Figure ILH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				!		l			
1									MOLDING, Windshield
	LK48 TL2AH	1						00	[DV], Right
		1						00	[L2], Right
	LK49 TL2AI	1						00	[DV], Left
		1						00	[L2], Left
	WZ50 TL2AC	1						00	With Spot Lamp, Right
	WZ51 TL2AA	1						00	With Spot Lamp Either Chrome o
									Black, Left
2									COVER, B Pillar Trim Panel
	LK52 TL2AF	1						00	[D2], Right,Upper
		1						00	[DV], Right,Upper
		1						00	[L2], Right,Upper
	LK52 XT5AF	1						00	[T5], Right,Upper
	LK53 TL2AF	1						00	[D2], Left,Upper
		1						00	[DV], Left,Upper
		1						00	[L2], Left,Upper
	LK52 TL2AF	1						00	[L5], Left,Upper
	LK53 XT5AF	1						00	[T5], Left,Upper
3									COVER, B Pillar Trim Panel
	LK54 TL2AC	1						00	[L2], Right
	LK54 WL5AC	1						00	[L5], Right
	LK54 XDVAC	1						00	[DV], Right
	LK54 XT5AC	1						00	[T5], Right
	LK54 TL2AC	1						00	[D2], Right
	LK55 TL2AC	1						00	[L2], Left
	LK55 WL5AC	1						00	[L5], Left
	LK55 XDVAC	1						00	[DV], Left
	LK55 XT5AC	1						00	[T5], Left
	LK55 TL2AC	1						00	[D2], Left
4	6504 563	3						00	CLIP, Molding, Fasteners for Item 1
									2, 3
5									COVER, B Pillar Trim Panel
	FF08 TL2	1						00	[L2], Right
	FF08 WL5	1						00	[L5], Right
	FF08 XDV	1						00	[DV], Right
	FF08 XT5	1						00	[T5], Right
	FF09 TL2	1						00	[L2], Left
	FF09 WL5	1						00	[L5], Left
	FF09 XDV	1						00	[DV], Left
	FF09 XT5	1						00	[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Panel, Quarter Trim - Upper And Lower Figure ILH-225



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Quarter Trim, Upper
	LL90 TL2AE	1	С					O0	[DV], Right
		1	С					<b>O</b> 0	[L2], Right
		1	С					<b>O</b> 0	[L5], Right
	LL90 XT5AE	1	С					00	[T5], Right
	LL91 TL2AE	1	С					00	[DV], Left
		1	С					00	[L2], Left
		1	С					00	[L5], Left
	LL91 XT5AE	1	С					O0	[T5], Left
	LL97 TL2AF	1	D					O0	[DV], Left
	LL96 XT5AF	1	D					O0	[T5], Right
	LL97 TL2AF	1	D					00	[L5], Left
	LL97 XT5AF	1	D					O0	[T5], Left
	LL96 TL2AF	1	D					00	[DV], Right
		1	D					00	[L5], Right
	LL94 TL2AD	1	Υ	S				00	[DV], Right
		1	Υ	S				O0	[L2], Right
		1	Υ	Χ				00	[D2], Right
		1	Υ	Χ				00	[DV]
	LL94 XT5AD	1	Υ	S				00	[T5]
	LL95 TL2AD	1	Υ	S				00	[DV], Left
		1	Υ	S				00	[L2], Left
		1	Υ	X				O0	[D2], Left
		1	Υ	Χ				O0	[DV], Left
	LL95 XT5AD	1	Υ	S				O0	[T5], Left
2									PANEL, Quarter Trim, Lower
	LL92 WL5AC	1	С	H, M				00	[L5], Right
	LL92 XDVAC	1	С	Р				00	[DV], Right
		11	С	H, M				00	[DV], Right
	LL92 XT5AC	1	С	Р				00	[T5], Right
		1	С	H, M				O0	[T5], Right
	LL92 TL2AC	1	С	Р				00	[L2], Right
	LL93 WL5AC		С	H, M				00	[L5], Left
	LL93 XDVAC	1	С	Р				00	[DV], Left
		1	С	H, M				00	[DV], Left
	LL93 XT5AC	1	С	Р				00	[T5], Left
		1	С	H, M				00	[T5], Left
	LL93 TL2AC	1	С	Р				00	[L2], Left
	LL98 WL5AC	1	D					00	[L5], Right
	LL98 XDVAC	1	D					00	[DV], Right
	LL98 XT5AC	1	D					00	[T5], Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler


Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

### Panel, Quarter Trim - Upper And Lower Figure ILH-225



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	LL99 WL5AC	1	D					O0	[L5], Left
	LL99 XDVAC	1	D					O0	[DV], Left
	LL99 XT5AC	1	D					O0	[T5], Left
	LL92 TL2AC	1	Υ	S				00	[L2], Right
		1	Υ	Χ				00	[D2], Right
	LL92 XDVAC	1	Υ	S				O0	[DV], Right
	LL92 XT5AC	1	Υ	S				00	[T5], Right
	LL93 TL2AC	1	Υ	S				00	[L2], Left
		1	Υ	Χ				00	[D2], Left
	LL93 XDVAC	1	Υ	S				O0	[DV], Left
	LL93 XT5AC	1	Υ	S				00	[T5], Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Carpet And Floor Mats Figure ILH-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor Console
<u>'</u>	SC84 WL8AI	1						00	[L2]
	OCO+ WEO/	1						00	[L5]
	SC84 XDVAI	1						00	[D2]
	000+ 7/D V/ (I	1						00	[DV]
	SC84 XTMAI	1						00	[T5]
2	00017(110)	•						00	CARPET, Floor
_	SE86 XTMAH	1	С	М				00	[T5]
	SE86 WL8AH	1	C	H				00	[L5]
	SE86 XDVAH	<u>·</u> 1	С	H				00	[DV]
	OLOO AB VAIT	1	C	M				00	[DV]
		1	D	141				00	[DV]
	SE86 XTMAH	1	D					00	[T5]
	SE86 WL8AH	<u>·</u> 1	D					00	[L5]
3	WN70 DX9AB							00	MAT, Floor, Vinyl and Pad Assy,
	5 27.67.12	•							Used with police package ]
4									MAT KIT, Floor - Front
-	8220 6493	1	C, D, Y	H, M, P,	41				Taupe
			, ,	S, X					•
	8220 6495	1	C, D, Y	H, M, P,	41				Dark Slate
			, ,	S, X					
	8220 6497	1	C, D, Y		41				Sandstone
				S, X					
5									MAT KIT, Floor - Rear
	8220 6494	1	C, D, Y	H, M, P,	41				Taupe
				S, X					·
	8220 6496	1	C, D, Y	H, M, P,	41				Dark Slate
				S, X					
	8220 6498	1	C, D, Y	H, M, P,	41				Sandstone
				S, X					
-6									CLIP, Carpet
	55196 834AA-	1						00	
		1	D					O0	
		1	С	Н				O0	
		1	С	М				00	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Carpet Luggage Compartment Figure ILH-315



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Luggage Compartment
	4698 338AD	1	С	H, M					
		1	С	Р					
	4698 339AD	1	D						
	4628 846AG	1	Υ	S					
		1	Υ	Χ					
	4628 918AA	1	Υ	S					With Amp
		1	Υ	Χ					With Amp
2	4628 973AA	1							VINYL, Luggage Compartment
3	6101 946	2							SCREW, Tapping
4	4759 514AB	2							GROMMET, Trunk Carpet Attaching
-5									GROMMET, Floor Carpet
	4754 324	4	С						Trunk Carpet Attaching (Tail Lamp
									Area)
		2	Υ	S, X					
6	6505 360AA	2							PIN, Push
7									COVER, Decklid Interior Trim
	4628 813AF	1	Υ	S					
		1	Υ	Χ					
-8	6505 411AA-	4							PIN, Push
-9	4628 911AA-	2							HOOK, Cargo Net
-10	4787 493AB-	1							NET KIT, Storage
-11									LATCH, Decklid
	5056 206AA-	1	С						With Emergency Release Handle
	5056 207AA-	1	D, Y						With Emergency Release Handle

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Silencers** Figure ILH-320



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4580 767AD	1							SILENCER, Cowl Plenum Panel
_										Upper
	2	4580 622AC	1							SILENCER, Dash Panel-Engine
										Compartment
	3	6504 406	3							SCREW
	4									STUD, Dashliner Attaching (M6x1.00/
										.250-14x51.50), (NOT SERVICED)
										(Not Serviced)
	5	4698 441AD	1							SILENCER, Cowl Side
	6	6501 910	4							RETAINER, Trim Panel, Dash
										Silencer
	7									SILENCER, Wheelhouse
		4628 914AA	1							Right
_		4628 915AA	1							Left
	8									PIN, Push, M6.35x12.60
		6502 842	10	C, Y						
			13	D						
	9									SILENCER, Hood, Inner Panel, (NOT
										SERVICED) (Not Serviced)
	10	4780 516AD	1							SILENCER, Floor Pan, Double Layer
_	-11	4780 538AF-	1	С						DEADENER, Shelf Panel, Rear

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION



The Left Door Panel Inculdes the Power Switch Bezel (TA15TRMDD)	NOTE:		
WQ70 1L5AB 1	The Left Door Panel Inculdes the Power Switch Bezel (TA15TRMDD)		
WQ70 XDVAB 1	1		PANEL, Front Door Trim
WQ70 XDVAB 1	WQ70 1L5AB 1	B7	[L5], Right
WQ71 1L5AB 1	WQ70 1T5AB 1	B7	[T5], Right
WQ71 1T5AB 1	WQ70 XDVAB 1	B7	[DV], Right
WQ71 XDVAB 1	WQ71 1L5AB 1	B7	[L5], Left
WQ70 1L5AB	WQ71 1T5AB 1	B7	[T5], Left
WQ70 1T5AB 1	WQ71 XDVAB 1	B7	[DV], Left
WQ70 XDVAB	WQ70 1L5AB 1	BF	[L5], Right
WQ71 1L5AB 1	WQ70 1T5AB 1	BF	[T5], Right
WQ71 1T5AB	WQ70 XDVAB 1	BF	[DV], Right
WQ71 XDVAB	WQ71 1L5AB 1	BF	[L5], Left
XT70 1D2AB 1	WQ71 1T5AB 1	BF	[T5], Left
XT71 1D2AB 1	WQ71 XDVAB 1	BF	[DV], Left
WQ70 XDVAB   1	XT70 1D2AB 1	BL	[D2], Right
WQ71 XDVAB	XT71 1D2AB 1	BL	[D2], Left
PV72 1L5DC         1         CL         [L5], Right           PV72 1T5DC         1         CL         [T5], Right           PV72 XDVDC         1         CL         [DV], Right           PV73 1L5DC         1         CL         [L5], Left           PV73 1T5DC         1         CL         [T5], Left           PV73 XDVDC         1         CL         [DV], Left           TA15 1DVDD         1         ML         [DV], Left           TA15 1L5DD         1         ML         [L5], Left           TA14 1DVDD         1         ML         [DV], Right           TA14 1L5DD         1         ML         [L5], Right           TA15 1DVDD         1         MP         [DV], Left           TA15 1L5DD         1         MP         [DV], Left           TA15 1L5DD         1         MP         [DV], Left           TA14 1DVDD         1         MP         [DV], Right           TA14 1L5DD         1         MP         [DV], Right           TA14 1T5DD         1         MP         [L5], Right           TA14 1T5DD         1         MP         [DV], Right           TA14 1T5DD         1         MP         [DV], Wit	WQ70 XDVAB 1	C8	[DV], Right
PV72 1T5DC	WQ71 XDVAB 1	C8	[DV], Left
PV72 XDVDC 1 PV73 1L5DC 1 PV73 1T5DC 1 PV73 1T5DC 1 PV73 XDVDC 1 PV74 XDVDC 1 PV75 XDVDC 1 PV76 XDVDC 1 PV77 XDVDC 1 PV77 XDVDC 1 PV77 XDVDC 1 PV78 XDVDC 1 PV79	PV72 1L5DC 1	CL	[L5], Right
PV73 1L5DC 1 PV73 1T5DC 1 PV73 3DVDC 1 CL [T5], Left PV73 XDVDC 1 CL [DV], Left  TA15 1DVDD 1 ML [DV], Left TA15 1L5DD 1 ML [T5], Left TA15 1T5DD 1 ML [DV], Right TA14 1L5DD 1 ML [DV], Right TA14 1T5DD 1 ML [L5], Right TA15 1DVDD 1 ML [T5], Right TA15 1DVDD 1 MP [DV], Left TA15 1L5DD 1 MP [DV], Left TA15 1L5DD 1 MP [L5], Left TA16 1T5DD 1 MP [T5], Left TA17 1T5DD 1 MP [T5], Left TA18 1T5DD 1 MP [T5], Left TA19 1T5DD 1 MP [T5], Left TA19 1T5DD 1 MP [T5], Left TA19 1T5DD 1 MP [T5], Right TA19 1T5DD 1 NL [DV], With Calfornia Walnut Trm [CSY], Right TS46 1L2AC 1	PV72 1T5DC 1	CL	[T5], Right
PV73 1T5DC 1 PV73 XDVDC 1 CL [T5], Left PV73 XDVDC 1 CL [DV], Left  TA15 1DVDD 1 ML [DV], Left TA15 1L5DD 1 ML [L5], Left TA15 1T5DD 1 ML [DV], Right TA14 1DVDD 1 ML [DV], Right TA14 1T5DD 1 ML [T5], Right TA15 1DVDD 1 ML [T5], Right TA15 1DVDD 1 MP [DV], Left TA15 1L5DD 1 MP [L5], Left TA15 1L5DD 1 MP [L5], Left TA15 1T5DD 1 MP [T5], Left TA14 1DVDD 1 MP [T5], Left TA14 1DVDD 1 MP [DV], Right TA14 1DVDD 1 MP [T5], Left TA14 1DVDD 1 MP [DV], Right TA14 1DVDD 1 MP [DV], Right TA14 1T5DD 1 MP [T5], Right TA14 1T5DD 1 MP [T5], Right TA14 1T5DD 1 MP [T5], Right TS46 1DVAC 1 NL [DV], With Calfornia Walnut Trm [CSY], Right TS46 1L2AC 1	PV72 XDVDC 1	CL	[DV], Right
PV73 XDVDC         1         CL         [DV], Left           TA15 1DVDD         1         ML         [DV], Left           TA15 1L5DD         1         ML         [L5], Left           TA14 1DVDD         1         ML         [DV], Right           TA14 1L5DD         1         ML         [L5], Right           TA14 1T5DD         1         ML         [T5], Right           TA15 1DVDD         1         MP         [DV], Left           TA15 1L5DD         1         MP         [L5], Left           TA14 1DVDD         1         MP         [DV], Right           TA14 1L5DD         1         MP         [L5], Right           TA14 1T5DD         1         MP         [T5], Right           TS46 1DVAC         1         NL         [DV], With Calfornia Walnut Trm           [CSY], Right         TS46 1L2AC         1         NL         [L2], With Calfornia Walnut Trm	PV73 1L5DC 1	CL	[L5], Left
TA15 1DVDD 1 TA15 1L5DD 1 ML [DV], Left TA15 1L5DD 1 ML [L5], Left TA15 1T5DD 1 ML [DV], Right TA14 1DVDD 1 ML [L5], Right TA14 1L5DD 1 ML [T5], Right TA14 1T5DD 1 ML [T5], Right TA15 1DVDD 1 MP [DV], Left TA15 1L5DD 1 MP [L5], Left TA15 1T5DD 1 MP [T5], Left TA14 1DVDD 1 MP [DV], Right TA14 1DVDD 1 MP [DV], Right TA14 1L5DD 1 MP [DV], Right TA14 1L5DD 1 MP [T5], Right TA14 1T5DD 1 MP [T5], Right TA14 1T5DD 1 MP [T5], Right TA14 1T5DD 1 MP [T5], Right TS46 1DVAC 1 NL [DV], With Calfornia Walnut Trm [CSY], Right TS46 1L2AC 1	PV73 1T5DC 1	CL	[T5], Left
TA15 1L5DD       1       ML       [L5], Left         TA15 1T5DD       1       ML       [T5], Left         TA14 1DVDD       1       ML       [DV], Right         TA14 1T5DD       1       ML       [T5], Right         TA15 1DVDD       1       MP       [DV], Left         TA15 1L5DD       1       MP       [L5], Left         TA15 1T5DD       1       MP       [T5], Left         TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       TS46 1L2AC       1       NL       [L2], With Calfornia Walnut Trm	PV73 XDVDC 1	CL	[DV], Left
TA15 1T5DD       1       ML       [T5], Left         TA14 1DVDD       1       ML       [DV], Right         TA14 1L5DD       1       ML       [L5], Right         TA14 1T5DD       1       MP       [DV], Left         TA15 1L5DD       1       MP       [L5], Left         TA15 1T5DD       1       MP       [T5], Left         TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       NL       [L2], With Calfornia Walnut Trm	TA15 1DVDD 1	ML	[DV], Left
TA14 1DVDD       1       ML       [DV], Right         TA14 1L5DD       1       ML       [L5], Right         TA14 1T5DD       1       ML       [T5], Right         TA15 1DVDD       1       MP       [DV], Left         TA15 1T5DD       1       MP       [T5], Left         TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       NL       [L2], With Calfornia Walnut Trm	TA15 1L5DD 1	ML	[L5], Left
TA14 1L5DD 1 TA14 1T5DD 1 TA14 1T5DD 1 TA15 1DVDD 1 TA15 1L5DD 1 TA15 1T5DD 1 TA15 1T5DD 1 TA14 1DVDD 1 TA14 1DVDD 1 TA14 1DVDD 1 TA14 1DVDD 1 TA14 1L5DD 1 TA14 1L5DD 1 TA14 1L5DD 1 TA14 1L5DD 1 TA14 1T5DD 1 TA15 1T5DD 1 TA16 1DVAC 1 TA16 1DVAC 1 TA17 TA17 TA18 TA18 TA18 TA19 TA19 TA19 TA19 TA19 TA19 TA19 TA19	TA15 1T5DD 1	ML	[T5], Left
TA14 1T5DD       1       ML       [T5], Right         TA15 1DVDD       1       MP       [DV], Left         TA15 1L5DD       1       MP       [L5], Left         TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       TS46 1L2AC       1       NL       [L2], With Calfornia Walnut Trm	TA14 1DVDD 1	ML	[DV], Right
TA15 1DVDD 1	TA14 1L5DD 1	ML	[L5], Right
TA15 1L5DD       1       MP       [L5], Left         TA15 1T5DD       1       MP       [T5], Left         TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       TS46 1L2AC       1       NL       [L2], With Calfornia Walnut Trm	TA14 1T5DD 1	ML	[T5], Right
TA15 1T5DD 1	TA15 1DVDD 1	MP	[DV], Left
TA14 1DVDD       1       MP       [DV], Right         TA14 1L5DD       1       MP       [L5], Right         TA14 1T5DD       1       MP       [T5], Right         TS46 1DVAC       1       NL       [DV], With Calfornia Walnut Trm         [CSY], Right       TS46 1L2AC       1       NL       [L2], With Calfornia Walnut Trm	TA15 1L5DD 1	MP	[L5], Left
TA14 1L5DD       1       MP [L5], Right         TA14 1T5DD       1       MP [T5], Right         TS46 1DVAC       1       NL [DV], With Calfornia Walnut Trm [CSY], Right         TS46 1L2AC       1       NL [L2], With Calfornia Walnut Trm	TA15 1T5DD 1	MP	[T5], Left
TA14 1T5DD         1         MP         [T5], Right           TS46 1DVAC         1         NL         [DV], With Calfornia Walnut Trm           [CSY], Right         TS46 1L2AC         1         NL         [L2], With Calfornia Walnut Trm	TA14 1DVDD 1	MP	[DV], Right
TS46 1DVAC 1  NL [DV], With Calfornia Walnut Trm [CSY], Right TS46 1L2AC 1  NL [L2], With Calfornia Walnut Trm	TA14 1L5DD 1	MP	[L5], Right
[CSY], Right TS46 1L2AC 1 NL [L2], With Calfornia Walnut Trm	TA14 1T5DD 1	MP	[T5], Right
TS46 1L2AC 1 NL [L2], With Calfornia Walnut Trm	TS46 1DVAC 1	NL	[DV], With Calfornia Walnut Trm
			[CSY], Right
ICSYI. Right	TS46 1L2AC 1	NL	[L2], With Calfornia Walnut Trm
[1,3			[CSY], Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
•										
		TS46 1T5AC	1						NL	[T5], With Calfornia Walnut Trm
-										[CSY], Right
		TS47 1DVAC	1						NL	[DV], With Calfornia Walnut Trm
										[CSY], Left
		TS47 1L2AC	1						NL	[L2], With Calfornia Walnut Trm
_										[CSY], Left
		PU20 1DVDC	1						NL	[DV], Right
		TS47 1T5AC	1						NL	[T5], With Calfornia Walnut Trm
_										[CSY], Left
		PU20 1L2DC	1						NL	[L2], Right
		PU20 1T5DC	1						NL	[T5], Right
		PU21 1DVDC	1						NL	[DV], Left
_		PU21 1L2DC	1						NL	[L2], Left
		PU21 1T5DC	1						NL	[T5], Left
		TS46 1DVAC	1						PL	[DV], With Calfornia Walnut Trm
										[CSY], Right
_		TS47 1DVAC	1						PL	[DV], With Calfornia Walnut Trm
										[CSY], Left
		TA15 1DVDD	1						Q5	[DV], Left
		TA15 1L5DD	1						Q5	[L5], Left
_		TA15 1T5DD	1						Q5	[T5], Left
		TA14 1DVDD	1						Q5	[DV], Right
		TA14 1L5DD	1						Q5	[L5], Right
		TA14 1T5DD	1						Q5	[T5], Right
_		TA15 1DVDD	1						QF	[DV], Left
		TA15 1L5DD	1						QF	[L5], Left
		TA15 1T5DD	1						QF	[T5], Left
		TA14 1DVDD	1						QF	[DV], Right
_		TA14 1L5DD	1						QF	[L5], Right
		TA14 1T5DD	1						QF	[T5], Right
		PV72 1L5DC	1						R5	[L5], Right
		PV72 1T5DC	1						R5	[T5], Right
_		PV72 XDVDC							R5	[DV], Right
		PV73 1L5DC	1						R5	[L5], Left
		PV73 1T5DC	1						R5	[T5], Left
		PV73 XDVDC							R5	[DV], Left
_		TS46 1DVAC	1						SL	[DV], With Calfornia Walnut Trm
		TO 40 4T= 4 0	,						01	[CSY], Right
		TS46 1T5AC	1						SL	[T5], With Calfornia Walnut Trm
		TO 47 45144 6	,						01	[CSY], Right
-		TS47 1DVAC	1						SL	[DV], With Calfornia Walnut Trm
										[CSY], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				•		•	•		
	PU20 1DVDC	1						SL	[DV], Right
	TS47 1T5AC	1						SL	[T5], With Calfornia Walnut Trm
									[CSY], Left
	PU20 1T5DC	1						SL	[T5], Right
	PU21 1DVDC	1						SL	[DV], Left
	PU21 1T5DC	1						SL	[T5], Left
	TS46 1DVAC	1						TL	[DV], With Calfornia Walnut Trm
									[CSY], Right
	PU21 1T5DC	1						TL	[T5], Left
	TS46 1L2AC	1						TL	[L2], With Calfornia Walnut Trm
									[CSY], Right
	PU21 1L2DC	1						TL	[L2], Left
	PU21 1DVDC	1						TL	[DV], Left
	TS46 1T5AC	1						TL	[T5], With Calfornia Walnut Trm
									[CSY], Right
	PU20 1T5DC	1						TL	[T5], Right
	TS47 1DVAC	1						TL	[DV], With Calfornia Walnut Trm
									[CSY], Left
	TS47 1L2AC	1						TL	[L2], With Calfornia Walnut Trm
									[CSY], Left
	PU20 1L2DC	1						TL	[L2], Right
	PU20 1DVDC	1						TL	[DV], Right
	TS47 1T5AC	1						TL	[T5], With Calfornia Walnut Trm
									[CSY], Left
	WH11 1DVAB	1						UL	[DV], Left
	WH11 1D2AB	1						UL	[D2], Left
	WH10 1DVAB	1						UL	[DV], Right
	WH10 1D2AB	1						UL	[D2], Right
	WQ70 XDVAE							X5	[DV], Right
	WQ71 XDVAB	3 1						X5	[DV], Left
		1						Y5	[DV], Left
	WQ70 XDVAB	3 1						Y5	[DV], Right
	PU21 1DVDC	1						Z5	[DV], Left
	TS46 1DVAC	1						Z5	[DV], With Calfornia Walnut Trm
									[CSY], Right
	TS47 1DVAC	1						Z5	[DV], With Calfornia Walnut Trm
									[CSY], Left
	TS46 1T5AC	1						Z5	[T5], With Calfornia Walnut Trm
									[CSY], Right
	PU20 1T5DC	1						<b>Z</b> 5	[T5], Right
	PU21 1T5DC	1						Z5	[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	TS47 1T5AC	1						Z5	[T5], With Calfornia Walnut Trm
									[CSY], Left
	PU20 1DVDC	1						<b>Z</b> 5	[DV], Right
2	6032 723	20							SCREW, Self Tapping, M4.2x1.
									69x19.05, Door Panel Attaching
3	4628 691AB	2							BRACKET, Door Pull Cup, Support
4	6506 878AA	6							NUT, Snap In
5									FASTENER, Door Trim Panel
	6505 534AA	1						B7	
		1						BF	
		1						C8	
		1						X5	
		1						CL	
		1						R5	
0	0404 700	1						Y5	CODEW Call Tamaia a Mondada
6	6101 786	2							SCREW, Self Tapping, M6x1x15
7	QB22 WL8CB	1						NL	CUP, Door Pull [L2], Right
	QB22 WLOCB	1						TL	[L2], Right
	QB22 XDVCB	1						NL	[DV], Right
	QDZZ NDVOD	1						SL	[DV], Right
		<del>.</del> 1						Z5	[DV], Right
		1						TL	[DV], Right
		1						UL	[D2], Right
		1						UL	[DV], Right
	QB22 XTMCB	1						NL	[T5], Right
		1						SL	[T5], Right
		1						<b>Z</b> 5	[T5], Right
		1						TL	[T5], Right
	QB23 WL8CB	1						NL	[L2], Left
		1						TL	[L2], Left
	QB23 XDVCB	1						NL	[DV], Left
		1						SL	[DV], Left
		1						Z5	[DV], Left
		1						TL	[DV], Left
		1						UL	[D2], Left
	OD00 \(\tau\)	1						UL	[DV], Left
	QB23 XTMCB	1						NL	[T5], Left
		1						SL 75	[T5], Left
		1						Z5 TL	[T5], Left
		ı						I L	[T5], Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	TK58 WL5CB	1						BF	[L5], Right
		1						B7	[L5], Right
		1						CL	[L5], Right
		1						R5	[L5], Right
	TK58 XDVCB	1						BF	[DV], Right
		1						B7	[DV], Right
		1						C8	[DV], Right
		1						X5	[DV], Right
		1						CL	[DV], Right
		1						Y5	[DV], Right
	TK58 XT5CB	1						BF	[T5], Right
		1						B7	[T5], Right
		1						CL	[T5], Right
	TK59 WL5CB	1						BF	[L5], Left
		1						B7	[L5], Left
		1						CL	[L5], Left
	TIVEO VEVICE	1						R5	[L5], Left
	TK59 XDVCB	1						BF	[DV], Left
		1						B7	[DV], Left
		1						X5	[DV], Left
		1						C8	[DV], Left
		1						CL	[DV], Left
		1						R5	[DV], Left
	TVEO VTEOD	1						Y5	[DV], Left
	TK59 XT5CB	1						B7	[T5], Left
		1 1						BF CL	[T5], Left
0		'						CL	[T5], Left
8	4780 148AE	4							WATERSHIELD, Front Door
	4780 148AE 4780 149AE	<u>1</u> 1							Right Left
9	4700 149AL	'							CLIP, Door Trim
9	6035 906	2	C, Y					00	CLIF, DOOL THIN
	0033 900	2	D, 1					00	
-10								- 00	FASTENER, Door Trim Panel,
-10									[White]
	6504 014	2						В7	[vviiite]
	3301 314	2						BF	
		2						C8	
		2						CL	
		2						ML	
		2						MP	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





NUMBER   QTY   LINE   SERIES   BODY   ENGINE   TRANS   TRIM   DESCRIPTION		PART								
2 Q5 2 QF 2 R5 2 SL 2 TL 2 UL 2 UL 2 Y5 2 Y5 2 Y5 2 Y5 2 Y5 2 TS  -11 FASTENER, Door Trim Panel, [Green]  6503 204 1 B7 1 BF 1 CS 1 CS 1 CL 1 ML 1 MP 1 ML 1 Q5 1 QF 1 QF 1 SL 1 TL 1 UL 1 U	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
2 Q5 2 QF 2 R5 2 SL 2 TL 2 UL 2 UL 2 Y5 2 Y5 2 Y5 2 Y5 2 Y5 2 TS  -11 FASTENER, Door Trim Panel, [Green]  6503 204 1 B7 1 BF 1 CS 1 CS 1 CL 1 ML 1 MP 1 ML 1 Q5 1 QF 1 QF 1 SL 1 TL 1 UL 1 U										
2										
2 SL 2 SL 2 TL 2 UL 2 UL 2 Y5 2 Y5 2 Y5 2 T6  -11 FASTENER, Door Trim Panel, [Green]  6503 204 1 B7 1 BF 1 C8 1 C8 1 CL 1 ML 1 MP 1 MP 1 NL 1 Q5 1 Q5 1 QF 1 R5 1 SL 1 UL 1 UL 1 Y5										
SL										
TL										
Page										
2   X5   Y5										
2   Y5										
FASTENER, Door Trim Panel, [Green]										
GFeen   B7			2						Z5	
B7	-11									
1										[Green]
1		6503 204								
1 CL ML 1 MP 1 NL 1 Q5 1 QF 1 QF 1 R5 1 SL 1 TL 1 UL 1 Y5 1 Z5 -12 PLUG, Bezel Trim, Pull Cup QU33 XDVAA- 1 UL [D2] 1 MP [DV] 1 ML [DV] 1 QF										
1			1							
MP			1							
1 Q5 QF 1 R5 1 SL 1 UL 1 UL 1 UL 1 Y5 1 Z5 -12 PLUG, Bezel Trim, Pull Cup QU33 XDVAA- 1 UL [D2] 1 Y5 [DV] 1 MP [DV] 1 ML [DV] 1 QF [DV] 1 QF [DV] 1 QF [DV] 1 QF [DV] 1 UL [DV] 1 SL [DV] 1 SL [DV] 1 SL [DV]										
1			1						NL	
1			1							
1 SL 1 TL 1 UL 1 UL 1 X5 1 Y5 1 Z5 -12 PLUG, Bezel Trim, Pull Cup  QU33 XDVAA- 1 UL [D2] 1 Y5 [DV] 1 MP [DV] 1 ML [DV] 1 QF [DV] 1 QF [DV] 1 QF [DV] 1 UL [DV] 1 CD]			1							
1 TL 1 UL 1 X5 1 Y5 1 25 -12 PLUG, Bezel Trim, Pull Cup  QU33 XDVAA- 1 UL [D2] 1 Y5 [DV] 1 MP [DV] 1 ML [DV] 1 QF [DV] 1 QF [DV] 1 QF [DV] 1 UL [DV] 1 QF [DV] 1 CDV]			1							
1			1							
1			1							
1										
1 Z5 PLUG, Bezel Trim, Pull Cup  QU33 XDVAA- 1 UL [D2] 1 Y5 [DV] 1 MP [DV] 1 ML [DV] 1 QF [DV] 1 Q5 [DV] 1 UL [DV] 1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 TL [DV]										
PLUG, Bezel Trim, Pull Cup			1							
1 Y5 [DV] 1 MP [DV] 1 ML [DV] 1 QF [DV] 1 Q5 [DV] 1 UL [DV] 1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 NL [DV]	-12									PLUG, Bezel Trim, Pull Cup
1       MP [DV]         1       ML [DV]         1       QF [DV]         1       Q5 [DV]         1       UL [DV]         1       SL [DV]         1       Z5 [DV]         1       TL [DV]         1       NL [DV]		QU33 XDVAA	\- 1						UL	[D2]
1         ML         [DV]           1         QF         [DV]           1         Q5         [DV]           1         UL         [DV]           1         SL         [DV]           1         TL         [DV]           1         NL         [DV]			1							
1 QF [DV] 1 Q5 [DV] 1 UL [DV] 1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 NL [DV]										[DV]
1 Q5 [DV] 1 UL [DV] 1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 NL [DV]										
1 UL [DV] 1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 NL [DV]										
1 SL [DV] 1 Z5 [DV] 1 TL [DV] 1 NL [DV]			_							[DV]
1 Z5 [DV] 1 TL [DV] 1 NL [DV]			-							
1 TL [DV] 1 NL [DV]										
1 NL [DV]										
			1							
			1							

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



#### **Door Panels - Front** Figure ILH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				<u> </u>					
		4						BF	IDV/I
		1						X5	[DV] [DV]
		1						CL	[DV]
	QU33 WL8AA	\- 1						NL	[L2]
	QUOU WEON	1						TL	[L2]
		1						Q5	[L5]
		1						QF	[L5]
		1						ML	[L5]
		1						R5	[L5]
		1						MP	[L5]
		1						CL	[L5]
		1						BF	[L5]
		1						B7	[L5]
	QU33 XTMAA	\- 1						NL	[T5]
		1						SL	[T5]
		1						TL	[T5]
		1						Z5	[T5]
		1						B7	[T5]
		1						BF	[T5]
		1						CL	[T5]
		1						Q5	[T5]
		1						ML	[T5]
		1						QF	[T5]
		1						MP	[T5]
-13									NUT, Push
	4698 978AA-	3						NL	
		3						SL	
		3						TL	
		3						<b>Z</b> 5	
14	6506 655AA	4							PLUG, Door Trim Panel, Female End
-15	6506 654AA-	AR							PLUG, Door Trim Panel, Male End -
									Goes With Item 14
16	6100 275	6							BOLT AND CONED WASHER, Hex
									Head, M6x16x14
17	6035 807	2							NUT, Door Trim
-18									BEZEL, Door Trim Panel
	TS48 AAAAA							NL	Woodgrain, Right
	TS49 AAAAA	- 1						NL	Woodgrain, Left
19									KIT, Door Handle
	5102 836AA	1						CL	Dark Slate, Right
		1						BF	Dark Slate, Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



#### **Door Panels - Front** Figure ILH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-	1								
		4						В7	Dark Slate, Right
		<u>1</u> 1						C8	Dark Slate, Right
		1						X5	Dark Slate, Right
		1						Y5	Dark Slate, Right
	5102 839AA	1						CL	Dark Slate, Right
	0102 000701	1						R5	Dark Slate, Left
		1						BF	Dark Slate, Left
		1						B7	Dark Slate, Left
		1						X5	Dark Slate, Left
		1						C8	Dark Slate, Left
	5102 838AA	1						CL	Dark Taupe, Right
	3102 030AA	1						R5	Dark Taupe, Right
		1						BF	Dark Taupe, Right
		<u>'</u>						B7	Dark Taupe, Right
		1						C8	Dark Taupe, Right
		1						X5	Dark Taupe, Right
	5102 841AA	1						CL	Dark Taupe, Right
	0102 041701	1						R5	Dark Taupe, Left
		1						BF	Dark Taupe, Left
		1						B7	Dark Taupe, Left
		1						X5	Dark Taupe, Left
		1						C8	Dark Taupe, Left
	5102 837AA	1						CL	Dark Sandstone, Right
	3102 031 AA	1						BF	Dark Sandstone, Right
		1						B7	Dark Sandstone, Right
		1						C8	Dark Sandstone, Right
		1						X5	Dark Sandstone, Right
		1						Y5	Dark Sandstone, Right
	5102 840AA	1						CL	Dark Sandstone, Right  Dark Sandstone, Left
	3102 640AA	1						R5	Dark Sandstone, Left
		1						BF	Dark Sandstone, Left
		1						B7	Dark Sandstone, Left
		1						X5	Dark Sandstone, Left
		1						C8	Dark Sandstone, Left
	5102 847AA	1						NL	Dark Slate, Right
	3102 041 AA	1						SL	Dark Slate, Right
		1						Z5	Dark Slate, Right
		1						TL	Dark Slate, Right
		1						UL	Dark Slate, Right
		1						AL	Dark Slate, Right
		1						DL	_
		- 1						DL	Dark Slate, Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



#### **Door Panels - Front** Figure ILH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
	5102 849AA	1						NL	Dark Slate, Left
	3102 0 <del>1</del> 3AA	1						SL	Dark Slate, Left
		1						Z5	Dark Slate, Left
		1						TL	Dark Slate, Left
		1						UL	Dark Slate, Left
		1						AL	Dark Slate, Left
		1						DL	Dark Slate, Left
	5102 850AA	1						NL	Dark Sandstone, Right
		1						SL	Dark Sandstone, Right
		1						Z5	Dark Sandstone, Right
		1						TL	Dark Sandstone, Right
	5102 851AA	1						NL	Dark Sandstone, Left
		1						SL	Dark Sandstone, Left
		1						Z5	Dark Sandstone, Left
		1						TL	Dark Sandstone, Left
	5102 852AA	1						NL	Dark Taupe, Right
		1						SL	Dark Taupe, Right
		1						Z5	Dark Taupe, Right
		1						TL	Dark Taupe, Right
	5102 853AA	1						NL	Dark Taupe, Left
		1						SL	Dark Taupe, Left
		1						Z5	Dark Taupe, Left
		1						TL	Dark Taupe, Left
	5102 862AA	1						QF	Dark Slate / Chrome, Left
		1						ML	Dark Slate / Chrome, Left
		1						MP	Dark Slate / Chrome, Left
		1						Q5	Dark Slate / Chrome, Left
	5102 863AA	1						QF	Dark Slate / Chrome, Right
		1						ML	Dark Slate / Chrome, Right
		1						MP	Dark Slate / Chrome, Right
		1						Q5	Dark Slate / Chrome, Right
	5102 864AA	1						QF	Dark Sandstone / Chrome, Left
		1						ML	Dark Sandstone / Chrome, Left
		1						MP	Dark Sandstone / Chrome, Left
		1						Q5	Dark Sandstone / Chrome, Left
	5102 865AA	1						QF	Dark Sandstone / Chrome
		1						ML	Dark Sandstone / Chrome
		1						MP	Dark Sandstone / Chrome, Right
		1						Q5	Dark Sandstone / Chrome, Right
	5102 866AA	1						QF	Dark Taupe / Chrome, Left
		1						ML	Dark Taupe / Chrome, Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Door Panels - Front Figure**



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1						MP	Dark Taupe / Chrome, Left
		1						Q5	Dark Taupe / Chrome, Left
	5102 867AA	1						QF	Dark Taupe / Chrome, Right
		1						ML	Dark Taupe / Chrome, Right
		1						MP	Dark Taupe / Chrome, Right
		1						Q5	Dark Taupe / Chrome, Right

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

NOTE: RCP = Speakers 11 Infinity In 9 Locations	ITEM	PART	OT.V	LINE	ernice	DODY	ENGINE	TDANE	TDIM	DESCRIPTION
RCE = Speakers 9 Infinity in 7 Locations	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
RCE = Speakers 9 Infinity in 7 Locations										
CSY = Woodgrain CSY = Wood Trim  1					ocations					
CSY = Wood Trim	=		ity in 7	Locations						
PANEL, Rear Door Trim		•								
PU91 1T5DC 1		ood Trim								
PU90 1T5DC 1										
Right   PU91 1DVDC   1   Z5   [DV], With RCE, Without CSY, L   PU90 1DVDC   1   Z5   [DV], With RCE, Without CSY, L   Right   TL   [DV], With RCE, Without CSY, L   PU90 1DVDC   1   TL   [DV], With RCE, Without CSY, L   PU90 1DVDC   1   TL   [T5], With RCE, Without CSY, L   PU90 1L2DC   1   TL   [T5], With RCE, Without CSY, L   Right   TL   [T5], With RCE, Without CSY, Right   PU90 1T5DC   1   TL   [L2], With RCE, Without CSY, Right   PU91 1L2DC   1   TL   [L2], With RCE, Without CSY, L   PU90 1T5DC   1   TL   [L2], With RCE, Without CSY, Right   PU90 1DVDC   1   SL   [DV], With RCE, Without CSY, Right   PU91 1DVDC   1   SL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   SL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   SL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   SL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1			1							
PU91 1DVDC 1		PU90 1T5DC	1						Z5	[T5], With RCE, Without CSY,
PU90 1DVDC 1										Right
Right   PU91 1DVDC   1   TL   [DV], With RCE, Without CSY, L   PU90 1DVDC   1   TL   [DV], With RCE, Without CSY, L   PU91 1T5DC   1   TL   [T5], With RCE, Without CSY, L   PU90 1L2DC   1   TL   [T5], With RCE, Without CSY, Right   PU91 1L2DC   1   TL   [T5], With RCE, Without CSY, Right   PU91 1L2DC   1   TL   [L2], With RCE, Without CSY, Right   PU90 1T5DC   1   TL   [L2], With RCE, Without CSY, L   PU90 1T5DC   1   SL   [T5], With RCE, Without CSY, Right   PU91 1DVDC   1   SL   [DV], With RCE, Without CSY, Right   PU91 1DVDC   1   SL   [DV], With RCE, Without CSY, L   PU91 1T5DC   1   SL   [T5], With RCE, Without CSY, L   PU91 1L2DC   1   NL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [L2], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   NL   [L2], With RCE, Without CSY, Right   PU90 1L2DC   1   PU90 1L2DC		PU91 1DVDC	1						Z5	[DV], With RCE, Without CSY, L
PU91 1DVDC 1		PU90 1DVDC	1						Z5	[DV], With RCE, Without CSY,
PU90 1DVDC 1										Right
Right		PU91 1DVDC	1						TL	[DV], With RCE, Without CSY, L
PU91 1T5DC 1		PU90 1DVDC	1						TL	[DV], With RCE, Without CSY,
PU90 1L2DC 1  PU90 1T5DC 1  PU91 1L2DC 1  PU91 1L2DC 1  PU91 1T5DC 1  PU91 1DVDC 1  PU91 1DVDC 1  PU91 1T5DC 1  PU										Right
Right		PU91 1T5DC	1						TL	[T5], With RCE, Without CSY, L
PU90 1T5DC 1  PU91 1L2DC 1  PU91 1L2DC 1  PU90 1T5DC 1  PU90 1T5DC 1  PU90 1DVDC 1  PU91 1DVDC 1  PU91 1T5DC 1  PU91 1L2DC 1  PU91 1L2DC 1  PU91 1L2DC 1  PU91 1DVDC 1  PU90 1L2DC 1		PU90 1L2DC	1						TL	[L2], With RCE, Without CSY,
Right   PU91 1L2DC   1   TL   [L2], With RCE, Without CSY, L   PU90 1T5DC   1   SL   [T5], With RCE, Without CSY, E   Right   PU90 1DVDC   1   SL   [DV], With RCE, Without CSY, Right   PU91 1DVDC   1   SL   [DV], With RCE, Without CSY, L   PU91 1T5DC   1   SL   [T5], With RCE, Without CSY, L   PU91 1L2DC   1   NL   [T5], With RCE, Without CSY, L   PU91 1DVDC   1   NL   [L2], With RCE, Without CSY, L   PU90 1L2DC   1   NL   [DV], With RCE, Without CSY, L   Right   RCE, Without CSY, RCE, W										Right
PU91 1L2DC         1         TL         [L2], With RCE, Without CSY, L         PU90 1T5DC         1         SL         [T5], With RCE, Without CSY, Right           PU90 1DVDC         1         SL         [DV], With RCE, Without CSY, Right           PU91 1DVDC         1         SL         [DV], With RCE, Without CSY, L           PU91 1T5DC         1         SL         [T5], With RCE, Without CSY, L           PU91 1L2DC         1         NL         [L2], With RCE, Without CSY, L           PU91 1DVDC         1         NL         [DV], With RCE, Without CSY, L           PU90 1L2DC         1         NL         [L2], With RCE, Without CSY, Right		PU90 1T5DC	1						TL	<del>-</del>
PU90 1T5DC 1   SL   [T5], With RCE, Without CSY, Right										Right
PU90 1T5DC 1   SL [T5], With RCE, Without CSY, Right		PU91 1L2DC	1						TL	[L2], With RCE, Without CSY, L
Right   PU90 1DVDC 1   SL [DV], With RCE, Without CSY, Right   PU91 1DVDC 1   SL [DV], With RCE, Without CSY, L   PU91 1T5DC 1   SL [T5], With RCE, Without CSY, L   1   NL [T5], With RCE, Without CSY, L   PU91 1L2DC 1   NL [L2], With RCE, Without CSY, L   PU91 1DVDC 1   NL [DV], With RCE, Without CSY, L   PU90 1L2DC 1   NL [DV], With RCE, Without CSY, L   Right   Right		PU90 1T5DC	1						SL	
PU90 1DVDC         1         SL         [DV], With RCE, Without CSY, Right           PU91 1DVDC         1         SL         [DV], With RCE, Without CSY, L           PU91 1T5DC         1         SL         [T5], With RCE, Without CSY, L           NL         [T5], With RCE, Without CSY, L           PU91 1L2DC         1         NL         [L2], With RCE, Without CSY, L           PU90 1L2DC         1         NL         [L2], With RCE, Without CSY, Right										
Right   PU91 1DVDC 1   SL [DV], With RCE, Without CSY, L   PU91 1T5DC 1   SL [T5], With RCE, Without CSY, L   NL [T5], With RCE, Without CSY, L   PU91 1L2DC 1   NL [L2], With RCE, Without CSY, L   PU91 1DVDC 1   NL [DV], With RCE, Without CSY, L   PU90 1L2DC 1   NL [L2], With RCE, Without CSY, L   Right   R		PU90 1DVDC	1						SL	•
PU91 1DVDC         1         SL         [DV], With RCE, Without CSY, L           PU91 1T5DC         1         SL         [T5], With RCE, Without CSY, L           NL         [T5], With RCE, Without CSY, L           PU91 1L2DC         1         NL         [L2], With RCE, Without CSY, L           PU91 1DVDC         1         NL         [DV], With RCE, Without CSY, L           PU90 1L2DC         1         NL         [L2], With RCE, Without CSY, Right										
PU91 1T5DC 1 SL [T5], With RCE, Without CSY, L 1 NL [T5], With RCE, Without CSY, L PU91 1L2DC 1 NL [L2], With RCE, Without CSY, L PU91 1DVDC 1 NL [DV], With RCE, Without CSY, L PU90 1L2DC 1 NL [L2], With RCE, Without CSY, L Right		PU91 1DVDC	1						SL	· ·
1 NL [T5], With RCE, Without CSY, L PU91 1L2DC 1 NL [L2], With RCE, Without CSY, L PU91 1DVDC 1 NL [DV], With RCE, Without CSY, L PU90 1L2DC 1 NL [L2], With RCE, Without CSY, L Right										
PU91 1L2DC         1         NL         [L2], With RCE, Without CSY, L           PU91 1DVDC         1         NL         [DV], With RCE, Without CSY, L           PU90 1L2DC         1         NL         [L2], With RCE, Without CSY, Right			1							
PU91 1DVDC 1  PU90 1L2DC 1  NL [DV], With RCE, Without CSY, L  NL [L2], With RCE, Without CSY, Right		PU91 1L2DC	1							
PU90 1L2DC 1 NL [L2], With RCE, Without CSY, Right										
Right										
~		222	•						· · -	
		PU90 1T5DC	1						NL	[T5], With RCE, Without CSY,



CONCORDE-INTREPID-300M (LH) SERIES LINE BODY H = Chrysler 41 = 4 Door Sedan

P = Limited/ES S = 300M H = SE Intrepid
D = Dodge Intrepid
C = Concorde M = LXIX = 300M Special E = 300M

PU90 1DVDC 1

RB51 1T5DC 1

RB51 1DVDC 1

RB50 1DVDC 1

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

NL

**Z**5

Z5

**Z**5

Right


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

[DV], With RCE, Without CSY,

[T5], With [RCP], Without [CSY],

[DV], With [RCP], Without [CSY],

[DV], With [RCP], Without [CSY],



RB50 1T5DC   1   SERIES   BODY   ENGINE   TRANS   TRIM   DESCRIPTION		PART								
Right   WH13 1DVAA   1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Right   WH13 1DVAA   1		•				•	•		•	
Right   WH13 1DVAA   1		RB50 1T5DC	1						<b>Z</b> 5	IT5], With IRCP], Without ICSY],
Left   WH13 1D2AA   1										
WH13 1D2AA 1		WH13 1DVA	1						UL	-
Left   WH12 1D2AA   1										Left
WH12 1D2AA       1       UL [D2], With [RCP], Without [CSY], Right         WH12 1DVAA       1       UL [DV], With [RCP], Without [CSY], Right         RB51 1T5DC       1       NL [T5], With [RCP], Without [CSY], Left         RB50 1L2DC       1       TL [L2], With [RCP], Without [CSY], Right         RB50 1DVDC       1       TL [DV], With [RCP], Without [CSY], Right         RB51 1L2DC       1       TL [L2], With [RCP], Without [CSY], Left         RB51 1T5DC       1       TL [T5], With [RCP], Without [CSY], Left         RB50 1T5DC       1       TL [T5], With [RCP], Without [CSY], Right         RB51 1DVDC       1       TL [T5], With [RCP], Without [CSY], Without [CSY		WH13 1D2AA	. 1						UL	
Right   WH12 1DVAA   1										
WH12 1DVAA         1         UL         [DV], With [RCP], Without [CSY], Right           RB51 1T5DC         1         NL         [T5], With [RCP], Without [CSY], Left           RB50 1L2DC         1         TL         [L2], With [RCP], Without [CSY], Right           RB50 1DVDC         1         TL         [DV], With [RCP], Without [CSY], Right           RB51 1L2DC         1         TL         [L2], With [RCP], Without [CSY], Left           RB51 1T5DC         1         TL         [T5], With [RCP], Without [CSY], Left           RB50 1T5DC         1         TL         [T5], With [RCP], Without [CSY], Right           RB51 1DVDC         1         TL         [DV], With [RCP], Without [CSY], Without [CSY], Right		WH12 1D2AA	. 1						UL	
Right   RB51 1T5DC   1		\\\∐12 1D\\\\\	. 1						1.01	-
RB51 1T5DC   1		WITIZ IDVA	\ 1						- OL	
Left   RB50 1L2DC   1   TL   [L2], With [RCP], Without [CSY],   Right   RB50 1DVDC   1   TL   [DV], With [RCP], Without [CSY],   Right   RB51 1L2DC   1   TL   [L2], With [RCP], Without [CSY],   Left   Left   RB51 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Left   RB50 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],   RB51 1DVDC   1   TL   [DV], Wi		RB51 1T5DC	1						NL	-
Right   RB50 1DVDC   1										
RB50 1DVDC   1   TL   [DV], With [RCP], Without [CSY], Right   RB51 1L2DC   1   TL   [L2], With [RCP], Without [CSY], Left   TL   [T5], With [RCP], Without [CSY], Left   RB50 1T5DC   1   TL   [T5], With [RCP], Without [CSY], Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY], Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],		RB50 1L2DC	1						TL	[L2], With [RCP], Without [CSY],
Right   RB51 1L2DC   1   TL   [L2], With [RCP], Without [CSY],   Left     Eft     Eft     Left     Left     Eft     Left     Eft     Left     Left     Eft     Eft   Eft     Eft     Eft     Eft     Eft     Eft     Eft     Eft   Eft     Eft										Right
RB51 1L2DC   1   L2], With [RCP], Without [CSY],   Left     RB51 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Left     RB50 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Right     RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],		RB50 1DVDC	1						TL	
Left   RB51 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Left     Left   TL   [T5], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],										_
RB51 1T5DC       1       TL       [T5], With [RCP], Without [CSY], Left         RB50 1T5DC       1       TL       [T5], With [RCP], Without [CSY], Right         RB51 1DVDC       1       TL       [DV], With [RCP], Without [CSY],		RB51 1L2DC	1						TL	
Left   RB50 1T5DC   1   TL   [T5], With [RCP], Without [CSY],   Right   RB51 1DVDC   1   TL   [DV], With [RCP], Without [CSY],		DDE1 1TEDC	4						TI	
RB50 1T5DC         1         TL         [T5], With [RCP], Without [CSY],           RB51 1DVDC         1         TL         [DV], With [RCP], Without [CSY],		KB31 113DC	'						I L	
Right RB51 1DVDC 1 TL [DV], With [RCP], Without [CSY],		RB50 1T5DC	1						TL	
Left		RB51 1DVDC	1						TL	[DV], With [RCP], Without [CSY],
										Left
RB50 1DVDC 1 NL [DV], With [RCP], Without [CSY],		RB50 1DVDC	1						NL	
Right									0.1	•
1 SL [DV], With [RCP], Without [CSY],			1						SL	
Right RB51 1DVDC 1 SL [DV], With [RCP], Without [CSY],		RR51 1DVDC	1						SI	
Left		RB31 IBVB0	' '						<u> </u>	
RB51 1T5DC 1 SL [T5], With [RCP], Without [CSY],		RB51 1T5DC	1						SL	
Left										
RB50 1T5DC 1 SL [T5], With [RCP], Without [CSY],		RB50 1T5DC	1						SL	[T5], With [RCP], Without [CSY],
Right										-
RB51 1DVDC 1 NL [DV], With [RCP], Without [CSY],		RB51 1DVDC	1						NL	
Left		DD50 475D0								
RB50 1T5DC 1 NL [T5], With [RCP], Without [CSY], Right		KB50 115DC	1						INL	
RB50 1L2DC 1 NL [L2], With [RCP], Without [CSY],		RB50 1L2DC	1						NI	•
Right			'						146	
RB51 1L2DC 1 NL [L2], With [RCP], Without [CSY],		RB51 1L2DC	1						NL	
Left										

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			•	•		•			
	WU43 1L2AA	. 1						NL	[L2], With [RCQ] or [RCJ] and
									[CSY], Left
	WU43 1T5AA	. 1						NL	[T5], With [RCQ] or [RCJ] and
									[CSY]
	WU43 1DVAA	\ 1						NL	[DV], With [RCQ] or [RCJ] and
									[CSY], Left
	WU42 1T5AA	. 1						NL	[T5], With [RCQ] or [RCJ] and
									[CSY], Right
	WU42 1L2AA	. 1						NL	[L2], With [RCQ] or [RCJ] and
	WU42 1DVAA	١ ،						NL	[CSY], Right
	WU42 IDVAA	1						INL	[DV], With [RCQ] or [RCJ] and [CSY], Right
		1						PL	[DV], With [RCQ] or [RCJ] and
									[CSY], Right
	WU43 1DVAA	\ 1						PL	[DV], With [RCQ] or [RCJ] and
									[CSY], Left
		1						Z5	[DV], With [RCQ] or [RCJ] and
									[CSY], Left
	WU42 1T5AA	. 1						Z5	[T5], With [RCQ] or [RCJ] and
									[CSY], Right
	WU42 1DVAA	1						Z5	[DV], With [RCQ] or [RCJ] and
									[CSY], Right
	WU43 1T5AA	. 1						Z5	[T5], With [RCQ] or [RCJ] and
	WILLIAD 4DV/A/	١ ،						CI	[CSY]
	WU43 1DVAA	1						SL	[DV], With [RCQ] or [RCJ] and [CSY], Left
	WU42 1T5AA	. 1						SL	[T5], With [RCQ] or [RCJ] and
		•						0_	[CSY], Right
	WU43 1T5AA	. 1						SL	[T5], With [RCQ] or [RCJ] and
									[CSY]
	WU42 1DVA	1						SL	[DV], With [RCQ] or [RCJ] and
									[CSY], Right
	WU43 1DVAA	1						TL	[DV], With [RCQ] or [RCJ] and
									[CSY], Left
	WU42 1T5AA	. 1						TL	[T5], With [RCQ] or [RCJ] and
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4						Tı	[CSY], Right
	WU43 1L2AA	. 1						TL	[L2], With [RCQ] or [RCJ] and [CSY], Left
	WU42 1L2AA	. 1						TL	[L2], With [RCQ] or [RCJ] and
	VVOTE ILEAA	. 1						16	[CSY], Right
	WU42 1DVAA	<b>\</b> 1						TL	[DV], With [RCQ] or [RCJ] and
		-							[CSY], Right
									- · ·

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



ITEM

PART

NUMBER

QTY

LINE

SERIES

BODY

**ENGINE** 

TRANS

TRIM

DESCRIPTION

	MII 142 4TEAA 1	TI	ITEL With IDCOL or IDC II and
·	WU43 1T5AA 1	TL	[T5], With [RCQ] or [RCJ] and
	XU13 1D2AA 1	BI	[CSY]
	XU12 1D2AA 1	BL	[D2], Left
	WU41 1L2AA 1	BL TL	[D2], Right
-	WU40 1L2AA 1	NL	[L2], With [RCZ] [CSY], Left  [L2], With [RCZ] [CSY], Right
	WU40 1DVAA 1	PL	[DV], With [RCZ] [CSY], Right
	WU41 1DVAA 1	PL	[DV], With [RCZ] [CSY], Right
13	WU40 1DVAA 1	NL	[DV], With [RCZ] [CSY], Eent
	1	SL	[DV], With [RCZ] [CSY], Right
	WU41 1DVAA 1	Z5	[DV], With [RCZ] [CSY], Left
	WU41 1T5AA 1	NL	[T5], With [RCZ] [CSY], Left
	1	SL	[T5], With [RCZ] [CSY], Left
5 6	WU40 1T5AA 1	NL	[T5], With [RCZ] [CSY], Right
	WU41 1T5AA 1	Z5	[T5], With [RCZ] [CSY], Left
	WU41 1DVAA 1	TL	[DV], With [RCZ] [CSY], Left
	WU40 1DVAA 1	Z5	[DV], With [RCZ] [CSY], Right
	WU41 1DVAA 1	SL	[DV], With [RCZ] [CSY], Left
	WU40 1DVAA 1	TL	[DV], With [RCZ] [CSY], Right
	WU41 1L2AA 1	NL	[L2], With [RCZ] [CSY], Left
	WU41 1T5AA 1	TL	[T5], With [RCZ] [CSY], Left
	WU40 1T5AA 1	SL	[T5], With [RCZ] [CSY], Right
	WU41 1DVAA 1	NL	[DV], With [RCZ] [CSY], Left
	WU40 1T5AA 1	Z5	[T5], With [RCZ] [CSY], Right
	WU40 1L2AA 1	TL	[L2], With [RCZ] [CSY], Right
	WU40 1T5AA 1	TL	[T5], With [RCZ] [CSY], Right
	WH13 1DVAA 1	UL	[DV], With [RCZ], Without [CSY],
16			Left
	WH13 1D2AA 1	UL	[D2], With [RCZ], Without [CSY],
			Left
$\begin{array}{c c} \hline (14) & & & \\ \hline \end{array}$	WH12 1DVAA 1	UL	[DV], With [RCZ], Without [CSY]
	WH12 1D2AA 1	UL	[D2], With [RCZ], Without [CSY]
(8)	RB51 1T5DC 1	Z5	[T5], With [RCZ], Without [CSY],
			Left
	RB51 1DVDC 1	Z5	[DV], With [RCZ], Without [CSY],
(10)			Left
(12)	RB50 1T5DC 1	Z5	[T5] , With [RCZ] , Without [CSY]
	RB50 1DVDC 1	Z5	[DV], With [RCZ], Without [CSY]
	RB51 1T5DC 1	SL	[T5] , With [RCZ] , Without [CSY],
	DDC1.4D\/DO4	01	Left
	RB51 1DVDC 1	SL	[DV] , With [RCZ] , Without [CSY],
			Left

AR = Use as required -= Non illustrated part # = New this model year

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY

41 = 4 Door Sedan

CONCORDE-INTREPID-300M (LH) -SERIES LINE

SERIES
P = Limited/ES
S = 300M
H = SE

M = LXIX = 300M Special


September 19, 2005

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					· · · · · · · · · · · · · · · · · · ·					
		RB50 1T5DC	1						SL	[T5] , With [RCZ] , Without [CSY]
-		RB50 1DVDC							SL	[DV], With [RCZ], Without [CSY]
		RB51 1T5DC	1						TL	[T5], With [RCZ], Without [CSY],
										Left
		RB51 1L2DC	1						TL	[L2], With [RCZ], Without [CSY],
_										Left
		RB51 1DVDC	1						TL	[DV], With [RCZ], Without [CSY],
										Left
_		RB50 1T5DC	1						TL	[T5], With [RCZ], Without [CSY]
		RB50 1L2DC	1						TL	[L2] , With [RCZ] , Without [CSY]
		RB50 1DVDC	1						TL	[DV], With [RCZ], Without [CSY]
		RB51 1T5DC	1						NL	[T5], With [RCZ], Without [CSY],
_										Left
		RB51 1L2DC	1						NL	[L2], With [RCZ], Without [CSY],
										Left
		RB51 1DVDC	1						NL	[DV], With [RCZ], Without [CSY],
_										Left
		RB50 1T5DC	1						NL	[T5], With [RCZ], Without [CSY]
		RB50 1L2DC	1						NL	[L2], With [RCZ], Without [CSY],
										Right
_		RB50 1DVDC	1						NL	[DV], With [RCZ], Without [CSY],
		VD 40 4T5 4 4								Right
		XB48 1T5AA	1						ML	[T5], Right
		WQ69 1L5AA							B7	[L5], Left
_		WQ69 XDVA							BF	[DV], Left
		WQ68 XDVAA							BF	[DV], Right
		XB48 1L5AA WQ68 1L5AA	1						ML BF	[L5], Right
		PW26 1T5DB							CL	[L5], Right
-		PW26 XDVDE							CL	[T5], Right [DV], Right
		PW27 1T5DB							CL	[T5], Left
		WQ69 1T5AA							B7	[T5], Left
		WQ69 115AA WQ69 1L5AA							BF	[L5], Left
-		WQ68 1T5AA							B7	[T5], Right
		WQ00 110/0	1						BF	[T5], Right
		PW27 XDVDE							CL	[DV], Left
		WQ69 XDVA							B7	[DV], Left
_		XB49 1DVAA	1						MP	[DV], Left
		XB48 1T5AA	1						MP	[T5], Right
		WQ68 XDVAA							X5	[DV], Right
		XB48 1L5AA	1						MP	[L5], Right

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-				•	•		•	•	•	
		WQ68 1L5AA	1						В7	[L5], Right
_		XB49 1DVAA							ML	[DV], Left
		WQ69 XDVA							X5	[DV], Left
		XB49 1T5AA	1						ML	[T5], Left
		XB48 1DVAA	1						MP	[DV], Right
_		WQ69 XDVAA	A 1						Y5	[DV], Left
		XB49 1L5AA	1						ML	[L5], Left
		PW27 1L5DB	1						CL	[L5], Left
_		XB48 1DVAA	1						ML	[DV], Right
		WQ68 XDVA	A 1						Y5	[DV], Right
		WQ69 1T5AA	. 1						BF	[T5], Left
		PW26 1L5DB	1						CL	[L5], Right
_		XB49 1DVAA	1						Q5	[DV], Left
		XB49 1L5AA	1						MP	[L5], Left
		XB48 1L5AA	1						Q5	[L5], Right
		XB48 1T5AA	1						Q5	[T5], Right
_		XB48 1DVAA	1						Q5	[DV], Right
		XB48 1L5AA	1						QF	[L5], Right
		XB49 1T5AA	1						MP	[T5], Left
		XB49 1L5AA	1						QF	[L5], Left
_		XB48 1DVAA	1						QF	[DV], Right
		XB48 1T5AA	1						QF	[T5], Right
		XB49 1DVAA	1						QF	[DV], Left
		XB49 1T5AA	1						QF	[T5], Left
_		WQ68 XDVAA							C8	[DV], Right
			. 1						B7	[DV], Right
		WQ69 XDVAA							C8	[DV], Left
		XB49 1L5AA	1						Q5	[L5], Left
_		XB49 1T5AA	1						Q5	[T5], Left
	2	6032 723	20							SCREW, Self Tapping, M4.2x1.
	•									69x19.05, Door Panel Attaching
	-3	0504.044	0						DE	FASTENER, Door Trim Panel, White
_		6504 014	2						BF	
			2						C8	
			2						B7	
			2						X5	
_			2						CL NL	
			2						SL Z5	
			2							
_			2						TL	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm





**SERIES** 

S = 300M

H = SE

M = LXI

P = Limited/ES

X = 300M Special

BODY

41 = 4 Door Sedan

**ENGINE** 

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

LINÈ

Intrepid

H = Chrysler

C = Concorde E = 300M


D = Dodge Intrepid

DGX = 4 Speed Automatic

DG0 = All Automatic Transm



**PART** 



**SERIES** 

S = 300M

H = SE

M = LXI

P = Limited/ES

X = 300M Special

TRANSMISSION

DGX = 4 Speed Automatic

DG0 = All Automatic Transm

BODY

41 = 4 Door Sedan

**ENGINE** 

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

LINÈ


Intrepid

H = Chrysler

C = Concorde E = 300M

D = Dodge Intrepid

**PART** 



**SERIES** 

S = 300M

H = SE

M = LXI

P = Limited/ES

X = 300M Special

AR = Use as required -= Non illustrated part # = New this model year

BODY

41 = 4 Door Sedan

**ENGINE** 

EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

LINÈ

Intrepid

H = Chrysler

C = Concorde E = 300M

D = Dodge Intrepid


September 19, 2005

TRANSMISSION

DGX = 4 Speed Automatic

DG0 = All Automatic Transm





S = 300M

H = SE

M = LXI

X = 300M Special

AR = Use as required -= Non illustrated part # = New this model year

Intrepid

D = Dodge Intrepid

C = Concorde E = 300M


September 19, 2005

DG0 = All Automatic Transm

EGJ = 3.5L V6 SOHC 24V

EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3						Q5	Male End Goes With Item 14
		2						QF	Male End Goes With Item 14
		3						SL	Male End Goes With Item 14
		2						TL	Male End Goes With Item 14
		3						UL	Male End Goes With Item 14
		3						X5	Male End Goes With Item 14
		2						Y5	Male End Goes With Item 14
		2						<b>Z</b> 5	Male End Goes With Item 14
16	6035 807	2							NUT, Door Trim
17									WATERDAM, Rear Door
	4780 152AD	1	D						Shield/Water, Right
	4780 153AD	1	D						Shield/Water, Left
	4780 248AE	1	C, Y						Shield/Water, Right
	4780 249AE	1	C, Y						Shield/Water, Left
-18									BEZEL, Door Trim Panel
	TS48 AAAAA-	1						NL	Woodgrain, Right
	TS49 AAAAA-	1						NL	Woodgrain, Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [B7] Figure ILH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1	5093 621AA	2						B7	FOAM, Seat Cushion
2	5093 532AA	2						B7	FRAME, Seat cushion
3									COVER, Front Seat Cushion
	WT30 1DVAA	. 2						B7	[DV], (Use Up To 12-18-02), Right
									& Left
	WT30 1L5AA	2						B7	[L5], (Use Up To 12-18-02), Right
									& Left
	WT30 1T5AA	2						B7	[T5], (Use Up To 12-18-02), Right
									& Left
	YY53 1DVAA	2						B7	[DV], (Use After 12-18-02), Right &
		_							Left
	YY53 1L5AA	2						B7	[L5], (Use After 12-18-02), Right &
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\								Left (Han Affair 40 40 00) Digital 8
	YY53 1T5AA	2						B7	[T5], (Use After 12-18-02), Right & Left
4									SEAT BACK, Front
4	XW98 1DVAA	. 2						B7	[DV], (Use Up To 12-18-02), Right
	XVV30 IDVAA	. 2							& Left
	XW98 1L5AA	2						В7	[L5], (Use Up To 12-18-02), Right
		_							& Left
	XW98 1T5AA	2						B7	[T5], (Use Up To 12-18-02), Right
									& Left
	YY40 1DVAA	2						B7	[DV], (Use After 12-18-02), Right &
									Left
	YY40 1L5AA	2						B7	[L5], (Use After 12-18-02), Right &
									Left
	YY40 1T5AA	2						B7	[T5], (Use After 12-18-02), Right &
	\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\)\(\								Left
	XX22 1DVAA	1						B7	[DV], With Air Bag (Use Up To 12-
	VV22 11 5 A A	4						В7	18-02), Right [L5], With Air Bag (Use Up To 12-
	XX22 1L5AA	1						D/	18-02), Right
	XX22 1T5AA	1						B7	[T5], With Air Bag (Use Up To 12-
	70,022 110,00	•							18-02), Right
	XX23 1DVAA	1						B7	[DV], With Air Bag (Use Up To 12-
									18-02), Left
	XX23 1L5AA	1						B7	[L5], With Air Bag (Use Up To 12-
-									18-02), Left
	XX23 1T5AA	1						B7	[T5], With Air Bag (Use Up To 12-
									18-02), Left
	YY60 1DVAA	1						B7	[DV], With Air Bag (Use After 12-
									18-02), Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [B7] Figure ILH-510



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		YY60 1L5AA	1						B7	[L5], With Air Bag (Use After 12-
_										18-02), Right
		YY60 1T5AA	1						B7	[T5], With Air Bag (Use After 12-
										18-02), Right
		YY61 1DVAA	1						B7	[DV], With Air Bag (Use After 12-
										18-02), Left
		YY61 1L5AA	1						B7	[L5], With Air Bag (Use After 12-
										18-02), Left
_		YY61 1T5AA	1						B7	[T5], With Air Bag (Use After 12-
										18-02), Left
	5									COVER, Seat Back
		WU18 1DVAA	. 1						B7	[DV] (Use Up To 12-18-02
_		WU18 1L5AA	1						B7	[L5] (Use Up To 12-18-02
		WU18 1T5AA	1						B7	[T5] (Use Up To 12-18-02
		YY41 1DVAA	1						B7	[DV] (Use After 12-18-02
		YY41 1L5AA	1						B7	[L5] (Use After 12-18-02
_		YY41 1T5AA	1						В7	[T5] (Use After 12-18-02
	6									HEADREST, Front
		WT26 1DVAA	. 2						B7	[DV], (Use Up To 12-18-02)
		WT26 1L5AA	2						B7	[L5], (Use Up To 12-18-02)
_		WT26 1T5AA	1						B7	[T5], (Use Up To 12-18-02)
		YY45 1DVAA	1						B7	[DV], (Use After 12-18-02)
		YY45 1L5AA	2						B7	[L5], (Use After 12-18-02)
		YY45 1T5AA	2						B7	[T5], (Use After 12-18-02)
_	7									SLEEVE, Headrest
		QX11 1DVAA	1						B7	[DV], With Release Button
		QX11 1L5AA	1						B7	[L5], With Release Button
		QX11 1T5AA	1						B7	[T5], With Release Button
_		QX12 1DVAA	1						В7	[DV], Without Release Button
		QX12 1L5AA	1						B7	[L5], Without Release Button
		QX12 1T5AA	1						B7	[T5], Without Release Button
	8									SHIELD, Seat Adjuster
		QY22 1DVAA	1						B7	[DV], Right
		QY22 1L5AA	1						B7	[L5], Right
		QY22 1T5AA	1						B7	[T5], Right
		QY23 1DVAA	1						B7	[DV], Left
_		QY23 1L5AA	1						В7	[L5], Left
		QY23 1T5AA	1						B7	[T5], Left
		QY25 1DVAA	1						B7	[DV], Left,Power
		QY25 1L5AA	1						B7	[L5], Left,Power
_		QY25 1T5AA	1						B7	[T5], Left,Power

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



# Seat Front - Trim Code [B7] Figure ILH-510



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-9	4645 946AA-	2						B7	AIR BAG, Seat
	10									PANEL, Front Seat Back
		UF37 1DVAA	1						B7	[DV], Without Map Pocket
		UF37 1L5AA	1						B7	[L5], Without Map Pocket
		UF37 1T5AA	1						B7	[T5], Without Map Pocket

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


41 = 4 Door Sedan

BODY

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

# Seat Front - Trim Code [BF] Figure ILH-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•								
1									FOAM, Seat Cushion
<u> </u>	5093 619AA	1						BF	Left
	5093 620AA	1						BF	Right
2	0000 020/01	•						Б.	FRAME, Seat cushion
_	5093 613AA	1						BF	Left
	5093 615AA	1						BF	Right
3	0000 010/11	•						٥.	COVER, Front Seat Cushion
J	WT98 1DVAA	1						BF	[DV], Right
	WT98 1L5AA	1						BF	[L5], Right
	WT98 1T5AA	1						BF	[T5], Right
	WT99 1DVAA							BF	[DV], Left
	WT99 1L5AA	1						BF	[L5], Left
	WT99 1T5AA	1						BF	[T5], Left
4									SEAT BACK, Front
	WT36 1L5AA	1						BF	[L5], (Use Up To 12-18-02, Right &
									Left
	WT36 1T5AA	1						BF	[T5], (Use Up To 12-18-02, Right &
									Left
	WT36 1DVAA	1						BF	[DV], (Use Up To 12-18-02, Right
									& Left
	XW98 1T5AA	1						BF	[T5], Use After To 12-18-02, Right
									& Left
	XW98 1L5AA	1						BF	[L5], Use After To 12-18-02, Right
									& Left
	XW98 1DVAA	. 1						BF	[DV], Use After To 12-18-02, Right
									& Left
	XX18 1DVAA	1						BF	[DV], With Air Bag, Right
	XX18 1L5AA	1						BF	[L5], With Air Bag, Right
	XX18 1T5AA	1						BF	[T5], With Air Bag, Right
	XX19 1DVAA	1						BF	[DV], With Air Bag, Left
	XX19 1L5AA	1						BF	[L5], With Air Bag, Left
	XX19 1T5AA	1						BF	[T5], With Air Bag, Left
5									COVER, Seat Back
	WU18 1DVAA	. 1						BF	[DV], Right & Left
	WU18 1L5AA	1						BF	[L5], Right & Left
	WU18 1T5AA	1						BF	[T5], Right & Left
6									HEADREST, Front
	WT26 1DVAA	2						BF	[DV]
	WT26 1L5AA	2						BF	[L5]
	WT26 1T5AA	2						BF	[T5]
7									ARMREST, Seat

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [BF] Figure ILH-515



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WU00 1DVAA	. 1						BF	[DV]
	WU00 1L5AA	1						BF	[L5]
	WU00 1T5AA	1						BF	[T5]
8									SLEEVE, Headrest
	QX11 1DVAA	1						BF	[DV], With Release Button
	QX11 1L5AA	1						BF	[L5], With Release Button
	QX11 1T5AA	1						BF	[T5]], With Release Button
	QX12 1DVAA	1						BF	[DV], Without Release Button
	QX12 1L5AA	1						BF	[L5], Without Release Button
	QX12 1T5AA	1						BF	[T5], Without Release Button
-9									SHIELD, Seat Adjuster
	QY22 1DVAA	- 1						BF	[DV], Right
	QY22 1L5AA-	1						BF	[L5], Right
	QY22 1T5AA-	1						BF	[T5], Right
	QY23 1DVAA	- 1						BF	[DV], Left
	QY23 1L5AA-	1						BF	[L5], Left
	QY23 1T5AA-	1						BF	[T5], Left
	QY25 1DVAA	- 1						BF	[DV], Left,Power
	QY25 1L5AA-	1						BF	[L5], Left,Power
	QY25 1T5AA-	1						BF	[T5], Left,Power
-10	4645 946AA-	2						BF	AIR BAG, Seat
-11	4761 282	2						BF	SCREW, Arm Rest Bracket
12									PANEL, Front Seat Back
	UF37 1DVAA	1						BF	[DV], Without Map Pocket
	UF37 1L5AA	1						BF	[L5], Without Map Pocket
	UF37 1T5AA	1						BF	[T5], Without Map Pocket

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [CL] Figure ILH-520



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
	1	5093 532AA	2						CL	FRAME, Seat cushion
_	2	5093 533AA	2						CL	FOAM, Seat Cushion
	3	0000 0007 !! (	_						02	COVER, Front Seat Cushion
	Ü	UF88 1DVAA	2						CL	[DV] Use Up To 7-12-02, Right &
		0.00.12.7.1.	_						-	Left
_		UF88 1L5AA	2						CL	[L5] Use Up To 7-12-02, Right &
										Left
		UF88 1T5AA	2						CL	[T5] Use Up To 7-12-02, Right &
										Left
-		YP71 1DVAA	2						CL	[DV] Use After 7-12-02, Right &
										Left
		YP71 1L5AA	2						CL	[L5] Use After 7-12-02, Right & Left
		YP71 1T5AA	2						CL	[T5] Use After 7-12-02, Right & Left
_	4									SEAT BACK, Front
		YP78 1DVAA	1						CL	[DV], Right
		YP78 1L5AA	1						CL	[L5], Right
_		YP78 1T5AA	1						CL	[T5], Right
		YP79 1DVAA	1						CL	[DV], Left
		YP79 1L5AA	1						CL	[L5], Left
		YP79 1T5AA	1						CL	[T5], Left
_		XY28 1DVAA	1						CL	[DV], With Air Bag (Use Up To 7-
										12-02), Right
		XY28 1L5AA	1						CL	[L5], With Air Bag (Use Up To 7-
										12-02), Right
_		XY28 1T5AA	1						CL	[T5], With Air Bag (Use Up To 7-
										12-02), Right
		XY29 1DVAA	1						CL	[DV], With Air Bag (Use Up To 7-
										12-02), Left
_		XY29 1L5AA	1						CL	[L5], With Air Bag (Use Up To 7-
			_						٥.	12-02), Left
		XY29 1T5AA	1						CL	[T5], With Air Bag (Use Up To 7-
		\/D70.4D\/AA							01	12-02), Left
_		YP72 1DVAA	1						CL	[DV], With Air Bag (Use After 7-12-
		VD70 41 5 4 4	4						OI.	02), Right
		YP72 1L5AA	1						CL	[L5], With Air Bag (Use After 7-12-
		VD72 4T5 \ \ \	4						CI	02), Right
-		YP72 1T5AA	1						CL	[T5], With Air Bag (Use After 7-12- 02), Right
		YP73 1DVAA	1						CL	[DV], With Air Bag (Use After 7-12-
		II 73 IDVAA	'						OL	02), Left
		YP73 1L5AA	1						CL	[L5], With Air Bag (Use After 7-12-
-		II 73 ILJAA	<u>'</u>						OL	02), Left
										02), LOIL

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [CL] Figure ILH-520



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-		•			•			•	•	
		YP73 1T5AA	1						CL	[T5], With Air Bag (Use After 7-12-
_			<u> </u>							02), Left
	5									COVER, Front Seat Back
		XE14 1DVAA	1						CL	[DV], Without Airbag (Use Up To 7-
										12-02), Right
		XE14 1L5AA	1						CL	[L5], Without Airbag (Use Up To 7-
										12-02), Right
		XE14 1T5AA	1						CL	[T5], Without Airbag (Use Up To 7-
										12-02), Right
		UV53 1DVAA	1						CL	[DV], Without Airbag (Use Up To 7-
										12-02), Left
		UV53 1L5AA	1						CL	[L5], Without Airbag (Use Up To 7-
_										12-02), Left
		UV53 1T5AA	1						CL	[T5], Without Airbag (Use Up To 7-
										12-02), Left
		YP80 1DVAA	1						CL	[DV], Without Airbag (Use After 7-
_										12-02, Right
		YP80 1L5AA	1						CL	[L5], Without Airbag (Use After 7-
									٥.	12-02, Right
		YP80 1T5AA	1						CL	[T5], Without Airbag (Use After 7-
_		\/D04_4B\/44								12-02, Right
		YP81 1DVAA	1						CL	[DV], Without Airbag (Use After 7-
		VD04 41 5 4 4	4						01	12-02, Left
		YP81 1L5AA	1						CL	[L5], Without Airbag (Use After 7-
_		VD04 4T5 A A							<u> </u>	12-02, Left
		YP81 1T5AA	1						CL	[T5], Without Airbag (Use After 7- 12-02, Left
	6									HEADREST, Front
	O	WX24 1DVAA	. 2						CL	[DV]
-		WX24 1L5AA	2						CL	[L5]
		WX24 1T5AA							CL	[T5]
	7	W/(21 110/0)	_						OL.	SLEEVE, Headrest
	•	QX11 1DVAA	. 1						CL	[DV], With Release Button
-		QX11 1L5AA	1						CL	[L5], With Release Button
		QX11 1T5AA	1						CL	[T5], With Release Button
		QX12 1DVAA							CL	[DV], Without Release Button
		QX12 1L5AA	1						CL	[L5], Without Release Button
_		QX12 1T5AA	1						CL	[T5], Without Release Button
	8									SHIELD, Seat Adjuster
		QY22 1DVAA	1						CL	[DV], Right
_		QY22 1L5AA	1						CL	[L5], Right
_										

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



# Seat Front - Trim Code [CL] Figure ILH-520



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		QY22 1T5AA	1						CL	[T5], Right
_		QY25 1DVAA	. 1						CL	[DV], Left,Power
		QY25 1L5AA	1						CL	[L5], Left,Power
		QY25 1T5AA	1						CL	[T5], Left,Power
	-9	4645 946AA-	2						CL	AIR BAG, Seat
	10									PANEL, Front Seat Back
		UF37 1DVAA	1						CL	[DV], Without Map Pocket
		UF37 1L5AA	1						CL	[L5], Without Map Pocket
		UF37 1T5AA	1						CL	[T5], Without Map Pocket
		UF54 1DVAA	1						CL	[DV], With Map Pocket
		UF54 1L5AA	1						CL	[L5], With Map Pocket
		UF54 1T5AA	1						CL	[T5], With Map Pocket

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [Q5] Figure ILH-525



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 533AA	2						Q5	FOAM, Seat Cushion, Right & Le
2	5093 532AA	2						Q5	FRAME, Seat cushion, Right & L
3									COVER, Front Seat Cushion
	WX16 1DVAA	2						Q5	[DV], Right & Left
	WX16 1L5AA	2						Q5	[L5], Right & Left
	WX16 1T5AA	2						Q5	[T5]
4									SEAT BACK, Front
	XX44 1DVAA	1						Q5	[DV], Without Air Bag, Right
	XX44 1L5AA	1						Q5	[L5], Without Air Bag, Right
	XX44 1T5AA	1						Q5	[T5], Without Air Bag, Right
	XX45 1DVAA	1						Q5	[DV], Without Air Bag, Left
	XX45 1L5AA	1						Q5	[L5], Without Air Bag, Left
	XX45 1T5AA	1						Q5	[T5], Without Air Bag, Left
	XX48 1DVAA	1						Q5	[DV], With Air Bag, Right
	XX48 1L5AA	1						Q5	[L5], With Air Bag, Right
	XX48 1T5AA	1						Q5	[T5], With Air Bag, Right
	XX49 1DVAA	1						Q5	[DV], With Air Bag, Left
	XX49 1L5AA	1						Q5	[L5], With Air Bag, Left
	XX49 1T5AA	1						Q5	[T5], With Air Bag, Left
5									COVER, Front Seat Back
	XQ54 1DVAA	1						Q5	[DV], Without Airbag, Right
	XQ54 1L5AA	1						Q5	[L5], Without Airbag, Right
	XQ54 1T5AA	1						Q5	[T5], Without Airbag, Right
	XQ55 1DVAA	1						Q5	[DV], Without Airbag, Left
	XQ55 1L5AA	1						Q5	[L5], Without Airbag, Left
	XQ55 1T5AA	1						Q5	[T5], Without Airbag, Left
6									HEADREST, Front
	WX06 1DVAA	2						Q5	[DV]
	WX06 1L5AA	2						Q5	[L5]
	WX06 1T5AA	2						Q5	[T5]
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						Q5	[DV], Right
	QY22 1L5AA	1						Q5	[L5], Right
	QY22 1T5AA	1						Q5	[T5], Right
	QY25 1DVAA	1						Q5	[DV], Left,Power
	QY25 1L5AA	1						Q5	[L5], Left,Power
	QY25 1T5AA	1						Q5	[T5], Left,Power
8									SLEEVE, Headrest
	QX11 1DVAA	1						Q5	[DV], With Release Button
	QX11 1L5AA	1						Q5	[L5], With Release Button
	QX11 1T5AA	1						Q5	[T5], With Release Button

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [Q5] Figure ILH-525



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
IIEW	NUMBER	QIT	LINE	SERIES	ВОВТ	ENGINE	IKANS	IKIIVI	DESCRIPTION
	QX12 1DVAA	1						Q5	[DV], Without Release Button
	QX12 1L5AA	1						Q5	[L5], Without Release Button
	QX12 1T5AA	1						Q5	[T5], Without Release Button
-9	4645 946AA-	2						Q5	AIR BAG, Seat
10									PANEL, Front Seat Back
	UF37 1DVAA	1						Q5	[DV], Without Map Pocket
	UF37 1L5AA	1						Q5	[L5], Without Map Pocket
	UF37 1T5AA	1						Q5	[T5], Without Map Pocket
	UF45 1DVAA	1						Q5	[DV], With Map Pocket - Manac
	UF45 1L5AA	1						Q5	[L5], With Map Pocket - Monaco
	UF45 1T5AA	1						Q5	[T5], With Map Pocket - Manaco
	UF54 1DVAA	1						Q5	[DV], With Map Pocket
	UF54 1L5AA	1						Q5	[L5], With Map Pocket
	UF54 1T5AA	1						Q5	[T5], With Map Pocket

CONCORDE-INTREPID-300M (LH)


SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

# Seat Front - Trim Code [NL] Figure ILH-530



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 618AA	2						NL	FOAM, Seat Cushion
2	5093 532AA	2						NL	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	YE18 1DVAA	1						NL	[DV], Right
	YE18 1L2AA	1						NL	[L2], Right
	YE18 1T5AA	1						NL	[T5], Right
	YE19 1DVAA	1						NL	[DV], Left
	YE19 1L2AA	1						NL	[L2], Left
	YE19 1T5AA	1						NL	[T5], Left
-4	5114 187AA-	1						NL	PAD, Heater, Service with Cover
5									SEAT BACK, Front
	YE14 1DVAA	1						NL	[DV], Right
	YE14 1L2AA	1						NL	[L2], Right
	YE14 1T5AA	1						NL	[T5], Right
	YE15 1DVAA	1						NL	[DV], Left
	YE15 1L2AA	1						NL	[L2], Left
	YE15 1T5AA	1						NL	[T5], Left
	YE22 1DVAA	1						NL	[DV], With Airbag, Right
	YE22 1L2AA	1						NL	[L2], With Airbag, Right
	YE22 1T5AA	1						NL	[T2], With Airbag, Right
	YE23 1DVAA	1						NL	[DV], With Airbag, Left
	YE23 1L2AA	1						NL	[L2], With Airbag, Left
	YE23 1T5AA	1						NL	[T2], With Airbag, Left
6									COVER, Front Seat Back
	YE13 1DVAA	1						NL	[DV], Right & Left
	YE13 1L2AA	1						NL	[L2], Right & Left
	YE13 1T5AA	1						NL	[T5], Right & Left
-7	5134 529AA-	1						NL	PAD, Heater, Back
8									HEADREST, Front
	WX35 1DVAA	2						NL	[DV]
	WX35 1L2AA	2						NL	[L2]
	WX35 1T5AA	2						NL	[T5]
9									SHIELD, Seat Adjuster
	QY27 1DVAA	1						NL	[DV], Left
	QY27 1L2AA	1						NL	[L2], Left
	QY27 1T5AA	1						NL	[T5], Left
	XU84 1DVAA	1						NL	[DV], Right
	XU84 1L2AA	1						NL	[L2], Right
	XU84 1T5AA	1						NL	[T5], Right
10									SLEEVE, Headrest
	QX11 1DVAA	1						NL	[DV], With Release Button

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation
 M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Seat Front - Trim Code [NL]** Figure ILH-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'							•	
	QX11 1T5AA	1						NL	[T5], With Release Button
	QX11 1L2AA	1						NL	[L2], With Release Button
	QX12 1DVAA	1						NL	[DV], Without Release Buttor
	QX12 1L2AA	1						NL	[L2], Without Release Button
	QX12 1T5AA	1						NL	T5, Without Release Button
-11	4645 946AA-	2						NL	AIR BAG, Seat
12									PANEL, Front Seat Back
	UF54 1DVAA	1						NL	[DV], With Map Pocket
	UF54 1L2AA	1						NL	[L2], With Map Pocket
	UF54 1T5AA	1						NL	[T5], With Map Pocket
	UF37 1DVAA	1						NL	[DV], Without Map Pocket
	UF37 1L2AA	1						NL	[L2], Without Map Pocket
	UF37 1T5AA	1						NL	[T5], Without Map Pocket

CONCORDE-INTREPID-300M (LH)


SERIES P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

LINE H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

# Seat Front - Trim Code [ML] Figure ILH-535



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				<u> </u>		!	<u> </u>		
1	5093 533AA	2						ML	FOAM, Seat Cushion, Right & Left
2	5093 532AA							ML	FRAME, Seat cushion
3	0000 00=/	_							COVER, Front Seat Cushion
	XY58 1DVAA	2						ML	[DV], (Use Up To 10-2-02), Right &
		_							Left
	XY58 1L5AA	2						ML	[L5], (Use Up To 10-2-02), Right &
									Left
	XY58 1T5AA	2						ML	[T5], (Use Up To 10-2-02), Right &
									Left
	YP68 1DVAA	2						ML	[DV], (Use After 10-2-02), Right &
									Left
	YP68 1L5AA	1						ML	[L5], (Use After 10-2-02), Right &
									Left
	YP68 1T5AA	1						ML	[T5], (Use After 10-2-02), Right &
									Left
4									SEAT BACK, Front
	XY52 1DVAA	1						ML	[DV], Without Airbag (Use Up To
									10-3-02), Right
	XY52 1L5AA	1						ML	[L5], Without Airbag (Use Up To
									10-3-02), Right
	XY52 1T5AA	1						ML	[T5], Without Airbag (Use Up To
									10-3-02), Right
	XY53 1DVAA	1						ML	[DV], Without Airbag (Use Up To
									10-3-02), Left
	XY53 1L5AA	1						ML	[L5], Without Airbag (Use Up To
									10-3-02), Left
	XY53 1T5AA	1						ML	[T5], Without Airbag (Use Up To
									10-3-02), Left
	XY60 1DVAA	1						ML	[DV], With Airbag, Right
	XY60 1L5AA	1						ML	[L5], With Airbag, Right
	XY60 1T5AA	1						ML	[T5], With Airbag, Right
	XY61 1DVAA	1						ML	[DV], With Airbag, Left
	XY61 1L5AA	1						ML	[L5], With Airbag, Left
	XY61 1T5AA	1						ML	[T5], With Airbag, Left
	YP82 1DVAA	1						ML	[DV], Without Airbag (Use After 10-
	VD00 41 5 4 4	4						N // I	3-02), Right
_	YP82 1L5AA	1						ML	[L5], Without Airbag (Use After 10-
	VD02 4TC 4 4	4						N // I	3-02), Right
	YP82 1T5AA	1						ML	[T5], Without Airbag (Use After 10-
	VD02 4D\/^^	4						N A I	3-02), Right
	YP83 1DVAA	1						ML	[DV], Without Airbag (Use After 10-
									3-02), Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005

# Seat Front - Trim Code [ML] Figure ILH-535



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									•	
		YP83 1L5AA	1						ML	[L5], Without Airbag (Use After 10-
_										3-02), Left
		YP83 1T5AA	1						ML	[T5], Without Airbag (Use After 10-
										3-02), Left
	5									COVER, Seat Back
		XY54 1DVAA	1						ML	[DV] (Use Up To 10-3-02), Right
		XY54 1L5AA	1						ML	[L5] (Use Up To 10-3-02), Right
		XY54 1T5AA	1						ML	[T5] (Use Up To 10-3-02), Right
		XY55 1DVAA	1						ML	[DV] (Use Up To 10-3-02), Left
		XY55 1L5AA	1						ML	[L5] (Use Up To 10-3-02), Left
		XY55 1T5AA	1						ML	[T5] (Use Up To 10-3-02), Left
		YP84 1DVAA	1						ML	[DV] (Use After 10-3-02), Right
_		YP84 1L5AA	1						ML	[L5] (Use After 10-3-02), Right
		YP84 1T5AA	1						ML	[T5] (Use After 10-3-02), Right
		YP85 1DVAA	1						ML	[DV] (Use After 10-3-02), Left
		YP85 1L5AA	1						ML	[L5] (Use After 10-3-02), Left
_		YP85 1T5AA	1						ML	[T5] (Use After 10-3-02), Left
	6									HEADREST, Front
		WX24 1DVAA							ML	[DV]
		WX24 1L5AA							ML	[L5]
_		WX24 1T5AA	2						ML	[T5]
	7	2)								SHIELD, Seat Adjuster
		QY22 1DVAA							ML	[DV], Right,Manual
		QY22 1L5AA	1						ML	[L5], Right,Manual
_		QY22 1T5AA	1						ML	[T5], Right,Manual
		XY47 1DVAA							ML	[DV], Left
		XY47 1L5AA	1						ML	[L5], Left
	0	XY47 1T5AA	1						ML	[T5], Left
_	8	QX11 1DVAA	. 1						ML	SLEEVE, Headrest [DV], With Release Button
		QX11 1DVAA							ML	[L5], With Release Button
		QX11 1E5AA	1						ML	[T5], With Release Button
		QX11 113AA QX12 1DVAA							ML	[DV], Without Release Button
_		QX12 1L5AA	1						ML	[L5], Without Release Button
		QX12 1E5AA	1						ML	[T5], Without Release Button
	-9	4645 946AA-	2						ML	AIR BAG, Seat
	10	10 10 0 10/01	_							PANEL, Front Seat Back
_		UF37 1DVAA	1						ML	[DV], Without Map Pocket
		UF37 1L5AA	1						ML	L5], Without Map Pocket
		UF37 1T5AA	1						ML	[T5], Without Map Pocket
		UF54 1DVAA							ML	[DV], With Map Pocket
_										L= : 1)

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



#### Soat Front Trim Code [MI ]

Seat Front - Tr Figure I	rim Code ILH-535	e [ML]								
	ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		UF54 1L5AA UF54 1T5AA							ML ML	L5], With Map Pocket [T5], With Map Pocket
6										
10										



CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [MP] Figure ILH-540

PART

9		6
1 2		11 5
3	8	4

ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Cuphold	er Serviced In A	rmrest	Only						
1									FOAM, Seat Cushion
	5093 616AA	1						MP	Right
	5093 617AA	1						MP	Left
2	5093 613AA	1						MP	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	XY66 1DVAA	1						MP	[DV] (Use Up To 10-21-02), Right
	XY66 1L5AA	1						MP	[L5] (Use Up To 10-21-02), Right
	XY66 1T5AA	1						MP	[T5] (Use Up To 10-21-02), Right
	XY67 1DVAA	1						MP	[DV] (Use Up To 10-21-02), Left
	XY67 1L5AA	1						MP	[L5] (Use Up To 10-21-02), Left
	XY67 1T5AA	1						MP	[T5] (Use Up To 10-21-02), Left
	YN92 1DVAA	1						MP	[DV] (Use After 10-21-02), Right
	YN92 1L5AA	1						MP	[L5] (Use After 10-21-02), Right
	YN92 1T5AA	1						MP	[T5] (Use After 10-21-02), Right
	YN93 1DVAA	1						MP	[DV] (Use After 10-21-02), Left
	YN93 1L5AA	1						MP	[L5] (Use After 10-21-02), Left
	YN93 1T5AA	1						MP	[T5] (Use After 10-21-02), Left
4									SEAT BACK, Front
	XY62 1DVAA	1						MP	[DV], Without Airbag (Use Up To
									10-21-02), Right
	XY62 1L5AA	1						MP	[L5], Without Airbag (Use Up To
									10-21-02), Right
	XY62 1T5AA	1						MP	[T5], Without Airbag (Use Up To
									10-21-02), Right
	XY63 1DVAA	1						MP	[DV], Without Airbag (Use Up To
									10-21-02), Left
	XY63 1L5AA	1						MP	[L5], Without Airbag (Use Up To
									10-21-02), Left
	XY63 1T5AA	1						MP	[T5], Without Airbag (Use Up To
									10-21-02), Left
	YN94 1DVAA	1						MP	[DV], Without Airbag (Use After 10-
									21-02), Right
	YN94 1L5AA	1						MP	[L5], Without Airbag (Use After 10-
									21-02), Right
	YN94 1T5AA	1						MP	[T5], Without Airbag (Use After 10-
									21-02), Right
	YN95 1DVAA	1						MP	[DV], Without Airbag (Use After 10-
		•						••••	21-02), Left
	YN95 1L5AA	1						MP	[L5], Without Airbag (Use After 10-
	THOU TEOTIA	•							21-02), Left
									۲۱-02), Leit

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [MP] Figure ILH-540

	<b>(6)</b>
	<u></u>
3	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•							•	
	YN95 1T5AA	1						MP	[T5], Without Airbag (Use After 10-
		· ·							21-02), Left
	UF59 1T5AA	1						MP	[T5], With Airbag, Left
	UF59 1L5AA	1						MP	[L5], With Airbag, Left
	UF59 1DVAA	1						MP	[DV], With Airbag, Left
	UF58 1T5AA	1						MP	[T5], With Airbag, Right
	UF58 1L5AA	1						MP	[L5], With Airbag, Right
	UF58 1DVAA	1						MP	[DV], With Airbag, Right
5									COVER, Seat Back
-	XY64 1DVAA	1						MP	[DV], Without Airbag (Use Up To
									10-21-02), Right
	XY64 1L5AA	1						MP	[L5], Without Airbag (Use Up To
									10-21-02), Right
	XY64 1T5AA	1						MP	[T5], Without Airbag (Use Up To
									10-21-02), Right
	XY65 1DVAA	1						MP	[DV], Without Airbag (Use Up To
									10-21-02), Left
	XY65 1L5AA	1						MP	[L5], Without Airbag (Use Up To
									10-21-02), Left
	XY65 1T5AA	1						MP	[T5], Without Airbag (Use Up To
									10-21-02), Left
	YN96 1DVAA	1						MP	[DV], Without Airbag (Use After 10-
									21-02), Right
	YN96 1L5AA	1						MP	[L5], Without Airbag (Use After 10-
									21-02), Right
	YN96 1T5AA	1						MP	[T5], Without Airbag (Use After 10-
									21-02), Right
	YN97 1DVAA	1						MP	[DV], Without Airbag (Use After 10-
									21-02), Left
	YN97 1L5AA	1						MP	[L5], Without Airbag (Use After 10-
									21-02), Left
	YN97 1T5AA	1						MP	[T5], Without Airbag (Use After 10-
									21-02), Left
6									HEADREST, Front
	WX24 1DVAA							MP	[DV]
	WX24 1L5AA	2						MP	[L5]
	WX24 1T5AA	2						MP	[T5]
7	DAG4 451/44	,							ARMREST, Seat
	RA31 1DVAA	1						MP	[DV]
	RA31 1L5AA	1						MP	[L5]
	RA31 1T5AA	1						MP	[T5]
8									SHIELD, Seat Adjuster

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

September 19, 2005



# Seat Front - Trim Code [MP] Figure ILH-540

	1
	j)
2	
3 (4)	

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY22 1DVAA	1						MP	[DV], Right
	QY22 1L5AA	1						MP	[L5], Right
	QY22 1T5AA	1						MP	[T5], Right
	QY25 1DVAA	1						MP	[DV], Left,Power
	QY25 1L5AA	1						MP	[L5], Left,Power
	QY25 1T5AA	1						MP	[T5], Left,Power
9									SLEEVE, Headrest
	QX11 1DVAA	1						MP	[DV], With Release Button
	QX11 1L5AA	1						MP	[L5], With Release Button
	QX11 1T5AA	1						MP	[T5], With Release Button
	QX12 1DVAA	1						MP	[DV], Without Release Button
	QX12 1L5AA	1						MP	[L5], Without Release Button
	QX12 1T5AA	1						MP	[T5], Without Release Button
-10	4645 946AA-	2						MP	AIR BAG, Seat
11									PANEL, Front Seat Back
	UF37 1DVAA	1						MP	[DV], Without Map Pocket
	UF37 1L5AA	1						MP	[L5], Without Map Pocket
	UF37 1T5AA	1						MP	[T5], Without Map Pocket
	UF54 1DVAA	1						MP	[DV], With Map Pocket
	UF54 1L5AA	1						MP	[L5], With Map Pocket
	UF54 1T5AA	1						MP	[T5], With Map Pocket

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [QF] Figure ILH-545

9
7 6
11
1
2 4
3

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									FOAM, Seat Cushion
	5093 616AA	1						QF	Right
	5093 617AA	1						QF	Left
2									FRAME, Seat cushion
	5093 613AA	1						QF	Left
-	5093 615AA	1						QF	Right
3									COVER, Front Seat Cushion
	XC56 1DVAA	1						QF	[DV], Right
	XC56 1L5AA	1						QF	[L5], Right
	XC56 1T5AA	1						QF	[T5], Right
	XC57 1DVAA	1						QF	[DV], Left
	XC57 1L5AA	1						QF	[L5], Left
	XC57 1T5AA	1						QF	[T5], Left
4									SEAT BACK, Front
	XX42 1DVAA	1						QF	[DV], Without Airbag, Right
	XX42 1L5AA	1						QF	[L5], Without Airbag, Right
	XX42 1T5AA	1						QF	[T5], Without Airbag, Right
	XX43 1DVAA	1						QF	[DV], Without Airbag, Left
	XX43 1L5AA	1						QF	[L5], Without Airbag, Left
	XX43 1T5AA	1						QF	[T5], Without Airbag, Left
	XX46 1DVAA	1						QF	[DV], With Airbag, Right
	XX46 1L5AA	1						QF	[L5], With Airbag, Right
	XX46 1T5AA	1						QF	[T5], With Airbag, Right
	XX47 1DVAA	1						QF	[DV], With Airbag, Left
	XX47 1L5AA	1						QF	[L5], With Airbag, Left
	XX47 1T5AA	1						QF	[T5], With Airbag, Left
5									COVER, Front Seat Back
	XC54 1DVAA	1						QF	[DV], Without Airbag, Right
	XC54 1L5AA	1						QF	[L5], Without Airbag, Right
	XC54 1T5AA	1						QF	[T5], Without Airbag, Right
	XC55 1DVAA	1						QF	[DV], Without Airbag
	XC55 1L5AA	1						QF	[L5], Without Airbag
	XC55 1T5AA	1						QF	[T5], Without Airbag
6									HEADREST, Front
	WX06 1DVAA	. 1						QF	[DV]
	WX06 1L5AA	2						QF	[L5]
	WX06 1T5AA	2						QF	[T5]
7									ARMREST, Seat
	UG10 1DVAA	1						QF	[DV]
	UG10 1L5AA	1						QF	[L5]
	UG10 1T5AA	1						QF	[T5]
8									SHIELD, Seat Adjuster

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [QF] Figure ILH-545



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QY22 1DVAA	1						QF	[DV], Right
	QY22 1L5AA	1						QF	[L5], Right
	QY22 1T5AA	1						QF	[T5], Right
	XY47 1DVAA	1						QF	[DV], Left
	XY47 1L5AA	1						QF	[L5], Left
	XY47 1T5AA	1						QF	[T5], Left
9									SLEEVE, Headrest
	QX11 1DVAA	1						QF	[DV], With Release Button
	QX11 1L5AA	1						QF	[L5], With Release Button
	QX11 1T5AA	1						QF	[T5], With Release Button
	QX12 1DVAA	1						QF	[DV], Without Release Button
	QX12 1L5AA	1						QF	[L5], Without Release Button
	QX12 1T5AA	1						QF	[T5], Without Release Button
-10	4645 946AA-	2						QF	AIR BAG, Seat
11									PANEL, Front Seat Back
	UF37 1DVAA	1						QF	[DV], Without Map Pocket
	UF37 1L5AA	1						QF	[L5], Without Map Pocket
	UF37 1T5AA	1						QF	[T5], Without Map Pocket
	UF54 1DVAA	1						QF	[DV], With Map Pocket
	UF54 1L5AA	1						QF	[L5], With Map Pocket
	UF54 1T5AA	1						QF	[T5], With Map Pocket
	UF45 1DVAA	1						QF	[DV], With Map Pocket - Monaco
	UF45 1L5AA	1						QF	[L5], With Map Pocket - Monaco
	UF45 1T5AA	1						QF	[T5], With Map Pocket - Monaco

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [TL] Figure ILH-550



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 618AA	2						TL	FOAM, Seat Cushion, Right & Left
2	5093 532AA	2						TL	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	YE18 1DVAA	1						TL	[DV], Right
	YE18 1L2AA	1						TL	[L2], Right
	YE18 1T5AA	1						TL	[T5], Right
	YE19 1DVAA	1						TL	[DV], Left
	YE19 1L2AA	1						TL	[L2], Left
	YE19 1T5AA	1						TL	[T5], Left
-4									PAD, Heater, Service with Cover,
									(NOT SERVICED) (Not Serviced)
5									SEAT BACK, Front
	YE14 1DVAA	1						TL	[DV], Without Airbag, Right
	YE14 1L2AA	1						TL	[L2], Without Airbag, Right
	YE14 1T5AA	1						TL	[T5], Without Airbag, Right
	YE15 1DVAA	1						TL	[DV], Without Airbag, Left
	YE15 1L2AA	1						TL	[L2], Without Airbag, Left
	YE15 1T5AA	1						TL	[T5], Without Airbag, Left
	YE22 1DVAA	1						TL	[DV], With Airbag, Right
	YE22 1L2AA	1						TL	[L2], With Airbag, Right
	YE22 1T5AA	1						TL	[T5], With Airbag, Right
	YE23 1DVAA	1						TL	[DV], With Airbag, Left
	YE23 1L2AA	1						TL	[L2], With Airbag, Left
	YE23 1T5AA	1						TL	[T5], With Airbag, Left
6									COVER, Front Seat Back
	YE13 1DVAA	1						TL	[DV], Without Airbag, Right & Left
	YE13 1L2AA	1						TL	[L2], Without Airbag, Right & Left
	YE13 1T5AA	1						TL	[T5], Without Airbag, Right & Left
-7	5134 529AA-	4						TL	PAD, Heater, Back
8									HEADREST, Front
	WX35 1DVAA	. 2						TL	[DV]
	WX35 1L2AA	2						TL	[L2]
	WX35 1T5AA	2						TL	[T5]
9									SHIELD, Seat Adjuster
	QY26 1DVAA	1						TL	[DV], Right
	QY26 1L2AA	1						TL	[L2], Right
	QY26 1T5AA	1						TL	[T5], Right
	QY27 1DVAA	1						TL	[DV], Left
	QY27 1L2AA	1						TL	[L2], Left
	QY27 1T5AA	1						TL	[T5], Left
10									SLEEVE, Headrest

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [TL] Figure ILH-550



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1DVAA	. 1						TL	[DV], With Release Button
	QX11 1L2AA	1						TL	[L2], With Release Button
	QX11 1T5AA	1						TL	[T5], With Release Button
	QX12 1DVAA	. 1						TL	[DV], Without Release Button
	QX12 1T5AA	1						TL	[L2], Without Release Button
	QX12 1L2AA	1						TL	[T5], Without Release Button
-11	4645 946AA-	2						TL	AIR BAG, Seat
12									PANEL, Front Seat Back
	XY77 1DVAA	1						TL	[DV]
	XY77 1L2AA	1						TL	[L2]
	XY77 1T5AA	1						TL	[T5]
	UF37 1DVAA	1						TL	[DV], Without Map Pocket
	UF37 1L2AA	1						TL	[L2], Without Map Pocket
	UF37 1T5AA	1						TL	[T5], Without Map Pocket

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm

# Seat Front - Trim Code [Z5] Figure ILH-555



		PART								
ı	TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	5093 533AA	2						<b>Z</b> 5	FOAM, Seat Cushion, Right & Left
	2	5093 532AA	2						Z5	FRAME, Seat cushion, Right & Left
	3									COVER, Front Seat Cushion
		UF94 1DVAA	1						<b>Z</b> 5	[DV], Right & Left
		UF94 1T5AA	1						<b>Z</b> 5	[T5], Right & Left
	4									SEAT BACK, Front
		XX72 1DVAA	1						<b>Z</b> 5	[DV], Right
		XX72 1T5AA	1						Z5	[T5], Right
		XX73 1DVAA	1						<b>Z</b> 5	[DV], Left
		XX73 1T5AA	1						Z5	[T5], Left
	5									COVER, Front Seat Back, (NOT
										SERVICED) (Not Serviced)
	6									HEADREST, Front
		WX88 1DVAA	. 2						Z5	[DV]
		WX88 1T5AA	2						<b>Z</b> 5	[T5]
	7									SHIELD, Seat Adjuster
		QY24 1DVAA	. 1						<b>Z</b> 5	[DV], Right
		QY24 1T5AA	1						Z5	[T5], Right
		QY25 1DVAA	. 1						<b>Z</b> 5	[DV], Left
		QY25 1T5AA	1						<b>Z</b> 5	[T5], Left
	8									SLEEVE, Headrest
		QX11 1DVAA	. 1						Z5	[DV], With Release Button
		QX11 1T5AA	1						<b>Z</b> 5	[T5], With Release Button
		QX12 1DVAA	. 1						<b>Z</b> 5	[DV], Without Release Button
		QX12 1T5AA	1						<b>Z</b> 5	[T5], Without Release Button
	-9	4664 289AA-	2						Z5	AIR BAG, Seat
	10									PANEL, Front Seat Back
		UF40 1DVAA	1						<b>Z</b> 5	[DV]
		UF40 1T5AA	1						<b>Z</b> 5	[T5]
		UF37 1DVAA	1						Z5	[DV], Without Map Pocket
		UF37 1T5AA	1						Z5	[T5], Without Map Pocket
	-11	5019 522AA-	12						Z5	RETAINER, Cushion Cover


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Front - Trim Code [SL, PL] Figure ILH-560



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									FOAM, Seat Cushion
•	5093 618AA	2						SL	Right & Left
	5096 012AA	2						PL	rtigitt & Lott
2	0000 012/21	_						. –	FRAME, Seat cushion
_	5093 532AA	2						PL	Right & Left
		2						SL	Right & Left
3		_							COVER, Front Seat Cushion
	YE18 1DVAA	1						SL	[DV], Right
	YE18 1T5AA	1						SL	[T5], Right
	YE19 1DVAA	1						SL	[DV], Left
	YE19 1T5AA	1						SL	[T5], Left
	XF24 1DVAA	1						PL	[DV], Right
	XF25 1DVAA	1						PL	[DV], Left
-4									PAD, Heater, Service with Cover,
									(NOT SERVICED) (Not Serviced)
5									SEAT BACK, Front
	YE32 1DVAA	1						SL	[DV], Right
	YE32 1T5AA	1						SL	[T5], Right
	YE33 1DVAA	1						SL	[DV], Left
	YE33 1T5AA	1						SL	[T5], Left
	YH62 1DVAA	1						PL	[DV], Right
	YH63 1DVAA	1						PL	[DV], Left
6									COVER, Front Seat Back, (NOT
									SERVICED) (Not Serviced)
7									HEADREST, Front
	WX35 1DVAA	2						SL	[DV]
	WX35 1T5AA	2						SL	[T5]
	WX35 1DVAA	2						PL	[DV]
-8									PAD, Heater, Back
	5134 529AA-	1						SL	
		1						PL	
9									SHIELD, Seat Adjuster
	XU84 1DVAA	1						SL	[DV], Right
	XU84 1T5AA	1						SL	[T5], Right
	QY27 1DVAA	1						SL	[DV], Left
	QY27 1T5AA	1						SL	[T5], Left
	XU84 1DVAA	1						PL	[DV], Right
	QY27 1DVAA	1						PL	[DV], Left
10									SLEEVE, Headrest
	QX11 1DVAA	1						SL	[DV], With Release Button
	QX11 1T5AA	1						SL	[T5], With Release Button

98Q095 555

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M | LYI
 Consolidation


M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### Seat Front - Trim Code [SL, PL] Figure ILH-560



TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	QX11 1DVAA	1						PL	[DV], With Release Button
	QX12 1DVAA	1						SL	[DV], Without Release Button
	QX12 1T5AA	1						SL	[T5], Without Release Button
	QX12 1DVAA	1						PL	[DV], Without Release Button
·11									AIR BAG, Seat
	4664 289AA-	2						PL	
		2						SL	
12									PANEL, Front Seat Back
	XY77 1DVAA	1						SL	[DV]
	XY77 1T5AA	1						SL	[T5]
	UF37 1DVAA	1						PL	[DV], Without Map Pocket
		1						SL	[DV], Without Map Pocket
	UF37 1T5AA	1						SL	[T5], Without Map Pocket

98Q095 555


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE

M = LXIX = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Front - Trim Code [UL] Figure ILH-565



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•						ļ		
1	5096 012AA	2						UL	FOAM, Seat Cushion, Right & Left
2	5093 532AA	2						UL	FRAME, Seat cushion, Right & Left
3									COVER, Front Seat Cushion
	XF24 1D2AA	1						UL	[D2], Right
	XF24 1DVAA	1						UL	[DV], Right
	XF25 1D2AA	1						UL	[D2], Left
	XF25 1DVAA	1						UL	[DV], Left
-4	5114 187AA-	1						UL	PAD, Heater, Service with Cover
5									SEAT BACK, Front
	YG32 1D2AA	1						UL	[D2], Without Airbag, Right
	YG32 1DVAA	1						UL	[DV], Without Airbag, Right
	YG33 1D2AA	1						UL	[D2], Without Airbag, Left
	YG33 1DVAA	1						UL	[DV], Without Airbag, Left
	YG34 1D2AA	1						UL	[D2], With Airbag, Right
	YG34 1DVAA	1						UL	[DV], With Airbag, Right
	YG35 1D2AA	1						UL	[D2], With Airbag, Left
	YG35 1DVAA	1						UL	[DV], With Airbag, Left
6									COVER, Front Seat Back
	YG31 1D2AA	1						UL	[D2], Without Airbag, Right & Left
	YG31 1DVAA	1						UL	[DV], Without Airbag, Right & Left
-7	5134 529AA-	1						UL	PAD, Heater, Back
8									HEADREST, Front
	WX35 1DVAA	2						UL	[DV]
	WX35 1L2AA	2						UL	[D2]
9									SHIELD, Seat Adjuster
	QY27 1DVAA	1						UL	[DV], Left
	QY27 1L2AA	1						UL	[D2], Left
	XU84 1DVAA	1						UL	[DV], Right
	XU84 1L2AA	1						UL	[D2], Right
10									SLEEVE, Headrest
	QX11 1D2AA	1						UL	[D2], With Release Button
	QX11 1DVAA	1						UL	[DV], With Release Button
	QX12 1D2AA	1						UL	[D2], Without Release Button
	QX12 1DVAA	1						UL	[DV], Without Release Button
-11	4645 946AA-	2						UL	AIR BAG, Seat
12									PANEL, Front Seat Back
	XY77 1DVAA	1						UL	[DV]
	XY77 1L2AA	1						UL	[D2]
	UF37 1DVAA	1						UL	[DV], Without Map Pocket
	UF37 1L2AA	1						UL	[D2], Without Map Pocket

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Front - Trim Code [C8, X5, Y5] Police Car Figure ILH-570



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	, itomber	٠		0220			110.110		DEGGIII HOIL
1									FRAME, Seat cushion
•	5093 532AA	2						C8	Right & Left
	0000 00=/	1						X5	Right & Left
		2						Y5	Right & Left
2									FOAM, Seat Cushion
	5093 533AA	2						X5	Right & Left
		2						C8	Right & Left
		2						Y5	Right & Left
3									COVER, Front Seat Cushion
	XF03 1DVAA	2						X5	[DV], Right & Left
		2						C8	[DV], Right & Left
	UF94 1DVAA	1						Y5	Right & Left
4									SEAT BACK, Front
	XX88 1DVAA	1						X5	[DV], Right
		1						C8	[DV], Right
	XX89 1DVAA	1						X5	[DV], Left
		1						C8	[DV], Left
	YY92 1DVAA	1						Y5	[DV], Right
	YY93 1DVAA	1						Y5	[DV], Left
5									COVER, Front Seat Back, (NO
									SERVICED) (Not Serviced)
6									HEADREST, Front
	XF04 1DVAA	2						X5	[DV]
		2						C8	[DV]
	UF91 1DVAA	2						Y5	[DV]
7									SHIELD, Seat Adjuster
	QY22 1DVAA	1						X5	[DV], Right
		1						C8	[DV], Right
		11						Y5	[DV], Right
	QY23 1DVAA	1						X5	[DV], Left,Manual
		1						C8	[DV], Left,Manual
		1						Y5	[DV], Left,Manual
	QY25 1DVAA	1						X5	[DV], Left,Power
		1						C8	[DV], Left,Power
		1						Y5	[DV], Left,Power
8	0.44 (5.44)	,						00	SLEEVE, Headrest
	QX11 1DVAA	1						C8	[DV], With Release Button
	0.740 45774 4	1						Y5	[DV], With Release Button
	QX12 1DVAA	1						X5	[DV], Without Release Button
		1						C8	[DV], Without Release Button
-9		1						Y5	[DV], Without Release Button AIR BAG, Seat

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Front - Trim Code [C8, X5, Y5] Police Car Figure ILH-570



	PART					'			
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4664 289AA-	2						Z5	
	4645 946AA-							Y5	
10	.0.00.000	_						. •	PANEL, Front Seat Back
	UF37 1DVAA	1						X5	[DV], Without Map Pocket
		1						C8	[DV], Without Map Pocket
		1						Y5	[DV], Without Map Pocket
	UF40 1DVAA	1						Y5	[DV], With Map Pocket - Venus

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [B7] Figure ILH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	'							•	
1									SEAT BACK, Rear
	WJ27 1DVAA	1						B7	[DV] (Use Up To 12-18-02)
	WJ27 1L5AA	1						B7	[L5] (Use Up To 12-18-02)
	WJ27 1T5AA	1						B7	[T5] (Use Up To 12-18-02)
	YY47 1DVAA	1						B7	[DV] (Use After 12-18-02)
	YY47 1L5AA	1						B7	[L5] (Use After 12-18-02)
	YY47 1T5AA	1						B7	[T5] (Use After 12-18-02)
	WT38 1DVAA	1						B7	[DV], 60/40 - Complete
	WT38 1L5AA	1						B7	[L5], 60/40 - Complete
	WT38 1T5AA	1						B7	[T5], 60/40 - Complete
2									SEAT BACK, Rear, 40%
	WJ29 1DVAA	1						B7	[DV] (Use Up To 12-18-02)
	WJ29 1L5AA	1						B7	[L5] (Use Up To 12-18-02)
	WJ29 1T5AA	1						B7	[T5] (Use Up To 12-18-02)
	YC80 1DVAA	1						B7	[DV] (Use After 12-18-02)
	YC80 1L5AA	1						B7	[L5] (Use After 12-18-02)
	YC80 1T5AA	1						B7	[T5] (Use After 12-18-02)
3									SEAT BACK, Rear, 60%
	WJ30 1DVAA	1						B7	[DV], (Use Up To 12-18-02)
	WJ30 1L5AA	1						B7	[L5], (Use Up To 12-18-02)
	WJ30 1T5AA	1						B7	[T5], (Use Up To 12-18-02)
	YC79 1DVAA	1						B7	[DV], (Use After 12-18-02)
	YC79 1L5AA	1						B7	[L5], (Use After 12-18-02)
	YC79 1T5AA	1						B7	[T5], (Use After 12-18-02)
4									COVER, Rear Seat Back
	WJ31 1DVAA	1						B7	[DV], (Use Up To 12-18-02)
	WJ31 1L5AA	1						B7	[L5], (Use Up To 12-18-02)
	WJ31 1T5AA	1						B7	[T5], (Use Up To 12-18-02)
	YY48 1DVAA	1						B7	[DV], (Use After 12-18-02)
	YY48 1L5AA	1						B7	[L5], (Use After 12-18-02)
	YY48 1T5AA	1						B7	[T5], (Use After 12-18-02)
5									CUSHION, Rear Seat
	WJ32 1DVAA	1						B7	[DV], (Use Up To 12-18-02)
	WJ32 1L5AA	1						B7	[L5], (Use Up To 12-18-02)
	WJ32 1T5AA	1						B7	[T5], (Use Up To 12-18-02)
	YY49 1DVAA	1						B7	[DV], (Use After 12-18-02)
	YY49 1L5AA	1						B7	[L5], (Use After 12-18-02)
	YY49 1T5AA	1					<u>-</u>	В7	[T5], (Use After 12-18-02)
	WJ33 1DVAA	1						B7	[DV], With Folding Rear Sea
	WJ33 1L5AA	1						B7	[L5], With Folding Rear Seat
	WJ33 1T5AA	1						В7	[T5], With Folding Rear Seat
6									COVER, Rear Seat Cushion

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [B7] Figure ILH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	WJ34 1DVAA	1						B7	[DV], With Fixed Back (Use Up To
									12-18-02
	WJ34 1L5AA	1						B7	[L5], With Fixed Back (Use Up To
									12-18-02
	WJ34 1T5AA	1						B7	[T5], With Fixed Back (Use Up To
									12-18-02
	YY52 1DVAA	1						B7	[DV], With Fixed Back (Use After
									12-18-02
	YY52 1L5AA	1						B7	[L5], With Fixed Back (Use After To
	\0.450 4 <b>T</b> = 4.4								12-18-02
	YY52 1T5AA	1						B7	[T5], With Fixed Back (Use After
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	4						DZ	12-18-02
	WJ35 1DVAA WJ35 1L5AA	<u>1</u> 1						B7 B7	[DV], With Folding Rear Seat
	WJ35 1L5AA WJ35 1T5AA	1						Б/ В7	[L5], With Folding Rear Seat [T5], With Folding Rear Seat
7	W333 113AA	'						D1	ARMREST, Rear Seat Center
,	WT39 1DVAA	. 1						B7	[DV]
	WT39 1L5AA	1						B7	[L5]
	WT39 1T5AA	1						B7	[T5]
8	5016 143AA	1						R5	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (Not
									Serviced)
10									COLLAR, Rear Seat Back
	WU08 1DVAA	. 1						B7	[DV]
	WU08 1L5AA	1						B7	[L5]
	WU08 1T5AA	1						B7	[T5]

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

# Seat Rear - Trim Code [BF] Figure ILH-615



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	YC78 1DVAA	1						BF	[DV], Fixed Back
	YC78 1L5AA	1						BF	[L5], Fixed Back
	YC78 1T5AA	1						BF	[T5], Fixed Back
2									SEAT BACK, Rear, w/Center
									Armrest
	WJ28 1DVAA	1						BF	[DV]
	WJ28 1L5AA	1						BF	[L5]
	WJ28 1T5AA	1						BF	[T5]
3									SEAT BACK, Rear, 40%
	WJ29 1DVAA	1						BF	[DV]
	WJ29 1L5AA	1						BF	[L5]
	WJ29 1T5AA	1						BF	[T5]
4									SEAT BACK, Rear, 60%
	YC79 1DVAA	1						BF	[DV]
	YC79 1L5AA	1						BF	[L5]
	YC79 1T5AA	1						BF	[T5]
5									COVER, Rear Seat Back
	WJ31 1DVAA	1						BF	[DV]
	WJ31 1L5AA	1						BF	[L5]
	WJ31 1T5AA	1						BF	[T5]
6									CUSHION, Rear Seat
	WJ32 1DVAA	1						BF	[DV], With Fixed Back Rear S
	WJ32 1L5AA	1						BF	[L5], With Fixed Back Rear S
	WJ32 1T5AA	1						BF	[T5], With Fixed Back Rear S
	WJ33 1DVAA	1						BF	[DV], With Folding Rear Seat
	WJ33 1L5AA	1						BF	[L5], With Folding Rear Seat
	WJ33 1T5AA	1						BF	[T5], With Folding Rear Seat
7									COVER, Rear Seat Cushion
	WJ35 1DVAA	1						BF	[DV], With Folding Rear Seat
	WJ35 1L5AA	1						BF	[L5], With Folding Rear Seat
	WJ35 1T5AA	1						BF	[T5], With Folding Rear Seat
	WJ34 1DVAA	1						BF	[DV] With Fixed Back Seat
	WJ34 1L5AA	1						BF	[L5] With Fixed Back Seat
	WJ34 1T5AA	1						BF	[T5] With Fixed Back Seat
8									ARMREST, Rear Seat Center
	WT39 1DVAA	1						BF	[DV]
	WT39 1L5AA	1						BF	[L5]
	WT39 1T5AA	1						BF	[T5]
9	5016 143AA	1						BF	BOLT, Armrest Pivot

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### Seat Rear - Trim Code [BF] Figure ILH-615



DESCRIPTION

# Seat Rear - Trim Code [CL] Figure ILH-620



ITEM		QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	NUMBER	WII	LINE	SERIES	BODI	ENGINE	INANS	I IXIIVI	DESCRIPTION
1	VE40 4D\/AD							01	SEAT BACK, Rear
	XE10 1DVAB	1						CL	[DV] (Use Up To 7-12-02)
	XE10 1L5AB	1						CL	[L5] (Use Up To 7-12-02)
	XE10 1T5AB	1						CL	[T5] (Use Up To 7-12-02)
	YP74 1DVAA	1						CL	[DV] (Use After 7-12-02)
	YP74 1L5AA	1						CL	[L5] (Use After 7-12-02)
	YP74 1T5AA	1						CL	[T5] (Use After 7-12-02)
2									SEAT BACK, Rear, 40%
	XE11 1DVAA	1						CL	[DV] (Use Up To 7-12-02)
	XE11 1L5AA	1						CL	[L5] (Use Up To 7-12-02)
	XE11 1T5AA	1						CL	[T5] (Use Up To 7-12-02)
	YP75 1DVAA	1						CL	[DV] (Use After 7-12-02)
	YP75 1L5AA	1						CL	[L5] (Use After 7-12-02)
	YP75 1T5AA	1						CL	[T5] (Use After 7-12-02)
3									SEAT BACK, Rear, 60%
	XE13 1DVAB	1						CL	[DV] (Use Up To 7-12-02)
	XE13 1L5AB	1						CL	[L5] (Use Up To 7-12-02)
	XE13 1T5AB	1						CL	[T5] (Use Up To 7-12-02)
	YP76 1DVAA	1						CL	[DV] (Use After 7-12-02)
	YP76 1L5AA	1						CL	[L5] (Use After 7-12-02)
	YP76 1T5AA	1						CL	[T5] (Use After 7-12-02)
4									COVER, Rear Seat Back, (NO
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	WJ42 1DVAA	1						CL	[DV] (Use Up To 7-12-02)
	WJ42 1L5AA	1						CL	[L5] (Use Up To 7-12-02)
	WJ42 1T5AA	1						CL	[T5] (Use Up To 7-12-02)
	YP69 1DVAA	1						CL	[DV] (Use After 7-12-02)
	YP69 1L5AA	1						CL	[L5] (Use After 7-12-02)
	YP69 1T5AA	1						CL	[T5] (Use After 7-12-02)
6									COVER, Rear Seat Cushion
	WJ44 1DVAA	1						CL	[DV] (Use Up To 7-12-02)
	WJ44 1L5AA	1						CL	[L5] (Use Up To 7-12-02)
	WJ44 1T5AA	1						CL	[T5] (Use Up To 7-12-02)
	YP70 1DVAA	1						CL	[DV] (Use After 7-12-02)
	YP70 1L5AA	1						CL	[L5] (Use After 7-12-02)
	YP70 1T5AA	1						CL	[T5] (Use After 7-12-02)
7		-							ARMREST, Rear Seat Center
	XQ33 1DVAA	1						CL	[DV]
	XQ33 1L5AA	1						CL	[L5]
	XQ33 1T5AA	1						CL	[T5]

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### Seat Rear - Trim Code [CL] Figure ILH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
					1				
8	5016 143AA	1						CL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
10									COLLAR, Rear Seat Back
	UG46 1DVAA							CL	[DV]
	UG46 1L5AA							CL	[L5]
	UG46 1T5AA	1						CL	[T5]

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler


X = 300M Special

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [Q5] Figure ILH-625



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	WJ46 1DVAA	1						Q5	[DV]
	WJ46 1L5AA	1						Q5	[L5]
	WJ46 1T5AA	1						Q5	[T5]
2									COVER, Rear Seat Cushion
	WJ47 1DVAA	1						Q5	[DV]
	WJ47 1L5AA	1						Q5	[L5]
	WJ47 1T5AA	1						Q5	[T5]
3									SEAT BACK, Rear, w/Center
									Armrest
	WJ48 1DVAA	1						Q5	[DV]
	WJ48 1L5AA	1						Q5	[L5]
	WJ48 1T5AA	1						Q5	[T5]
4									SEAT BACK, Rear, Without Armres
	WJ48 1DVAB	1						Q5	[DV]
	WJ48 1L5AB	1						Q5	[L5]
	WJ48 1T5AB	1						Q5	[T5]
5									COVER, Rear Seat Back
	WJ49 1DVAA	1						Q5	[DV]
	WJ49 1L5AA	1						Q5	[L5]
	WJ49 1T5AA	1						Q5	[T5]
6									ARMREST, Rear Seat Center
	UG20 1DVAA	1						Q5	[DV]
	UG20 1L5AA	1						Q5	[L5]
	UG20 1T5AA	1						Q5	[T5]
7									COVER, Armrest, (NOT SERVICED
									(Not Serviced)
-8	5014 828AA-	1						Q5	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [NL] Figure ILH-630



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
								-	
1									SEAT BACK, Rear, With Center
									Armrest
	YE24 1DVAA	1						NL	[DV]
	YE24 1L2AA	1						NL	[L2]
	YE24 1T5AA	1						NL	[T5]
2									SEAT BACK, Rear, 40%
	YE25 1DVAA	1						NL	[DV]
	YE25 1L2AA	1						NL	[L2]
	YE25 1T5AA	1						NL	[T5]
3									SEAT BACK, Rear, 60%
	YE26 1DVAA	1						NL	[DV]
	YE26 1L2AA	1						NL	[L2]
	YE26 1T5AA	1						NL	[T5]
-4									SEAT BACK, Rear, w/Center
									Armrest
	WJ50 1DVAA-	- 1						NL	[DV]
	WJ50 1L2AA-							NL	[L2]
	WJ50 1T5AA-	· 1						NL	[T5]
5									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
6									CUSHION, Rear Seat
	WJ53 1DVAA	. 1						NL	[DV]
	WJ53 1L2AA	1						NL	[L2]
	WJ53 1T5AA	1						NL	[T5]
7									COVER, Rear Seat Cushion
	YE28 1DVAA	1						NL	[DV]
	YE28 1L2AA	1						NL	[L2]
	YE28 1T5AA	1						NL	[T5]
8									ARMREST, Rear Seat Center
	XQ33 1DVAA	. 1						NL	[DV]
	XQ33 1L2AA	1						NL	[L2]
	XQ33 1T5AA	1						NL	[T5]
9	5016 143AA	1						NL	BOLT, Armrest Pivot
10									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
11									COLLAR, Rear Seat Back
	UG46 1DVAA	. 1						NL	[DV]
	UG46 1L2AA	1						NL	[L2]
	UG46 1T5AA	1						NL	[T5]

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

X = 300M Special

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [ML] Figure ILH-635

	3 (4)
	5
6	3
	2

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	)()(50 4D)(AA								CUSHION, Rear Seat
	XY56 1DVAA	1						ML	[DV], (Use Up To 10-3-02)
	XY56 1L5AA	1						ML	[L5], (Use Up To 10-3-02)
	XY56 1T5AA	1						ML	[T5], (Use Up To 10-3-02)
	YN90 1DVAA	1						ML	[DV], (Use After 10-3-02)
	YN90 1L5AA	1						ML	[L5], (Use After 10-3-02)
	YN90 1T5AA	1						ML	[T5], (Use After 10-3-02)
2									COVER, Rear Seat Cushion
	XY57 1DVAA	1						ML	[DV], (Use Up To 10-3-02)
	XY57 1L5AA	1						ML	[L5], (Use Up To 10-3-02)
	XY57 1T5AA	1						ML	[T5], (Use Up To 10-3-02)
	ZA69 1DVAA	1						ML	[DV], (Use After 10-3-02)
	ZA69 1L5AA	1						ML	[L5], (Use After 10-3-02)
	ZA69 1T5AA	1						ML	[T5], (Use After 10-3-02)
3									SEAT BACK, Rear, w/Center
									Armrest, (Use Up To 10-3-02)
	XY50 1DVAA	1						ML	[DV]
	XY50 1L5AA	1						ML	[L5]
	XY50 1T5AA	1						ML	[T5]
4									SEAT BACK, Rear, (Use After 10-3-
									02)
	ZA68 1DVAA	1						ML	[DV] (Use After 10-3-02)
	ZA68 1L5AA	1						ML	[L5] (Use After 10-3-02)
	ZA68 1T5AA	1						ML	[T5] (Use After 10-3-02)
5									COVER, Rear Seat Back
	XY51 1DVAA	1						ML	[DV] (Use Up To 10-3-02)
	XY51 1L5AA	1						ML	[L5] (Use Up To 10-3-02)
	XY51 1T5AA	1						ML	[T5] (Use Up To 10-3-02)
	WJ58 1DVAA							ML	[DV] (Use After 10-3-02)
	WJ58 1L5AA	1						ML	[L5] (Use After 10-3-02)
	WJ58 1T5AA	1						ML	[T5] (Use After 10-3-02)
6		•							ARMREST, Rear Seat Center
3	QZ38 1DVAA	1						ML	[DV]
	QZ38 1L5AA	1						ML	[L5]
	QZ38 1T5AA	1						ML	[T5]
-7	5014 828AA-								DOOR, Rear Seat Armrest
-7	3014 020AA-	1						ML	DOOK, Real Seal Allillest

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [MP] Figure ILH-640

3 4
5

	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-								
1									CUSHION, Rear Seat
	XY56 1DVAA	1						MP	[DV] (Use Up To 10-21-02)
	XY56 1L5AA	1						MP	[L5] (Use Up To 10-21-02)
	XY56 1T5AA	1						MP	[T5] (Use Up To 10-21-02)
	YN90 1DVAA	1						MP	[DV] (Use After 10-21-02)
	YN90 1L5AA	1						MP	[L5] (Use After 10-21-02)
	YN90 1T5AA	1						MP	[T5] (Use After 10-21-02)
2									COVER, Rear Seat Cushion
	XY57 1DVAA	1						MP	[DV] (Use Up To 10-21-02)
	XY57 1L5AA	1						MP	[L5] (Use Up To 10-21-02)
	XY57 1T5AA	1						MP	[T5] (Use Up To 10-21-02)
	YN91 1DVAA	1						MP	[DV] (Use After 10-21-02)
	YN91 1L5AA	1						MP	[LV] (Use After 10-21-02)
	YN91 1T5AA	1						MP	[T5] (Use After 10-21-02)
3									SEAT BACK, Rear, w/Center
									Armrest
	XY50 1DVAA	1						MP	[DV] (Use Up To 10-21-02)
	XY50 1L5AA	1						MP	[L5] (Use Up To 10-21-02)
	XY50 1T5AA	1						MP	[T5] (Use Up To 10-21-02)
	WJ57 1DVAA	. 1						MP	[DV] (Use After 10-21-02)
	WJ57 1L5AA	1						MP	[L5] (Use After 10-21-02)
	WJ57 1T5AA	1						MP	[T5] (Use After 10-21-02)
4									SEAT BACK, Rear, Without Armrest
	WJ57 1DVAB	1						MP	[DV]
	WJ57 1L5AB	1						MP	[L5]
	WJ57 1T5AB	1						MP	[T5]
5									COVER, Rear Seat Back
	XY51 1DVAA	1						MP	[DV] (Use Up To 10-21-02)
	XY51 1L5AA	1						MP	[L5] (Use Up To 10-21-02)
	XY51 1T5AA	1						MP	[T5] (Use Up To 10-21-02)
	YN89 1DVAA	1						MP	[DV] (Use After 10-21-02)
	YN89 1L5AA	1						MP	[L5] (Use After 10-21-02)
	YN89 1T5AA	1						MP	[T5] (Use After 10-21-02)
6									ARMREST, Rear Seat Center
	QZ38 1DVAA	1						MP	[DV]
	QZ38 1L5AA	1						MP	[L5]
	QZ38 1T5AA	1						MP	[T5]
-7	5014 828AA-	1						MP	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [QF] Figure ILH-645

3 3 5 6
1)

Number   N		PART								
WJ46 1DVAA 1	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
WJ46 1DVAA 1										
WJ46 1L5AA   1	1									CUSHION, Rear Seat
WJ46 1T5AA 1   QF   [T5]   COVER, Rear Seat Cushion		WJ46 1DVAA	1						QF	[DV]
COVER, Rear Seat Cushion   WJ47 1DVAA   1		WJ46 1L5AA	1						QF	[L5]
WJ47 1DVAA   1		WJ46 1T5AA	1						QF	[T5]
WJ47 1L5AA   1	2									COVER, Rear Seat Cushion
WJ47 1T5AA   1		WJ47 1DVAA	1						QF	[DV]
SEAT BACK, Rear, w/Center   Armrest		WJ47 1L5AA	1						QF	[L5]
Armrest   WJ48 1DVAA   1		WJ47 1T5AA	1						QF	[T5]
WJ48 1DVAA       1       QF       [DV]         WJ48 1L5AA       1       QF       [L5]         WJ48 1T5AA       1       QF       [T5]         4       SEAT BACK, Rear, Without Armrest         WJ48 1DVAB       1       QF       [DV]         WJ48 1L5AB       1       QF       [L5]         WJ48 1T5AB       1       QF       [T5]         5       COVER, Rear Seat Back         WJ49 1DVAA       1       QF       [DV]         WJ49 1T5AA       1       QF       [T5]         6       ARMREST, Rear Seat Center         UG20 1DVAA       1       QF       [DV]         UG20 1L5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [L5]	3									SEAT BACK, Rear, w/Center
WJ48 1L5AA       1       QF       [L5]         WJ48 1T5AA       1       QF       [T5]         4       SEAT BACK, Rear, Without Armrest         WJ48 1DVAB       1       QF       [DV]         WJ48 1T5AB       1       QF       [T5]         5       COVER, Rear Seat Back         WJ49 1DVAA       1       QF       [DV]         WJ49 1L5AA       1       QF       [T5]         6       ARMREST, Rear Seat Center         UG20 1DVAA       1       QF       [DV]         UG20 1L5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [T5]										Armrest
WJ48 1T5AA   1		WJ48 1DVAA	1						QF	[DV]
SEAT BACK, Rear, Without Armrest   WJ48 1DVAB   1   QF   [DV]   WJ48 1L5AB   1   QF   [T5]     [T5]		WJ48 1L5AA	1						QF	[L5]
WJ48 1DVAB       1       QF       [DV]         WJ48 1L5AB       1       QF       [L5]         WJ48 1T5AB       1       QF       [T5]         5       COVER, Rear Seat Back         WJ49 1DVAA       1       QF       [DV]         WJ49 1L5AA       1       QF       [L5]         WJ49 1T5AA       1       QF       [T5]         6       ARMREST, Rear Seat Center         UG20 1DVAA       1       QF       [DV]         UG20 1L5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [T5]		WJ48 1T5AA	1						QF	[T5]
WJ48 1L5AB       1       QF       [L5]         WJ48 1T5AB       1       QF       [T5]         5       COVER, Rear Seat Back         WJ49 1DVAA       1       QF       [DV]         WJ49 1L5AA       1       QF       [L5]         WJ49 1T5AA       1       QF       [T5]         6       ARMREST, Rear Seat Center         UG20 1DVAA       1       QF       [DV]         UG20 1L5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [T5]	4									SEAT BACK, Rear, Without Armrest
WJ48 1T5AB         1         QF         [T5]           5         COVER, Rear Seat Back           WJ49 1DVAA         1         QF         [DV]           WJ49 1L5AA         1         QF         [L5]           WJ49 1T5AA         1         QF         [T5]           6         ARMREST, Rear Seat Center           UG20 1DVAA         1         QF         [DV]           UG20 1L5AA         1         QF         [L5]           UG20 1T5AA         1         QF         [T5]		WJ48 1DVAB	1						QF	[DV]
5 COVER, Rear Seat Back WJ49 1DVAA 1 QF [DV] WJ49 1L5AA 1 QF [L5] WJ49 1T5AA 1 QF [T5]  6 ARMREST, Rear Seat Center UG20 1DVAA 1 QF [DV] UG20 1L5AA 1 QF [L5] UG20 1T5AA 1 QF [T5]		WJ48 1L5AB	1						QF	[L5]
WJ49 1DVAA       1       QF [DV]         WJ49 1L5AA       1       QF [L5]         WJ49 1T5AA       1       QF [T5]         ARMREST, Rear Seat Center         UG20 1DVAA       1       QF [DV]         UG20 1L5AA       1       QF [L5]         UG20 1T5AA       1       QF [T5]		WJ48 1T5AB	1						QF	[T5]
WJ49 1L5AA       1       QF       [L5]         WJ49 1T5AA       1       QF       [T5]         ARMREST, Rear Seat Center         UG20 1DVAA       1       QF       [DV]         UG20 1L5AA       1       QF       [L5]         UG20 1T5AA       1       QF       [T5]	5									COVER, Rear Seat Back
WJ49 1T5AA         1         QF         [T5]           6         ARMREST, Rear Seat Center           UG20 1DVAA         1         QF         [DV]           UG20 1L5AA         1         QF         [L5]           UG20 1T5AA         1         QF         [T5]		WJ49 1DVAA	1						QF	[DV]
6 ARMREST, Rear Seat Center UG20 1DVAA 1 QF [DV] UG20 1L5AA 1 QF [L5] UG20 1T5AA 1 QF [T5]		WJ49 1L5AA	1						QF	[L5]
UG20 1DVAA 1       QF [DV]         UG20 1L5AA 1       QF [L5]         UG20 1T5AA 1       QF [T5]		WJ49 1T5AA	1						QF	[T5]
UG20 1L5AA 1 QF [L5] UG20 1T5AA 1 QF [T5]	6									ARMREST, Rear Seat Center
UG20 1T5AA 1 QF [T5]		UG20 1DVAA	. 1						QF	[DV]
• • •		UG20 1L5AA	1						QF	[L5]
-7 5014 828AA- 1 QF DOOR, Rear Seat Armrest		UG20 1T5AA	1_						QF	[T5]
	-7	5014 828AA-	1						QF	DOOR, Rear Seat Armrest


CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [TL] Figure ILH-650



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	YE16 1DVAA	1						TL	[DV]
	YE16 1L2AA	1						TL	[L2]
	YE16 1T5AA	1						TL	[T5]
2									COVER, Rear Seat Cushion
	YE17 1DVAA	1						TL	[DV]
	YE17 1L2AA	1						TL	[L2]
	YE17 1T5AA	1						TL	[T5]
3									SEAT BACK, Rear, w/Center
									Armrest
	WJ66 1DVAA	1						TL	[DV]
	WJ66 1L2AA	1						TL	[L2]
	WJ66 1T5AA	1						TL	[T5]
-4									SEAT BACK, Rear
	YE20 1DVAA-	· 1						TL	[DV]
	YE20 1L2AA-	1						TL	[L2]
	YE20 1T5AA-	1						TL	[T5]
5									COVER, Rear Seat Back
	YE21 1DVAA	1						TL	[DV]
	YE21 1L2AA	1						TL	[L2]
	YE21 1T5AA	1						TL	[T5]
6									ARMREST, Rear Seat Center
	QZ38 1DVAA	1						TL	[DV]
	QZ38 1L2AA	1						TL	[L2]
	QZ38 1T5AA	1						TL	[T5]
-7	5014 828AA-	1						TL	DOOR, Rear Seat Armrest

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [Z5] Figure ILH-655



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_									
1									SEAT BACK, Rear, w/Center
									Armrest
	WJ69 1DVAA	1						Z5	[DV]
	WJ69 1T5AA	1						Z5	[T5]
2									SEAT BACK, Rear, 40%
	XQ39 1DVAA	1						Z5	[DV]
	XQ39 1T5AA	1						Z5	[T5]
3									SEAT BACK, Rear, 60%
	XQ37 1DVAB	1						Z5	[DV]
	XQ37 1T5AB	1						Z5	[T5]
-4									SEAT BACK, Rear
	YD20 1DVAA-	· 1						Z5	[DV]
	YD20 1T5AA-	1						Z5	[T5]
5									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
6									CUSHION, Rear Seat
	WJ43 1DVAA	1						<b>Z</b> 5	[DV]
	WJ43 1T5AA	1						Z5	[T5]
7									COVER, Rear Seat Cushion
	WJ45 1DVAA	1						<b>Z</b> 5	[DV]
	WJ45 1T5AA	1						<b>Z</b> 5	[T5]
8									ARMREST, Rear Seat Center
	UG04 1DVAA	1						<b>Z</b> 5	[DV]
	UG04 1T5AA	1						<b>Z</b> 5	[T5]
9	5016 143AA	1						<b>Z</b> 5	BOLT, Armrest Pivot
10									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (N
									Serviced)
11									COLLAR, Rear Seat Back
	UG02 1DVAA	1						Z5	[DV]
	UG02 1T5AA	1						Z5	[T5]

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CUSHION, Rear Seat
	WJ53 1DVAA	1						SL	[DV]
	WJ53 1T5AA	1						SL	[T5]
	XF28 1DVAA	1						PL	[DV]
2									COVER, Rear Seat Cushion
	YE28 1DVAA	1						SL	[DV]
	YE28 1T5AA	1						SL	[T5]
	XF29 1DVAA	1						PL	[DV]
3									SEAT BACK, Rear
	YE29 1DVAA	1						SL	[DV]
	YE29 1T5AA	1						SL	[T5]
	YD17 1DVAA	1						PL	[DV]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									ARMREST, Rear Seat Center
	XQ33 1DVAA	1						SL	[DV]
	XQ33 1T5AA	1						SL	[T5]
	XQ33 1DVAA	1						PL	[DV]
6									SEAT BACK, Rear, 60%
	YE31 1DVAA	1						SL	[DV]
	YE31 1T5AA	1						SL	[T5]
	YD19 1DVAA	1						PL	[DV]
7									SEAT BACK, Rear, 40%
	YE30 1DVAA	1						SL	[DV]
	YE30 1T5AA	1						SL	[T5]
	YD18 1DVAA	1						PL	[DV]
8									COLLAR, Rear Seat Back
	UG46 1DVAA	1						SL	[DV]
	UG46 1T5AA	1						SL	[T5]
	XW13 1DVAA	1						PL	[DV]
-9									BOLT, Armrest Pivot
	5016 143AA-	1						SL	
		1						PL	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Seat Rear - Trim Code [UL] Figure ILH-665



	PART								
TEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	YD17 1D2AA	1						UL	[D2]
	YD17 1DVAA	1						UL	[DV]
2									SEAT BACK, Rear, 40%
	YD18 1D2AA	1						UL	[D2]
	YD18 1DVAA	1						UL	[DV]
3									SEAT BACK, Rear, 60%
	YD19 1D2AA	1						UL	[D2]
	YD19 1DVAA	1						UL	[DV]
4									COVER, Rear Seat Back, (NOT
									SERVICED) (Not Serviced)
5									CUSHION, Rear Seat
	XF28 1D2AA	1						UL	[D2]
	XF28 1DVAA	1						UL	[DV]
6									COVER, Rear Seat Cushion
	XF29 1D2AA	1						UL	[D2]
	XF29 1DVAA	1						UL	[DV]
7									ARMREST, Rear Seat Center
	XQ33 1L2AA	1						UL	[D2]
	XQ33 1DVAA	1						UL	[DV]
8	5016 143AA	1						UL	BOLT, Armrest Pivot
9									CUPHOLDER, Serviced With
									Armrest, (NOT SERVICED) (No
									Serviced)
10									COLLAR, Rear Seat Back
	XW13 1DVAA	1						UL	[DV]
	XW13 1L2AA	1						UL	[D2]

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



1	NUMBER  XF09 1DVAA	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	XF09 1DVAA								
1	XF09 1DVAA								
	XF09 1DVAA								SEAT BACK, Rear
		1						C8	[DV]
	XF05 1DVAA	1						X5	[DV]
		1						Y5	[DV]
2									COVER, Rear Seat Back
	XF06 1DVAA	1						X5	[DV]
	XF10 1DVAA	1						C8	[DV]
	XF06 1DVAA	1						Y5	[DV]
3									CUSHION, Rear Seat
	XF07 1DVAA	1						X5	[DV]
	XF11 1DVAA	1						C8	[DV]
	XF07 1DVAA	1						Y5	[DV]
4	XF08 1DVAA	1						X5	COVER, Rear Seat Cushion, [DV]

CONCORDE-INTREPID-300M (LH) -SERIES LINE


SERIES
P = Limited/ES
S = 300M
H = SE
M = LXI

X = 300M Special

LINE
H = Chrysler
Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Seat Belts - Front** Figure ILH-710



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BELT, Front Outer
	LM46 XDVAI	1						O0	European, Right
	LM47 XDVAL	1						00	European, Left
	SG62 1L2AK	1	С	Р				00	[L2], Right
		1	C, D					O0	[L2], Right
		1	Υ	S				O0	[L2], Right
		1	Υ	Χ				O0	[D2], Right
	SG62 1L5AK	1	C, D					O0	[L5], Right
	SG62 XDVAK	1	C, D					O0	[DV], Right
		1	Υ	S				00	[DV], Right
		1	С	М				00	[DV], Right
		1	Υ	Χ				00	[DV], Right
	SG62 XT5AK	1	C, D					00	[T5], Right
		1	Υ	S				00	[T5], Right
		1	С	М				00	[T5], Right
		1	D					00	[T5], Right
	SG63 1D2AM	1	Y	Х				00	[D2], Left
	SG63 1L2AN	1	C, D					00	[L2], Left
		1	Υ	S				00	[L2], Left
	SG63 1L5AN	1	C, D					00	[L5], Left
	SG63 XDVAN	1	C, D					O0	[DV], Left
		1	Υ	S				00	[DV], Left
	SG63 XT5AN	1	C, D					00	[T5], Left
		1	Υ	S				00	[T5], Left
		1	С	М				O0	[T5], Left
2	6504 538	2							SCREW, Shoulder, Front Seat Belt
									Attaching Outboard
3									WIRE, Front Seat, Serviced With
									Seat Belt, (NOT SERVICED) (Not
									Serviced)
4	4698 544AI	2							ADJUSTER, Seat Belt Turning Loop
5	6504 542	2							SCREW, 6 Lobed, Adjuster to B-
									Pillar Attaching
6	4680 385	2							BUTTON, Adjuster
7									SEAT BELT, Front Center
	JX77 1T5AE	2						B7	[T5]
	JX77 1L5AE	2						B7	[L5]
	JX77 1DVAD	2						B7	[DV]
	WR12 1DVAD	1						BF	[DV], With Bench Seat, Right
	WR12 1L5AD	1						BF	[L5], With Bench Seat, Right
	WR12 1T5AD	1						BF	[T5], With Bench Seat, Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Seat Belts - Front** Figure ILH-710

**PART** 



#### **Seat Belts - Front** Figure ILH-710



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
		5HK91 1T5AA	<b>\</b> 1	C, D					00	[T5]
_			1	Y	S				O0	[T5]
			1	С	М				00	[T5]
		5HK91 XDVA	A 1	С	Н				00	[DV]
			1	Υ	S				O0	[DV]
_			1	C, D					O0	[DV]
			1	Υ	Χ				00	[DV]
			1	С	М				00	[DV]
	-12									SHIELD, Seat Belt
_		YT85 1DVAA-	- 1						ML	[DV]
		YT85 1T5AA-	1						ML	[T5]
		YT85 1L5AA-	1						ML	[L5]
		YT85 1T5AA-	1						MP	[T5]
		YT85 1DVAA-	- 1						MP	[DV]
		YT85 1L5AA-	1						MP	[L5]
		YT85 1DVAA-	- 1						Q5	[DV]
		YT85 1L5AA-	1						Q5	[L5]
		YT85 1T5AA-	1						Q5	[T5]
		YT85 1DVAA-	- 1						QF	[DV]
		YT85 1T5AA-	1						QF	[T5]
		YT85 1L5AA-	1						QF	[L5]
_										

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

5
3

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				0220			110.110	1	22001111011
Teather C	Child Seat = Se	erviced '	With Rear	Shelf Pane	el				
1									SEAT BELT, Rear Inner
	SH30 1DVAD	1						O0	[DV] European
	PH76 1DVAE	1						<b>O</b> 0	[DV]
	PH76 1L2AE	1						O0	[D2]
	PH76 1L5AE	1						00	[L5]
	PH76 1T5AE	1						O0	[T5]
2									NUT, Seat Belt Attaching (M12x1.
									75), (NOT SERVICED) (Not
									Serviced)
3									SEAT BELT, Rear Outer
	PH72 1DVAI	1						00	[DV], Right
	PH72 1L2AI	1						O0	[L2], Right
		1						O0	[D2], Right
	PH72 1L5AI	1						00	[L5], Right
	PH72 1T5AI	1						00	[T5], Right
	PH73 1DVAI	1						O0	[DV], Left
	PH73 1L2AI	1						00	[L2], Left
		1						00	[D2], Left
	PH73 1L5AI	1						00	[L5], Left
	PH73 1T5AI	1						O0	[T5], Left
	PH74 1DVAI	1						00	[DV], European, Right
	PH75 1DVAI	1						00	[DV], European, Left
4	6504 542	2							SCREW, 6 Lobed, Seat Belt
									Attaching
5	6507 730AA	1						00	SCREW, M12x1.75x44.0
6									PANEL, Rear Shelf, Reference On
									(NOT REQUIRED)
7									SEAT BELT, Rear
	TV07 1D2AJ	1						O0	[D2]
	TV07 1DVAJ	1						00	[DV]
	TV07 1L2AJ	1						00	[L2]
	TV07 1L5AJ	1						O0	[L5]
	TV07 1T5AJ	1						O0	[T5]
	ST60 1T5AJ	1						O0	[T5], Rectractor (E-Marked)
									European, Center
	ST60 XDVAJ	1						O0	[DV], Rectractor (E-Marked)
									European, Center
8									SCREW, Tapping, [M12x1.75x29.3
									(NOT SERVICED) (Not Serviced

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Seat Belts - Rear** Figure ILH-720

PART

	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	-9									TETHER, Child Seat, Everything
										Serviced In Rear Shelf Panel, (NOT
	-10	4628 907AA-								SERVICED) (Not Serviced) BUMPER, Rubber, Child Teather
	-11	6506 967AA-	1							SCREW, Center Seatbelt Retractor  Mounting
	-									
3										
										_
8										
$\begin{array}{c} 6 \\ 7 \\ \end{array}$										
										_
	CONCORDE	E-INTREPID-300M LINE	(LH) ——							
	P = Limited/ S = 300M	ES H=	Chrysler		BODY 41 = 4 Door	Sedan	FGG = 35	= 2.7L V6 D L HO V6 MF	PI 24\/	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	H = SE M = LXI X = 300M S	C =	epid Dodge Inti Concorde 300M	repid			EGJ = 3.5l EGK = 3.5l EGC = ÎMA	L HO V6 MF	24V PI 24V	
	^ = 3001VI S	heciai ==	JUUIVI				EGC = IMA	AGINUNIU 3.	JL V0	



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1									HEADREST, Front, See Seat
										Illustrations, (NOT REQUIRED)
	2									SLEEVE, Headrest, See Seat
										Illustrations For Part Numbers,
										(NOT REQUIRED)
	-3									COVER, Stanchion 50/50 A/R
		5010 905AA-	1						BF	
			1						MP	
			1						QF	DILIO A MOTOFOLIO
	4									PLUG, Armrest, (NOT SERVICED)
	_									(Not Serviced)
	5									NUT, Arm Rest, (NOT SERVICED)
_	6									(Not Serviced)  ARMREST, Seat, See Seat
	O									Illustration For Part Numbers, (NOT
										REQUIRED)
	7									SCREW, Armrest Attaching (M6-1.
_										00x20.00), (NOT SERVICED) (Not
										Serviced)
	8									BRACKET, Arm Rest, Pivot
										(Serviced With Seat BackBack),
										(NOT SERVICED) (Not Serviced)
	9									HANDLE, Lumbar
		4420 701	1						Q5	
_			1						QF	
	10									SCREW, Lumbar Handle
		4761 235	1						C8	
			1						CL	
_			1						ML	
			1						MP	
			1						NL PL	
			1						Q5	
_			1						Q5 QF	
			1						R5	
			1						SL	
			1						TL	
_			1						UL	
			1						X5	
			1						Z5	
	11									SHIELD, Seat Adjuster

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
			<u> </u>	ļ	<u> </u>	<u> </u>	ļ		
	OV22 4DV444	4						D.7	IDV/I Diakt
	QY22 1DVAA							B7 B7	[DV], Right
	QY22 1T5AA QY22 1L5AA	1						Б7 В7	[T5], Right
	QY23 1T5AA	1 1						Б7 В7	[L5], Right [T5], Left
	QY23 1DVAA							В7 В7	[DV], Left
	QY23 1L5AA	1						B7	[L5], Left
	QY22 1L5AA	1						BF	[L5], Right
	QY22 1DVAA							BF	[DV], Right
	QY22 1T5AA	1						BF	[T5], Right
-	QY23 1L5AA	1						BF	[L5], Left
	QY23 1T5AA	1						BF	[T5], Left
	QY23 1DVAA							BF	[DV], Left
	QY22 1DVAA							C8	[DV], Right
	QY23 1DVAA							C8	[DV], Left
	QY22 1L5AA	1						CL	[L5], Right
	QY22 1DVAA							CL	[DV], Right
	QY22 1T5AA	1						CL	[T5], Right
	QY22 1DVAA	. 1						ML	[DV], Right
	QY22 1T5AA	1						ML	[T5], Right
	QY22 1L5AA	1						ML	[L5], Right
	QY22 1DVAA	. 1						MP	[DV], Right
	QY22 1L5AA	1						MP	[L5], Right
	QY22 1T5AA	1						MP	[T5], Right
	QY22 1L5AA	1						Q5	[L5], Right
	QY22 1DVAA	. 1						Q5	[DV], Right
	QY22 1T5AA	1						Q5	[T5], Right
	QY22 1L5AA	1						QF	[L5], Right
	QY22 1DVAA	. 1						QF	[DV], Right
	QY22 1T5AA	1						QF	[T5], Right
	QY22 1DVAA	. 1						R5	[DV], Right
	QY22 1L5AA	1						R5	[L5], Right
	QY22 1DVAA	. 1						X5	[DV], Right
	QY23 1DVAA	. 1						X5	[DV], Left
12									SCREW, Manual Recliner Handle
									Attching (8-18x.75), (NOT
									SERVICED) (Not Serviced)
13									HANDLE, Seat Recliner
	5083 012AA	1						B7	Right
	5083 013AA	1						B7	Left
	5083 012AA	1						BF	Right
	5083 013AA	1						BF	Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•					
	5083 012AA	1						C8	Right
	5083 013AA	<u>·</u> 1						C8	Left
	4761 004	1						Q5	Right
	4761 005	1						Q5	Left
	4761 004	1						QF	Right
	4761 005	1						QF	Left
	5083 012AA	1						X5	Right
	5083 013AA	1						X5	Left
	5083 012AA	1						Y5	Right
	5083 013AA	1						Y5	Left
14									SCREW, Shield To Cushion
									Attaching (8-18x.75), (NOT
									SERVICED) (Not Serviced)
15									BOLT, M8
	5101 978AA	1						AL	Rod To Seat Back
		1						B7	Rod To Seat Back
		1						BF	Rod To Seat Back
		1						C8	Rod To Seat Back
		1						CL	Rod To Seat Back
		1						DL	Rod To Seat Back
		1						ML	Rod To Seat Back
		1						MP	Rod To Seat Back
		1						NL	Rod To Seat Back
		1						Q5	Rod To Seat Back
		1						QF	Rod To Seat Back
		1						R5	Rod To Seat Back
		1						SL	Rod To Seat Back
		1						TL	Rod To Seat Back
		11						UL	Rod To Seat Back
		1						X5	Rod To Seat Back
		1						Y5	Rod To Seat Back
		1						Z5	Rod To Seat Back
16									RECLINER, Front Seat Back
	5096 097AA	1						B7	Right
		1						BF	Right
		1						Y5	Right
-		1						Q5	Right
		1						QF	Right
		1						R5	Right
		1						X5	Right
		1						C8	Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		•								
			1						CL	Right
_			<u>·</u> 1						ML	Right
			1						MP	Right
			1						<b>Z</b> 5	Right
		5096 096AA	1						BF	Left
		5096 098AA	1						B7	Left
			1						C8	Left
			1						X5	Left
			1						Y5	Left
	-17									HANDLE, Seat Recliner
		5083 012AA-	1						B7	Right
		5083 013AA-	1						B7	Left
		5083 012AA-	1						BF	Right
		5083 013AA-	1						BF	Left
		5083 012AA-	1						C8	Right
		5083 013AA-	1						C8	Left
		4761 004	1						Q5	Right
		4761 005	1						Q5	Left
		4761 004	1						QF	Right
		4761 005	1						QF	Left
		5083 012AA-	1						X5	Right
		5083 013AA-	1						X5	Left
		5083 012AA-	1						Y5	Right
	10	5083 013AA-	1						Y5	Left
	18									BOLT, Front Seat Recliner, Manual Recliner To Adjuster Attaching (M6-
										1.00)
		5019 619AA	1						В7	1.00)
		3013 013AA	2						BF	
_			1						C8	
			2						CL	
			2						ML	
			1						MP	
			2						Q5	_
			2						QF	
			2						R5	
			1						X5	
			4						Y5	
	19									ADJUSTER, Manual Seat
		4882 224	1						B7	Right,Inboard
			1						BF	Right,Inboard

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-			•							
			1						C8	Right,Inboard
-			<u>·</u> 1						CL	Right,Inboard
			1						ML	Right,Inboard
			1						MP	Right,Inboard
			1						Q5	Right,Inboard
_			1						QF	Right,Inboard
			1						R5	Right,Inboard
			1						X5	Right,Inboard
			1						Y5	Right,Inboard
		4882 225	1						Y5	Left,Outboard
			1						C8	Left,Outboard
			1						BF	Left,Outboard
			1						B7	Left,Outboard
		4882 226	1						B7	Right,Outboard
			1						BF	Right,Outboard
			1						C8	Right,Outboard
			1						CL	Right,Outboard
			1						ML	Right,Outboard
			1						MP	Right,Outboard
			1						Q5	Right,Outboard
			1						QF	Right,Outboard
			1						R5	Right,Outboard
			1						X5	Right,Outboard
			1						Y5	Right,Outboard
_		4882 227	1						Y5	Left,Inboard
			1						C8	Left,Inboard
			1						BF	Left,Inboard
			1						B7	Left,Inboard
_	20									TOWEL BAR, Seat Adjuster Handle
		4746 292	2						B7	
			1						BF	
			1						C8	
_			1						CL	
			1						ML	
			1						MP	
			1						Q5	
_			1						QF	
			1						R5	
			2						X5	
			2						Y5	

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21	6506 164AA	8							SCREW AND WASHER, Hex Head
									Front and Rear Seat Attaching To
									Floor
22									RIVET, Towel Bar Attaching, (NOT
									SERVICED) (Not Serviced)
-23	6503 679	4							NUT, M10x1.50, Front Seat
									Mounting, Front
-24	6033 688	AR							RIVET, .25x.110/.189, Front Seat
									Rear T-Plate Repair
-25									BOLT, Hex Head, M6x1.0x12.5
	4761 224	8						B7	Seat Adjuster - Front Back Pivot
		1						BF	Seat Adjuster - Front Back Pivot
		1						C8	Seat Adjuster - Front Back Pivot
		8						CL	Seat Adjuster - Front Back Pivot
		1						ML	Seat Adjuster - Front Back Pivot
		1						MP	Seat Adjuster - Front Back Pivot
		8						NL	Seat Adjuster - Front Back Pivot
		8						Q5	Seat Adjuster - Front Back Pivot
		8						QF	Seat Adjuster - Front Back Pivot
		8						R5	Seat Adjuster - Front Back Pivot
		1						SL	Seat Adjuster - Front Back Pivot
		8						TL	Seat Adjuster - Front Back Pivot
		8						UL	Seat Adjuster - Front Back Pivot
		1						X5	Seat Adjuster - Front Back Pivot
		8						Y5	Seat Adjuster - Front Back Pivot
		8						Z5	Seat Adjuster - Front Back Pivot

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

#### **Seats Attaching Parts Power Seat** Figure ILH-815




#### Seats Attaching Parts Power Seat Figure ILH-815

PART




### Seats Attaching Parts Power Seat Figure ILH-815




#### **Seats Attaching Parts Power Seat** Figure ILH-815


**PART** 




### **Seats Attaching Parts Power Seat** Figure ILH-815




### Seats Attaching Parts Power Seat Figure ILH-815



### Seats Attaching Parts Power Seat Figure ILH-815




#### **Seats Attaching Parts Power Seat** Figure ILH-815




### **Seats Attaching Parts** Figure ILH-820

PART




# **Group – SLH**

### **Body Sheet Metal Except Doors**



SLH-200	SLH-300	SLH-400	SLH-500			
Floor Pans	Plugs	Front Fenders	Hood & Hood Release			
	<b>©</b>					
SLH-600	SLH-700	SLH-800	SLH-900			
Cowl and Dash Panel	Glass and Rear View Mirror	Aperture Panel	Quarter Panel and Pillar			

# Group – SLH Body Sheet Metal Except Doors




### **GROUP SLH - Body Sheet Metal Except Doors**

Illustration Title


Group-Fig. No.

Floor Pans	
Front And Center Floor Pan	Fig. SLH-210
Rear Floor Pan	Fig. SLH-220
Plugs	
Plugs, Floor Pan	Fig. SLH-310
Plugs, Hood And Deck Lid	Fig. SLH-320
Plugs, Body	Fig. SLH-330
Front Fenders	F: OLLI 440
Front Fender	Fig. SLH-410
Hood & Hood Release	E: 0111 E40
Hood	Fig. SLH-510 Fig. SLH-520
	Fig. 3Li 1-320
Cowl and Dash Panel	Fig. CLU 640
Cowl Screens And Support Beam	Fig. SLH-610 Fig. SLH-620
Glass and Rear View Mirror	1 lg. OLI1 020
Glass Windshield And Mirror	Fig. SLH-710
Glass Rear Window	Fig. SLH-720
Aperture Panel	3 -
Aperture, Body Side	Fig. SLH-810
Aperture, Body Side	Fig. SLH-815
Quarter Panel and Pillar	
Quarter Panel	Fig. SLH-910
Roof Panels	
Roof Panel	Fig. SLH-1110
Sunroof	
Sunroof	Fig. SLH-1210
Liftgate Panel	
Deck Lid	Fig. SLH-1310
Spoiler - Deck Lid	Fig. SLH-1315
Rear Shelf Panel	
Rear Shelf Panel	Fig. SLH-1410

#### Front And Center Floor Pan Figure SLH-210



PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PAN, Rear Floor
	4580 490AF	1	D, Y						Short
	4580 491AF	1	С						Long
2									PANEL, Rear Floor Pan
	4580 514	1	D, Y						
		1	С						
3	4580 026AD	1							CROSSMEMBER, Floor Pan
4	5003 165AD	1							REINFORCEMENT, Seat Belt
									Anchor
5	4580 609AB	1							BRACKET, Fuel Tank
6	4575 238AI	1							CROSSMEMBER, Rear Suspension
7	4580 738AB	1							BRACKET, Disabled Vehicle Tow,
									Tow
8	4580 058AE	1							REINFORCEMENT, Disabled Vehicle
									Tow
-9	6101 108	3							SCREW AND WASHER, Hex Head,
									M12x1.75x35
-10	6101 920	3							NUT, Hex Flange, M12x1.75
-11									REINFORCEMENT, Belt Retainer
	4575 274	1	С						Right,Rear
		1	D						Right,Rear
		1	Υ						Right,Rear
	4575 275	1	С						Left,Rear
		1	D						Left,Rear
		1	Υ						Left,Rear

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1	4646 971	4							PLUG, Floor Pan
	2	4780 520AA								PLUG, Top Seal
(4)	3									TAPE, Butyl, (NOT SERVICED) (Not
	4	4780 520AA	. 5							Serviced) PLUG, Top Seal
	5	4780 194	2							PLUG, Side Sill Inner
	-6	4759 514AE	- 2							GROMMET Trunk Carpet Attaching
		4780 550AE								ABS Hole
Super Control of the										
<b>Q 4</b>										
(2)										
5										
	CONCORDE	-INTREPID-300N	! (LH) ——				ENOU:-			TRANSMISSION .
	SERIES P = Limited/	LIN ES H	= Chrysler		BODY 41 = 4 Door	Sedan	ENGINE EER, EE0	= 2.7L V6 D L HO V6 MF	OHC	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm
	S = 300M H = SE M = LXI	D:	repid = Dodge In = Concorde	trepid			EGU = 3.5L	L HO V6 MF L V6 SOHC 2 L HO V6 MP AGNUMÖ 3.9	24V 24V 24V	DOU = Ali Automatic Transm
	X = 300M S	pecial E	= 300M					AGNUMÖ 3.	5L V6	
	AD - Hea	as required .	- Non illu	ictrated nar	+ # - Now 1	thic model	/oar			September 19, 2005

# Plugs, Hood And Deck Lid Figure SLH-320



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4780 194	2							PLUG, Hood
2									PLUG, Body Side Aperture, (NOT
2	4944 649	2							REQUIRED)
3	4814 648	2							PLUG, Deck Lid

X = 300M Special

 
 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc
 H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# Plugs, Body Figure SLH-330



		PART								
	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-										
	1	4696 466AB	2							PLUG, Door, Rubber
	2	4780 615AB	1							PLUG, Body, .75 Diameter, Pillar
	3									PLUG, Cowl Side, (NOT
										REQUIRED)
	4	4780 194	2							PLUG
	5									TAPE, Butyl, (NOT SERVICED) (Not
										Serviced)
	-6	4440 294	2							PLUG, Quarter Panel Extension
	-7	4780 521AB-	2							PLUG, Top Seal, 30MM

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Front Fender Figure SLH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	5003 064AC	1	D						Right
	5003 065AC	1	D						Left
	5003 060AD	1	С						Right
	5003 061AD	1	С						Left
	5003 066AF	1	Υ						Right
	5003 067AF	1	Υ						Left
-2									BRACKET PACKAGE, Fender to
									Body Side Aperture
	5013 082AA-	1	D						Fender to Body Side Aperature
		1	С						Fender to Body Side Aperature
		1	Υ						Fender to Body Side Aperature
-3	6503 641	AR							SCREW, M7X1.25X16.00, Fender
									Repair
4	6504 971AA	2							SCREW, M8x1.25x20
5	6101 801	4							SCREW, Tapping Annular, M8x1.
									25x15, Tapping, M8X1.25X15
6	6502 064	AR							SCREW, Tapping, M6x1x20
7	6101 712	2							NUT, U, M6x1, Upper Radiator
									Crossmember Attaching to Load
									Beam Inner
8									BEAM PACKAGE, Upper Load Path
	5003 848AB	1							Right
	5003 849AB	1							Left
9	6102 088AA	4							SCREW, Hex Head, M8x1.25x45
10									TOWER, Front Suspension
	4580 442AI	1							Right
	4580 443AJ	1							Left
11									SUPPORT, Headlamp Panel
	4580 546	1							Right
	4580 547	1							Left
12									BEAM, Upper Load Path
	4580 216AF	1							Right
	4580 217AF	1							Left
13	4580 776AB	1							TAPPING PLATE, Hood Hinge Body
									to Load Beam
14	4580 777AA	1							TAPPING PLATE, Hood Hinge
15	4500 45		_						SHIELD, Wheelhouse
	4580 194AE	1	D						Right
	4580 195AE	1	D						Left
	4580 486AF	1	C, Y						Right

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M


BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

### Front Fender Figure SLH-410



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4580 487AF	1	C, Y						Left
16	4696 466AB	2							PLUG, Body, Rubber
-17									NUT
	6504 870AA-	5	D						Shield Attaching
		5	C, Y						Shield Attaching
-18	6504 521	4							PIN, Push, Splash Shield Attaching
19									SEAL, Fender To Cowl
	4580 774AH	1							Right
	4580 775AH	1							Left
20									REINFORCEMENT, Suspension
									Strut Mounting
	4580 722AL	1							Right
	4580 723AE	1							Left
21	4580 192	2							PLATE, Suspension, Front
									Suspension Strut Mounting
22									PANEL, Fender Side Shield
	4580 186AE	1							Right
	4580 187AF	1							Left
-23									SHIM, Fender
	4580 795AA-	AR							Load Beam to Front Fender
	4783 805	AR							
-24									BRACKET, Fender Nose
	4580 258AB-	1	Υ						Right,Left
	4580 259AB-	1	Υ						
-25	6505 638AA-	8							SCREW, Fender Attaching

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

### Hood Figure SLH-510



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOOD
	5003 088AD	1	С						
	5003 098AC	1	D						
	5003 100AD	1	Υ						
-2									CLIP, Hood
	4580 778AA-	1	D, Y						Hinge Body Half To Wiper Bracket
									Spring,Clip
		1	С						
3									SILENCER, Hood
	4580 565AD	1	C, Y						
	4580 566AD	1	D						
4									PIN, Push, M6.35x12.60
	6502 842	13	D						Hood Inner Panel Silencer
									Attaching
		10	C, Y						Hood Inner Panel Silencer
									Attaching
5									HINGE, Hood
	4580 136AF	1	D, Y						Right
	4580 137AF	1	D, Y						Left
	4580 138AG	1	Ċ						Right
	4580 139AG	1	С						Left
6	6100 592	2							SCREW, M8x1.25x30, Attaching,
									Hood Hinge
7	4780 090	1							WEATHERSTRIP, Hood to Radiator
8	00 000	•							PROP, Gas
	4580 770AE	1	D, Y						Right
	4580 771AE	1	D, Y						Left
9		•	-, .						PROP, Hood
Ū	4580 772AD	1	С						Right
	4580 773AD	1	C						Left
10	6504 971AA	2	Ū						SCREW, M8x1.25x20
11	5253 192	2							BUMPER, Hood, Stop Bumper
12	4696 592	2							BUMPER, Hood, Hood Adjust
13	4780 549AA	1							DEADENER, Hood To Cowl Seal
13	4760 349AA	'							Extension
1.4	4590 240AU	4							
14 15	4580 349AH	1							BRACE, Front Strut Tower to Tower
15	6102 167AA	2							NUT AND WASHER, To Body
4.0	0400 500	0							Attaching, Hood Hinge
16	6100 592	2							SCREW, M8x1.25x30

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M

BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Hood Release And Latch** Figure SLH-520



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 280AB	1							RELEASE, Hood Latch
2	6504 476	2							SCREW, Hex Flange Head Tapping
									M4.8 x 1.59 x 38.00
3	4646 042	1							CLIP, Hood Latch Release, Cable
4									LATCH, Hood
	4580 180AD	1	D						
	4580 282AG	1	С						
	4580 730AF	1	Υ						(Series) [Y]
		1	Υ						(Series) [X]
5	6102 167AA	2							NUT AND WASHER
6	6504 905AA	2							CLIP, M5 x 21.80
7	4658 887	4	C, Y						PUSH PIN, Front Door Glass Run
									With Weatherstrip
8									SEAL
	4780 532AB	1	D						
	4780 533AC	1	C, Y						
9	4696 592	2							BUMPER, Hood

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

## Cowl Screens And Support Beam Figure SLH-610



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4580 638AB	1							SCREEN, Cowl, Plenum
2									GROMMET, Cowl
	4805 119AB	7							Upper,Plenum
		2							Cowl To Fender
3									SCREEN, Cowl Top
	4805 014AD	1	D, Y						Right
	4805 015AD	1	D, Y						Left
	4805 016AF	1	С						Right
	4805 017AF	1	С						Left
4									SCREW, (NOT SERVICED) (Not
									Serviced)
5	6502 964	1							NUT AND WASHER, Hex Nut-Co
									Washer, M8 x 1.25
6	4580 409AE	1							BEAM, Steering Column Support
7									NUT, (NOT SERVICED) (Not
									Serviced)
8	4580 685AC	1							STRUT, Beam Bracket to Airbag
									Bracket
9									NUT, (NOT SERVICED) (Not
									Serviced)
10									SCREW, (NOT SERVICED) (Not
									Serviced)
11	4574 395	1							WEATHERSTRIP, Hood to Cowl
12									SEAL, Fender To Cowl
	4580 774AH	1							Right
	4580 775AH	1							Left
13	5065 016AA	1							WATERSHIELD, Cowl Plenum
-14	6101 442	2							U-NUT, M6 x 1.00, M6x1.00, Wat
									Shield Attaching

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


### Cowl And Dash Figure SLH-620



### **Glass Windshield And Mirror** Figure SLH-710



### **Glass Rear Window** Figure SLH-720



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SPACER, With Backlite, (NOT
									REQUIRED)
2	4575 371	1	Υ						BACKLITE
3									BACKLITE, Tinted, Solar Control
	4575 373	1	D						
	4575 375	1	С						
4									WIRING, Electric Backlight Ground
	4759 137AB	1	Υ						
		1	С						
	5086 493AA	1	D						
5									WIRING, Electric Back Light Feed
	4759 138AB	1	Υ						
		1	С						
	5086 492AA	1	D						
6									WIRING, Electric Backlight Ground
	4759 137AB	1	Υ						
		1	С						
	5086 493AA	1	D						
7									WIRING, Electric Back Light Feed
	4759 138AB	1	Υ						
		1	С						
	5086 492AA	1	D						

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

H = Chrysler

BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M X = 300M Special

# Aperture, Body Side Figure SLH-810

PART



ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture,
									(Serviced In Illustration 815), (NOT
									REQUIRED)
2									PANEL, Windshield Frame
	4575 386	1	D						Right
		1	С						Right
		1	Υ						Right
	4575 387	1	D						Left
		1	С						Left
		1	Υ						Left
3									SUPPORT, Roof
	4575 466	1	D						Right
	4575 467	1	D						Left
	4575 594	1	С						Right
		1	Υ						Right
	4575 595	1	С						Left
		1	Υ						Left
4									SILL, Body Side
	4580 398AG	1							Right
	4580 399AG	1							Left
5									SPACER, Door Latch Striker
	5507 5483	AR							2.0-2.5mm Thickness
	4520 289	AR							3.75mm Thickness
6	4780 259	2							STRIKER, Door
7	6503 120	4							SCREW AND WASHER, Button
									Head Torx
-8	4886 364AA-	AR							REINFORCEMENT PACKAGE, Body
									Side Aperture

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

(1)		
	2	3
		5 4

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
				1 -		_			
1									PANEL PACKAGE, Body Side
									Aperture Front
	5003 764AG	1	Υ						Right
	5003 765AG	1	Υ						Left
	5016 886AE	1	С						Right
	5016 887AE	1	С						Left
	5016 892AF	1	D						Right
	5016 893AF	1	D						Left
2									PANEL PACKAGE, Body Side
									Aperture Center
	5003 766AF	1	Υ						Right
	5003 767AF	1	Υ						Left
	5016 888AE	1	С						Right
	5016 889AE	1	С						Left
	5016 894AF	1	D						Right
	5016 895AF	1	D						Left
3									PANEL PACKAGE, Body Side
									Aperture Rear
	5003 768AF	1	С						Right
	5003 769AF	1	С						Left
	5003 770AH	1	D						Right
	5003 771AH	1	D						Left
	5003 772AG	1	Υ						Right
	5003 773AG	1	Υ						Left
4									PANEL PACKAGE, Body Side Si
	5003 776AH	1	D						Right
		1	Υ						Right
	5003 777AH	1	D						Left
		1	Υ						Left
5									PANEL PACKAGE, Sill
	5003 774AG	1	Υ						Right
	5003 775AG	1	Υ						Left
	5016 890AE	1	C						Right
	5016 891AE	<u>·</u> 1							Left

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid


 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6


### **Quarter Panel** Figure SLH-910



#### **Quarter Panel** Figure SLH-910



### **Quarter Panel** Figure SLH-910



20 4780 382  21 4440 294  -22  4780 489AF- 4780 498AD- 23  4575 224AL 4575 225AL 4575 218AF 4575 219AF		LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
21 4440 294 -22 4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF	2 2							
21 4440 294 -22 4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF	2 2							
-22 4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF								EXHAUSTER, Quarter Panel,
-22 4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF								Quarter Panel
4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF	4 2							PLUG, Extension Quarter Panel
4780 489AF- 4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF								Rear, Right & Left
4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF								PLUG, Weld Access Extension
4780 498AD- 23 4575 224AL 4575 225AL 4575 218AF								Quarter Panel
23 4575 224AL 4575 225AL 4575 218AF	9AF- 2	D						Lower
4575 224AL 4575 225AL 4575 218AF	BAD- 2	C, Y						Lower
4575 225AL 4575 218AF								EXTENSION, Quarter Panel
4575 218AF	1AL 1	D						Right
	5AL 1	D						Left
4575 219AF	BAF 1	С						Right
	9AF 1	С						Left
4575 634AL	1AL 1	Υ						Right
4575 635AL		Υ						Left

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

### **Roof Panel** Figure SLH-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Roof
	4575 192AC	1	Υ						w/o Sunroof
	4805 174AJ	1	Υ						w/Sunroof
	4575 193	1	С						w/o Sunroof
	4805 172AI	1	С						w/Sunroof
	4575 194AB	1	D						w/o Sunroof
	4805 173AI	1	D						w/Sunroof
2	4575 457AD	1							HEADER, Windshield
3									HEADER, Rear Window Openi
	4575 196AE	1	С						
	4575 197AE	1	D						
	4575 195AF	1	Υ						
4									REINFORCEMENT, Roof Pane
									Serviced With Item 1, (NOT REQUIRED)
-5	2654 684	2							TAPE, Acess Hole

CONCORDE-INTREPID-300M (LH) -SERIES LINE


P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### Sunroof Figure SLH-1210



	PART				ĺ		1		
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
									<del>-</del>
-1	TL97 TL2AA-	1							SUNSHADE, Sunroof
-2	5011 591AA-	1							CONTROL UNIT, Sunroof
-3	5011 592AB-	1							MOTOR, Sunroof
-4	5011 602AA-	1							DEFLECTOR, Sunroof Wind
-5	5011 603AA-	1							CHANNEL, Sunroof Drain
-6	5083 363AA-	1							MODULE, Sunroof
-7	5011 658AA-	1							KIT, Sunshade Slide
8	5011 600AB	1							GLASS, Sunroof
9	4760 731AG	1							WIRING, Sunroof
10									TUBE, Sunroof Drain
	4805 178AH	1							Right
	4805 179AI	1							Left
11									TUBE, Sunroof Drain
	4805 330AK	1	С						Right
	4805 331AK	1	С						Left
	4805 348AK	1	D						Right
	4805 349AK	1	D						Left
	4805 398AH	1	Υ						Right
	4805 399AH	1	Υ						Left
12	4805 175AA	2							GROMMET, Tube, Sunroof Drain
									Tube
13	6502 450	1							CLAMP, HOSE CLAMP, I.D. 13-14.
									9MM
14	6505 746AA	8							SCREW AND WASHER, Hex Head
									Locking, M6 x 1.00 x 21.00
15	6101 712	2							NUT, U, M6x1
16	4805 280AA	2							GROMMET, Tube, Rear Sunroof
									Drain
17	4805 378AB	2							CLIP, Tube

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg

 M = LXI
 C = Conc


X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

#### **Deck Lid** Figure SLH-1310

PART



### **Deck Lid** Figure SLH-1310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4575 687AA	2	D						
	4575 689AB	2	С						
	4575 691AB	2	Υ						
-15	4696 488	2							FASTENER, Deck Lid
-16	4575 695AA-	2							BUMPER, Deck Lid Overslam, Deck
									Lid Overslam Outside Body Half
-17	4628 813AF-	1	Υ						COVER, Decklid Interior Trim
-18	6505 411AA-	2							PIN, Push, Cover, Deck Lid
									Attaching
19	6505 907AA	1							SCREW, Self Tapping, M6x1x15
20									WIRING, Reference, (NOT
									REQUIRED)
21									BRACKET, Lock Cylinder Attach
	4575 148	1	Υ						
	4575 162	1	D						
	4575 623	1	С						
22									SWITCH, Deck Lid Alarm
	4608 287AB	1	D						
		1	С						
		1	Υ						
23									SCREW
	0153 908	2	Υ						
		2	D						
		2	С						
24									LINK, Deck Lid Lock Cylinder
	5012 876AA	1	С						Black
	5012 877AA	1	D, Y						White

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI

X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan


ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

TRANSMISSION
DGX = 4 Speed Automatic
DG0 = All Automatic Transm

AR = Use as required -= Non illustrated part # = New this model year

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: P.A.	R. = Paint As	s Require	ed						NUT AND WASHER, Hex, M6x Serviced With Item 2, (NOT
2									SERVICED) (Not Serviced) SPOILER KIT, Deck Lid
	8220 5701	1	D		41				[P.A.R.]
	8220 4087	1	D		41				Stone White, [SW1]
CONCORDE-I	NTREPID-300M	(LH) ——							
SERIES P = Limited/E S = 300M H = SE M = LXI	LINI S H = Intre D =	E Chrysler	repid	BODY 41 = 4 Door	Sedan	EGG = 3.5 EGJ = 3.5l	= 2.7L V6 D L HO V6 MF L V6 SOHC 2 L HO V6 MP	PI 24V 24V	TRANSMISSION DGX = 4 Speed Automatic DG0 = All Automatic Transm





	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, Shelf Pan
									Rear
	4575 496	1	D						without Power Sunroof
	4575 685AA	1	D						w/Sunroof
	4575 497	1	Υ						without Power Sunroof
	4575 686AA	1	Υ						w/Sunroof
	4575 495AC	1	С						without Power Sunroof
	4575 684AC	1	С						w/Sunroof
2									PANEL, Shelf
	4575 620AD	1	D						
	4575 692AC	1	Υ						
	4575 694AD	1	С						
3	4780 722AB	1							SHELF, Rear Seat Back Attach
									Upper, Upper
4	4580 515AB	1							SHELF, Rear Seat Back Attach
									Upper, Lower, Rear Seat Bac
									Attach, Lower
5									REINFORCEMENT, Shelf Pane
									Rear
	4575 685AA	1	D						
	4575 686AA	1	Υ						
	4575 684AC	1	С						
-6	4580 427AI-	1							SHELF, Rear Seat Back Attach
									Upper

CONCORDE-INTREPID-300M (LH) -SERIES LINE

P = Limited/ES S = 300M H = SE M = LXI


X = 300M Special


H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

# **Group – LBLS**

### **Labels All Vehicle Locations**






#### **GROUP LBLS - Labels All Vehicle Locations**


Illustration Title	Group-Fig. No.
Interior	
Instrument Panel and Visors	Fig. LBLS-110
Under Hood	
Engine Compartment	Fig. LBLS-210
Doors	
Doors and Pillars	Fig. LBLS-310

### **Instrument Panel and Visors** Figure LBLS-110



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Air Bag Warning
	4595 748A	A 1							ENDEE, All Dag Walling
	4595 749A								Canada
2	4851 416A								LABEL, Air Bag Warning, Spanish
3	4680 556A								DECAL, Seat Belt Safety, Export
4									LABEL, Air Bag Warning
	4787 437A	A 2							Canada
	5023 548A								Middle East
5									LABEL, Airbag, Visor down position
									English
	4897 875A	A 1							-
		1							
		1		Н					
NCOPD	E-INTREPID-300	м (1 н) —							
RIES		INE		BODY		ENGINE			TRANSMISSION
Limite	d/ES H	= Chrysler		41 = 4 Door	Sedan	EER, EE0	= 2.7L V6 D	OHC	DGX = 4 Speed Automatic
= 300M = SE	lr.	trepid	ntranid				IL HO V6 MI L V6 SOHC		DG0 = All Automatic Transm
- OE	Ľ	= Dodge Ir	шеріа						
= LXI	C	= Concord	е			EGK = 3.5	L HO V6 MF	PI 24V	

# Engine Compartment Figure LBLS-210



		PART								
_	ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
_										
	1									LABEL, Emission
_		4578 240AA	1				EER			[EER,NAS]
		4578 241AA	1				EER			[EER,NA1]
		4578 242AA	1				EGJ			[EGJ,NAS]
		4578 243AA	1				EGC,			[EGC,EGG,EGK,NAS]
							EGG,			
							EGK			
		4578 244AA	1				EGG			[EGG,NA1]
		5032 954AA	1				EGJ			[EGJ,NAM]
		5032 955AA	1				EGG			[EGG,NAM]
	2									LABEL, A/C Spec, Belt Rtg. & Fan
										Caution
		4596 510AA	1							Non-Arabic
		4596 517AA	1							Arabic
		4596 519AA	1							French/Canadian
	-3	4780 518AC-	1							LABEL, Battery, Jump Start,
										Negative Battery Ground
	4									LABEL, Battery
		4557 480	1							Middle East Equipment
		4793 062	1							European Equipment
_										

 CONCORDE-INTREPID-300M (LH) 

 SERIES
 LINE

 P = Limited/ES
 H = Chrys

 S = 300M
 Intrepid

 H = SE
 D = Dodg


 M = LXI
 C = Conc

X = 300M Special

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6

### **Doors and Pillars** Figure LBLS-310



	PART								
ITEM	NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	•			•				•	
1									LABEL, Export, (NOT SERVICED)
									(Not Serviced)
2									LABEL, Quality Assurance, (NOT
									SERVICED) (Not Serviced)
3									LABEL, Tire Pressure
	4782 251AA	1							255-60R16 Touring
	4782 248AA	1							225-55R17 Touring
	4782 299AA	1							225-55R17 Performance
	4782 253AA	1							255-60R16 Touring, Canada
	4782 256AA	1							225-55R17 Touring, Canada
	4782 301AA	1							225-55R17 Performance, Canada
4									LABEL, Manufractured for Export,
									(NOT SERVICED) (Not Serviced)
5									LABEL, Child Protection Lock,
									French
	4780 546AC	1							Canada, Right
	4780 547AC	1							Canada, Left
6									LABEL, Child Protection Lock,
									English
	4780 544AA	1							Right
	4780 545AA	1							Left
7									LABEL, Child Protection Lock
	4852 524AA	1							Mexico, Right
	4852 525AA	1							Mexico, Left
8									LABEL, Air Bag Warning
	4649 282AA	2							U.S.A.
		2							Mexico
	4649 281AA	2							
9									LABEL, Mercury Warning, Not
									relaesed at time of publication,
									(NOT SERVICED) (Not Serviced)
10									LABEL, Vehicle Certification, (NOT
									SERVICED) (Not Serviced)
11	4040 858	1							OVERLAY, Vehicle Certification
									·

H = Chrysler Intrepid
D = Dodge Intrepid
C = Concorde
E = 300M BODY 41 = 4 Door Sedan

ENGINE EER, EE0 = 2.7L V6 DOHC EGG = 3.5L HO V6 MPI 24V EGJ = 3.5L V6 SOHC 24V EGK = 3.5L HO V6 MPI 24V EGC = ÎMAGNUMÖ 3.5L V6